

TAIWAN



**PRODUCTS
DIRECTORY**

2013 - 2014



TAIWAN



**PRODUCTS
DIRECTORY**

2013 - 2014



Eco-Products International Fair 2014

3.13 ▶ 16

**TWTC Exhibition Hall
Taipei, Taiwan**



Organized by



Asian Productivity Organization



Bureau of Foreign Trade, MOEA, Taiwan

Implemented by



Taiwan Green Trade Project Office, Ministry of Economic Affairs



Taiwan External Trade Development Council



China Productivity Center

Exhibitor Profile

- Green Buildings
- Green Energy
- Energy Saving
- Green Transportation
- Green Finance
- Pollution Control
- Smart Grid
- Waste Disposal and Management
- Water Recycling and Management
- Government, Trade Association & Institutes

Visitor Profile

- Government / Policy Makers
- Business Owners, CEOs, COOs and CPOs
- Manufacturers and Suppliers
- Trade Officers & Associations
- Energy & Resource Professionals
- Building & Construction Authorities
- Waste & Water Treatment Professionals
- Bankers & Investment Professionals
- Environmental-related Professionals, Consultant & Organizations
- NGO/ NPO Environmental Group
- Academics & Researchers
- Schools/ Polytechnics/ Universities/ Institutions
- General Public

Events Highlights

- One-on-One Procurement Meetings
- International Green Classic Award Competition
- Low-Carbon Events
- APO Conference
- Keynote Forums & Roundtable
- Site Trips

EPIF 2014 Secretariat Office (TAITRA)

5, Hsin-Yi Rd., Sec. 5, Taipei 11011, Taiwan

TEL: 886-2-2725-5200

FAX: 886-2-2729-1089

E-Mail: epif@taitra.org.tw



EPIF 2014 Aims

- To provide an Asian business platform for sustainable development and competitiveness
- To showcase the capacity of Eco materials, components, products and services in Asia
- To expand the scope of EPIF 2014 to reach industry professionals and general public

What is EPIF?

The Eco-products International Fair (EPIF) is one of the **first** and most **established** international environmental exhibitions in the Asia-Pacific region. Organized by the Asian Productivity Organization (APO) since 2004, the EPIFs provide a platform to raise environmental awareness, encourage greening of supply chains, support growing green markets, and involve the public in creating a better environment through the use of eco-products, eco-technologies, and eco-services.

Eight EPIFs have been held in APO member economies: in Malaysia, 2004; Thailand, 2005; Singapore, 2006; Vietnam, 2008; the Philippines, 2009; Indonesia, 2010; India, 2011; and back to Singapore, 2013. The fairs have received full support and cooperation from private-sector companies in Japan as well as in other advanced APO member economies which have extensive environmental technologies, products, materials, and services to share as best practices. The EPIFs have had significant impacts in host member economies, such as the establishment of Green Purchasing Networks, creation of Green Industry Awards, and inspiring the world-famous eco-city project.

Year	Country	No. of Visitors	No. of Exhibitors
2004	Malaysia	11,493	76
2005	Thailand	25,476	59
2006	Singapore	34,516	107*
2008	Vietnam	98,469	91
2009	The Philippines	83,469	128
2010	Indonesia	90,004	164
2011	India	25,162	80
2013	Singapore	3,102**	101*

*Note: Including organizers

** Note: EPIF 2013 was focused on B2B while previous EPIFs were B2C oriented events.

Asia, the Heart of Greenness!



Why Taiwan in 2014?

Taiwan was ranked the 2nd in Asia and the 6th in the world of green technology competition based on the report of the Swiss International Lausanne Management Institute (IMD). The willingness and capacity of Taiwan going for green society is significant. Also, Taiwan is always one of the eminent green technology industries around the world. Therefore, the EPIF 2014 in Taiwan will be the best event to provide a global business platform for green products and services.

Benefits of Participation?

Green Economy

- For APO member organizations to expand export & import of eco products, technologies and services in their countries.

Green Supply Chain

- For industry professionals to source eco materials, technologies and services.
- For general public to familiarize with eco products.

Corporate Social Responsibility (CSR)

- For enterprises to promote their "Eco-Branding" to stimulate social awareness and action to make our earth greener.

Contents

Taiwan Eco-Products Directory 2013-2014

01	Preface
02	Introduction
03	Product Inclusion Criteria
09	Disclosure of Product Information

11 Eco-Materials and Articles Thereof

12	Chemicals
38	Plastics, Rubber and Articles Thereof
56	Articles of Stone and Cement; Ceramic Products; Glass and Glassware
78	Metals and Articles Thereof
83	Other Materials and Articles Thereof

101 Eco-Products

102	Food, Beverages, Spirits and Tobacco
112	Textile Products
124	Machineries
150	Electrical Machinery Products
155	Electronic Products and Household Electrical Appliances
182	Information and Communication Products
186	Other Products

Preface

We are standing at the crossroads of the global economy. On one hand, we are dedicated to generating better living standards for a growing number of the world's population; on the other hand, it is increasingly clear that we cannot base future economic growth on unsustainable patterns of consumption and production that cause immense environmental, social and economic disruption.

Though we are facing many challenges ahead, we are confident that these challenges will inspire more innovations and encourage the adoption of better policies and measures that will bring about the transition to sustainable economic development. In the new report *Green Economy and Trade* published by the United Nations Environment Program (UNEP) in May 2013, the UN points out that trade has the potential to facilitate the transition to a green economy, and the transition to a green economy has the potential to create new trade opportunities. Thus, sustainable or green trade plays a key role in the interface between international trade and green economy.

Acknowledging the increasingly important role of green trade, the Bureau of Foreign Trade under the Ministry of Economic Affairs (MOEA) launched the Green Trade Promotion Project in 2011 to promote Taiwan's green products and services in the international market. Among the various efforts of this project, the project office publishes the *Taiwan Eco-products Directory* annually, registering Taiwanese companies and their high-quality products, which are made in Taiwan and have obtained authorized environmental labeling or certification. In this year's edition, 383 eco-products produced by 168 Taiwanese companies are included, representing a growth of almost 30% in terms of the number of products registered. I am immensely pleased to see the publication of this year's *Directory*, which demonstrates the continued and concerted efforts of Taiwan to contribute to the goal of sustainable economic development.



Chang, Chun-Fu
Director General, Bureau of Foreign Trade, MOEA

Taipei
July 2013

Introduction

Celebrating GTPO's 3rd anniversary!

As the global economy has slowly rebounded, we have seen the 'greenlight' guiding us to the next generation of prosperity, for 'green' has become the business opportunity for all industry rather than exclusively for a niche market. *Green Trade Project Office* (GTPO), Taiwan, is founded accordingly to facilitate international green trade with high-quality green products and services since 2011. With this great green mission, we will continue to move forward!

To disseminate the information of green products from Taiwan, GTPO gathered the data of green products manufactured in Taiwan and published the 1st and the 2nd edition of *Taiwan Eco-Products Directory* in 2011 and 2012, respectively. Products listed in the Directory are those that have obtained eco-labels or certificates from Taiwanese government or international authorities. Again this year, with more eco-products being certified, the product list has been expanded. Thus we published 3rd edition, *Taiwan Eco-Products Directory 2013-2014*. This directory, along with the previous ones, is available in two formats: the digital file and the printed hard copy. All of the items in the directory have also been uploaded to the database of the Asian Productivity Organization's Eco-products Directory to be internationally distributed.

To our understanding, the market demand is the ultimate dominant force for green products and services. We therefore hope through cumulative efforts, including the continual compilation and publication of this Directory and the upcoming Eco-Products International Fair 2014 in Taipei, the green consumption and green manufacture will increase. And the green economy that benefits both the ecology and the economy, the individual and the community, and the current and the future generation, will not only be a model but soon become a reality.



Tain-Jy Chen

Director of Green Trade Project Office, MOEA

Product Inclusion Criteria

There is currently no universal definition on the term "eco-product". From the trade perspective, the eco-product, as defined in the UNESCAP document, refers to "the export and import of goods and services which are produced, traded, used and disposed of in an environmentally sustainable manner or promote sustainable development". This definition, however, is very broad and it is rather difficult to classify products accordingly.

Since 1998, the International Organization for Standardization (ISO) has established a series of international standards focusing on environmental labels and declarations. The environmental labels and declarations refer to the overall environmental characteristics of a product or service developed based on a particular or multiple environmental considerations, and are designed to encourage consumers to adopt products with lower environmental impacts, thus motivating suppliers to reduce environmental impacts generated by their products or services. Under the framework of the ISO 14020 general principles, ISO has published the ISO 14024 and ISO 14021 standards in 1999 for "Type I environmental labeling" and "Type II environmental labeling", respectively, and the ISO 14025 standard in 2000 for "Type III environmental declarations". Additionally, environmental labels designed regarding a specific environmental attribute (e.g. water conservation, power saving), a specific industry (e.g. forestry industry, construction materials industry) or a particular product category (e.g. electronics, textiles), which are not defined in the ISO 14020 series standards, are classified as "other types of environmental labels" to differentiate their characteristics.















Meanwhile, the threat of global warming has made reduction of carbon footprint the mainstream trend in the world. According to the Guide to PAS 2050, published by the British Standards Institution (BSI) in 2008, "carbon footprint" is a term used to describe the amount of greenhouse gas (GHG) emissions caused by a particular activity or entity, and thus a way for organizations and individuals to assess their contribution to climate change. In 2010, more than 3000 organizations in 60 countries have disclosed their level of GHG emissions through the Carbon Disclosure Project (CDP). In the same year, among the suppliers of 55 international conglomerates, 1000 companies revealed their carbon reduction objectives and management initiatives through the CDP Supply Chain Program. As conducting carbon inventory and disclosure is the first step toward carbon reduction, "product carbon footprint labels and declarations" are also included as listing criteria of the *Directory*.

Details of the product inclusion criteria in the *Directory*, including "ISO 14024 - Type I environmental labeling", "ISO 14021 - Type II environmental labeling", "ISO 14025 - Type III environmental declarations", "other types of environmental labels", and "product carbon footprint labels and declarations", are described below.

ISO 14024 - Type I Environmental Labeling

According to the ISO 14024 standard, published by ISO in 1999, Type I environmental labeling is a third-party and multi-attribute-based volunteering scheme. Labeled products are verified by third parties and comply with environmental standards to distinguish their overall environmental superiority within certain product categories. Type I environmental labeling programs are introduced in more than 50 countries. Currently known programs include Green Mark in Taiwan, Ecolabel in the European Union, Eco Mark in Japan, and Green Seal in the United States. In the *Directory*, products meeting this criterion must be awarded with certified Type I environmental labels based on the ISO 14024 standard.

Table 1. Examples of Type I Environmental Labels in the World



Country/Region	Label Name	Logo	Country/Region	Label Name	Logo
Taiwan	Green Mark		EU	Ecolabel	
Canada	EcoLogo		Nordic Countries	Nordic Ecolabel	
USA	Green Seal		Germany	Blue Angel	
Thailand	Thai Green Label		Austria	Austrian Ecolabel	
Republic of Korea	Korea Eco-Label		The Netherlands	Milieukeur	
Australia	Good Environmental Choice Label		France	NF-Environnement Mark	
New Zealand	Environmental Choice New Zealand		Russia	Vitality Leaf	

Country/Region	Label Name	Logo	Country/Region	Label Name	Logo
Japan	Japan Eco Mark		China	China Environmental Labeling (Type I)	
Ukraine	Green Crane		Singapore	Green Label	
Czech Republic	Environmentally Friendly Product		India	Ecomark	
Philippines	Green Choice		Indonesia	Ekolabel Indonesia	

ISO 14021 - Type II Environmental Labeling

Type II environmental labels are mostly single-attribute labels focusing on a particular product. According to the ISO 14021 standard, published by ISO in 1999, Type II environmental labels, also known as the "self-declared environmental claims", can be declared by all stakeholders of a product including manufacturers, importers, distributors and retailers in the forms of symbols or graphics, and used on manuals, product packages, advertising and promotions. The labels are required to present validity and verifiability. Suppliers are required to make environmental claims about their products according to the ISO 14021 standard and have the claims certified by a third party for the products to be listed in the *Directory*. Type II environmental labels include Category II Eco-Products championed by Taiwan's Environmental Protection Administration, China Environmental Labeling (Type II), and PC Green Label championed by the PC3R Promotion Association in Japan.




Table 2. Examples of Type II Environmental Labels in the World

Country/Region	Certification Body	Label Name	Logo
Taiwan	Environmental Protection Administration	Category II Eco-Product	N.A.
China	China Environmental United Certification Center	China Environmental Labeling (Type II)	
Japan	PC3R Promotion Association	PC Green Label	

ISO 14025 - Type III Environmental Declarations

According to the ISO 14025 standard, published by ISO in 2000, Type III environmental declarations, proposed by one or more organizations, adopt pre-defined parameters and environmental factors to present the quantified environmental statistics of a product's life cycle in the forms of, for example, Life Cycle Assessment (LCA) or Life Cycle Inventory Analysis (LCI). Suppliers are required to have their Type III environmental declarations certified by a third party for the products to be listed in the *Directory*. The Type III environmental declaration programs include the verification offered by the Environment and Development Foundation in Taiwan, Eco-Leaf program of Japan Environmental Management Association for Industry (JEMAI), and the Type III environmental declaration scheme proposed by the Korea Eco-Products Institute (KOECO).








Table 3. Examples of Type III Environmental Declarations in the World

Country/Region	Executive Body	Program	Logo
Taiwan	Environment and Development Foundation	EPD Verification	N.A.
Japan	Japan Environmental Management Association for Industry (JEMAI)	Eco-Leaf Program	
Republic of Korea	Korea Eco-Products Institute (KOECO)	EDP Program	
Sweden	Swedish Environmental Management Council (SEMCO)	International EPD System	

Other Types of Environmental Labels

In addition to the above-mentioned environmental labels and declarations based on the ISO standards, there are other types of environmental labels introduced by official and civil organizations, following specific environmental performance standards and guidelines. Labels are awarded to products meeting requirements relating to a specific environmental characteristic, industry or product. For products to meet this criterion, their labels must be awarded by governments or international organizations. Labels qualified for the category include Energy Label, Water Conservation Label and Green Building Material Label awarded by Taiwan's government, ENERGY STAR initiated by the U.S. government, and EPEAT managed by the Green Electronics Council (GEC).

Table 4. Examples of Other Types of Environmental Labels in the World





Country/Region	Authority/Executive Body	Label Name	Logo
Taiwan	Bureau of Energy, Ministry of Economic Affairs	Energy Label	
Taiwan	Water Resources Agency, Ministry of Economic Affairs	Water Conservation Label	
Taiwan	Architecture and Building Research Institute, Ministry of the Interior	Green Building Material	
USA	U.S. Environmental Protection Agency and Department of Energy	ENERGY STAR	
International	International Association for Research and Testing in the Field of Textile Ecology	Oeko-Tex	
International	Green Electronics Council (GEC), International Sustainable Development Foundation (ISDF)	EPEAT	
International	Forest Stewardship Council	FSC	

Product Carbon Footprint Labels and Declarations

The Product Carbon Footprint, computed using the life cycle assessment, is the total amount of CO₂ emitted during the entire life span of a product, as measured from the resource acquisition stage to the final disposal stage. For products to be listed in the *Directory*, their carbon footprint verification and disclosure must meet either of the following conditions:

- (1) Acquire product carbon footprint labels certified by governments or government sponsored non-profit organizations. Labels in the category include Taiwan Carbon Label issued by Taiwan's Environmental Protection Administration, Carbon Reduction Label introduced by Carbon Trust in the United Kingdom, Carbon Footprint of Products Label issued by Japan's Ministry of Economy, Trade and Industry (METI), and Carbon Footprint Label granted by Korea's Ministry of Environment.

Table 5. Examples of Product Carbon Footprint Labels Introduced by Governments

Country/Region	Authority	Label Name	Logo
Taiwan	Environmental Protection Administration	Taiwan Carbon Label	
United Kingdom	Carbon Trust	Carbon Reduction Label	
Japan	Ministry of Economy, Trade and Industry (METI)	Carbon Footprint of Products Label	
Republic of Korea	Ministry of Environment	Carbon Footprint Label	

- (2) Meet one of the five standards listed in Table 6, which are frequently adopted in the international community for Carbon Footprint Inventory, Carbon Footprint Verification

Table 6. Frequently Adopted Standards for Carbon Footprint Assessment in the World

Item	Standards Developing Organization (SDO)	Standard
1.	British Standards Institution (BSI)	PAS 2050 : 2008 How to assess the carbon footprint of goods and services
2.	International Organization for Standardization (ISO)	ISO 14067 Carbon footprint of products - Requirements and guidelines for quantification and communication (Committee Draft)
3.		ISO 14040/14044 Environmental management - Life cycle assessment - Principles and framework/ Requirements and guidelines
4.		ISO 14025 Environmental labels and declarations - Type III environmental declarations - Principles and procedures
5.	Greenhouse Gas Protocol Initiative	Product Accounting and Reporting Standard

Disclosure of Product Information

Aimed to encouraging green purchasing practices, the Taiwan Eco-Products Directory 2012-2013 lists quality eco-products produced in Taiwan as a purchasing reference for agents from all over the world. To facilitate the search effort for all potential buyers from different industries, the Directory adopts the Standard Classification of Commodities of the Republic of China (C.C.C. Code) to classify products into two main product categories – "Eco-Materials and Articles Thereof" and "Eco-Products", and further divide each category into multiple sub-product categories, as shown below:

Eco-Materials and Articles Thereof (EM)

1. Chemicals
2. Plastics, Rubber and Articles Thereof
3. Articles of Stone and Cement; Ceramic Products; Glass and Glassware
4. Metals and Articles Thereof
5. Other Materials and Articles Thereof

Eco-Products (EP)

1. Food, Beverages, Spirits and Tobacco
2. Textile Products
3. Machineries
4. Electrical Machinery Products
5. Electronic Products and Household Electrical Appliances
6. Information and Communication Products
7. Transport Equipment
8. Precision Instruments
9. Other Products

To facilitate the search effort for all readers, the product data are sorted and arranged in the *Directory* as shown below:



Each field is explained and detailed below:

Item	Field Title	Description
1.	Product and Supplier ID Number	The product ID number is arranged as follows: main product category – serial number of the sub-product category – supplier and product code. Each supplier and product code is listed in numerical order.
2.	Product Name and Model	The product name is first displayed, and the product model (if any) will be displayed right behind the product name.
3.	Environmental Performance	Detailed description of the environmental performance of the product.
4.	Product Performance	Detailed description of the product performance and special features.
5.	Supplier	Contact information of the product supplier, including the company name, address, official website, and telephone, fax, and email of the contact window.
6.	Sales Area	The region or country where the product is available.
7.	Product Type	The product type is classified according to the Standard Classification of Commodities of the Republic of China (C.C.C. Code).
8.	Environmental Characteristics	Major environmental characteristics of the product, including: a. Recyclability/Reusability b. Long Life c. High Quality/Performance d. Degradability/Compostability e. Pollution Reduction f. Resource Saving g. Using Recycled Materials
9.	Environmental Labels	Environmental labels or other certification granted to the product are displayed.
10.	Product	One photo or a related image is inserted for each product.

Eco-Materials and Articles Thereof



EM-1-001001

Paints or enamels, based on polyesters

MDI PU Hardener M-201A**Environmental Performance**

1. Free of formaldehyde and TVOC in line with the standards of Green Building Materials.
2. Low-pollution.
3. Comply with the restrictions on the use of eight heavy metals; low-volatile, solvent-free.

Product Performance

◎ Advantages:

- * CNS Mark grade waterproof material, excellent waterproof performance.
- * Strong physical properties: Strong adhesion with "toughness" and "elasticity".

◎ Applicability:

- * Roof top waterproof: Buildings, resident houses, factories, barracks, etc.
- * Wall face impermeability: Roof top outer wall, basement outer wall.

TAIWAN CHI-LY CHEMICAL INDUSTRY CO., LTD.

No.80, Anli Ln., Chang'an Rd., Dajia Dist., Taichung City 437

Telephone +886-4-2681-8515

Fax +886-4-2681-8514

E-mail chily437@ms27.hinet.net

Website www.taiwan-chily.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-001002

Paints or enamels, based on polyesters

888 water-based paint (flat) pure white**Environmental Performance**

- * Durable and washable.
- * Fungal resistant, anti-alkali.
- * Comply with the restrictions on the use of eight heavy metals.
- * Low-volatile, solvent-free.

Product Performance

- * Indoor, outdoor wall and ceiling painting
- * Think painting with silicon aggregate can achieve the optimum waterproof and heat insulation effect.
- * Containing no formaldehyde, TVOC and heavy metals, is environment-friendly, low polluting paint.

TAIWAN CHI-LY CHEMICAL INDUSTRY CO., LTD.

No.80, Anli Ln., Chang'an Rd., Dajia Dist., Taichung City 437

Telephone +886-4-2681-8515

Fax +886-4-2681-8514

E-mail chily437@ms27.hinet.net

Website www.taiwan-chily.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-001003

Paints or enamels, based on polyesters

EWaterproof material (primary agent) M201B**Environmental Performance**

1. Free of formaldehyde and TVOC in line with the standards of Green Building Materials.
2. Low-pollution.
3. Comply with the restrictions on the use of eight heavy metals; low-volatile, solvent-free.

Product Performance

- ◎ Advantages:
 - * CNS Mark grade waterproof material, excellent waterproof performance.
 - * Strong physical properties: Strong adhesion with "toughness" and "elasticity".
- ◎ Applicability:
 - * Roof top waterproof: Buildings, resident houses, factories, barracks, etc.
 - * Wall face impermeability: Roof top outer wall, basement outer wall

TAIWAN CHI-LY CHEMICAL INDUSTRY CO., LTD.

No.80, Anli Ln., Chang'an Rd., Dajia Dist., Taichung City 437

Telephone +886-4-2681-8515

Fax +886-4-2681-8514

E-mail chily437@ms27.hinet.net

Website www.taiwan-chily.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-001004

Paints or enamels, based on polyesters

MDI Polyurethane for building waterproof M -201**Environmental Performance**

1. Free of formaldehyde and TVOC in line with the standards of Green Building Materials.
2. Low-pollution.
3. Comply with the restrictions on the use of eight heavy metals Low-volatile, solvent-free.

Product Performance

- ◎ Advantages:
 - * CNS Mark grade waterproof material, excellent waterproof performance.
 - * Strong physical properties: Strong adhesion with "toughness" and "elasticity".
 - * Anti-weathering: Good weathering, water and drug resistance.
- ◎ Applicability:
 - * Roof top waterproof: Buildings, resident houses, factories, barracks, etc.
 - * Wall face impermeability: Roof top outer wall, basement outer wall
 - * Floor waterproof: Bathrooms, roof top gardens.

TAIWAN CHI-LY CHEMICAL INDUSTRY CO., LTD.

No.80, Anli Ln., Chang'an Rd., Dajia Dist., Taichung City 437

Telephone +886-4-2681-8515

Fax +886-4-2681-8514

E-mail chily437@ms27.hinet.net

Website www.taiwan-chily.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-002001

Other paints

GreenCoat Paint GC-W**Environmental Performance**

Reducing chemical hazards: It can effectively absorb formaldehyde and lower the probability for children to cause asthma.

Product Performance

It can absorb formaldehyde, adjust humidity and eliminate unpleasant odor.

Taiwan Gojyo Co., Ltd.

5F-5 No. 108 Chang-An E. Road, Sec.2, Taipei, Taiwan

Telephone +886-2-2507-3812

Fax +886-2-2509-5250

E-mail anke@gojyo.com.tw

Website www.gojyo.com.tw

Available in: Worldwide

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



EM-1-003001

Paints or enamels, based on acrylic or vinyl polymers

Water-based Emulsion Paint GC99-20 White, GC99-30 Lily White**Environmental Performance**

1. Low odor, low VOC contents, containing no halogens, solvents or aromatic hydrocarbons.
2. The heavy metal contents of formaldehyde, mercury, lead, cadmium and chromium are all in compliance with the green building material specification.

Product Performance

1. The water-based paint GC99 is generally used for interior decoration
2. Two colors of this water-based paint are available depending on the customer's need.

International Carbide Technology Co., Ltd.

No. 1, Toa-Chan, 12Ling, Kern-Ko Village, Lu-Chu Hsiang, Taoyuan, Taiwan

Telephone +886-3-324-0001

Fax +886-3-324-0006

E-mail market@incatech.com.tw

Website www.incatech.com.tw

Available in: Taiwan

Degradability/
Compostability

Resource Saving

High Quality/
Performance

Pollution Reduction



EM-1-004001

Other paints or enamels

Ching Yeh 1000 Flat Masonry Paint 1000 White**Environmental Performance**

1. Durable and washable.
2. Fungal resistant, anti-alkali.
3. Easy to apply.
4. Can make the painting surface fine and gentle.
5. Benefits products with elegant color.

Product Performance

1. Durable and washable.
2. Yellowing-resistant, no color fading, fungal resistant, anti-alkali.
3. Easy to apply.
4. Can make the painting surface fine and gentle.
5. Excellent cover with elegant color.

SHAN YEH PAINT INDUSTRIAL CO.,LTD.

No. 207-1 Hung-Tzuen Rd. Ping Jen City, Tao-Yuan Sheng, Taiwan

Telephone +886-3-450-9121#305

Fax +886-3-450-9161

E-mail lisalin@chingyehpaint.com.tw

Website www.chingyehpaint.com.tw/index.htm

Available in: China

Degradability/
Compostability

Pollution Reduction



EM-1-005001

Paints (including enamels and lacquers) based on acrylic vinyl polymers

**AllGreen-Granite Multi-Colour Coating Series
LAS-081005T2****Environmental Performance**

1. Nontoxic pure water formulation which complies with the environment requirements has been certified by the National Green Building Material Label.
2. High anti-weathering performance with more than 15 years longevity, more durable than traditional paints.

Product Performance

1. "Spring green" colorful granite paint series products are produced by using the nano technology. They are purely water-based colorful primary materials for use by a single paint –spray gun.
2. The single primary material can distribute more than ten different colors and can be combined with various color grains of different sizes depending on the needs to resemble the granite, making it look like almost a real one.

CHEMSEARCH TECHNOLOGY CO., LTD.

No.4-2, Lane 82, Zhongcheng St., Sinjhuang City, Taipei County 242, Taiwan

Telephone +886-2-8292-1205

Fax +886-2-8295-2872

E-mail chmsrch.co@msa.hinet.net

Website www.chemsearch.com.tw

Available in: Asia

Degradability/
CompostabilityHigh Quality/
Performance

Pollution Reduction



EM-1-006001

Paints (including enamels and lacquers) based on acrylic vinyl polymers

**Waterborne Epoxy Resin Product
HC-001 Green 、HC-002 Silver Grey****Environmental Performance**

1. Epoxy is not good at conducting temperatures. Therefore, when it is applied around the walls, it possesses a slight insulation property and is helpful for saving power.
2. It has no radiation and is compliant with the eight specifications of major CNS heavy metals.
3. Eco friendly.

Product Performance

1. In compliance with the eight major heavy metal standards of Taiwan's Green Building Material Mark and the national standard CNS 4938.
2. Tested by SGS and the result showed that it met the TVOC limit, and contained no formaldehyde or radiation.
3. After it is completed, it possesses characteristics of impact resistance, buckling resistance, acid and alkali resistance, brine resistance and moisture resistance.

STRONG SOLID ENTERPRISE CO.,LTD.

NO. 277-8, Quanxing Rd, Taishan District, New Taipei City 24341, Taiwan

Telephone +886-2-2900-2345

Fax +886-2-2296-7575

E-mail alans3456@gmail.com

Website www.strongsolid.com.tw

Degradability/
Compostability

Resource Saving

Pollution Reduction



Available in: Taiwan

EM-1-007001

Other paints

EPnS Water-Based Clear Sealer EP-001 Type II**Environmental Performance**

1. Free of any of the eight major heavy metals, formaldehyde, benzene solvents, or other toxic substances. SGS tested to be in conformity with the highest level environmental protection standards such as the E0 Standard of the European Union and the F1 Standard of Japan.
2. Will not produce any pungent odor or make any negative impact on the environment of the construction site during application.

Product Performance

1. A liquid paint ready for use without need to add any thinner. Therefore, the effort and time otherwise required for adding a thinner on site is spared.
2. Easy to sand. Excellent gap-filling ability. High paint film fullness (good film build).
3. Surface dries in ten minutes (at 25C and 50% relative humidity).
4. Re-paintable or be sanded in one hour (at 25C and 50% relative humidity).

Yon Chun Ho International Co. Ltd.

3F, No. 248-39, Sinsheng Road, Cianjhen District, Kaohsiung City, 806, TAIWAN

Telephone +886-7-813-5995

Fax +886-7-813-5677

E-mail zoes@ychtw.com

Website www.ychtw.com

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan, China, Singapore, Vietnam, Malaysia, India

EM-1-008001

Other paints

INTERIOR ACRYLIC EMULSION PAINT CP-77

Environmental Performance

- * Low TVOC emission, low formaldehyde, low heavy metal content
- * No asbestos, no radioactive substance, harmless to human health
- * Conformity with the standards of Green Building Material.

Product Performance

This product is suitable for use as a protective or decorative paint for concrete walls of buildings.

HSIN MEI HUA PAINT FACTORY CO., LTD.

No.39, Lianhua St., Bade City, Taoyuan Country 33452, Taiwan, R.O.C

Telephone +886-3-368-3266#75

Fax +886-3-368-7840

E-mail star.coating@msa.hinet.net

Website www.starcoating.com.tw

Available in: Taiwan

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



EM-1-008002

Other paints

INTERIOR ACRYLIC EMULSION PAINT CP-44

Environmental Performance

- * Low TVOC emission, low formaldehyde, low heavy metal content
- * No asbestos, no radioactive substance, harmless to human health
- * In conformity with the standards of Green Building Material.

Product Performance

This product is suitable for the protection of the concrete wall of the building, decoration, such as: office buildings, Large hotels, the cinema department stores, hospitals, shops and high-end residential.

HSIN MEI HUA PAINT FACTORY CO., LTD.

No. 39, Lianhua St., Bade City, Taoyuan Country 33452, Taiwan, R.O.C

Telephone +886-3-368-3266#75

Fax +886-3-368-7840

E-mail star.coating@msa.hinet.net

Website www.starcoating.com.tw

Available in: Taiwan

High Quality/
Performance

Pollution Reduction



EM-1-008003

Other paints

**INTERIOR ACRYLIC EMULSION PAINT (FULL GLOSS)
CP-77****Environmental Performance**

- * Low TVOC emission, low formaldehyde, low heavy metal content
- * No asbestos, no radioactive substance, harmless to human health
- * In conformity with the standards of Green Building Material.

Product Performance

This product is suitable for use as for indoor walls.

HSIN MEI HUA PAINT FACTORY CO., LTD.

No. 39, Lianhua St., Bade City, Taoyuan Country 33452, Taiwan, R.O.C

Telephone +886-3-368-3266#75

Fax +886-3-368-7840

E-mail star.coating@msa.hinet.net

Website www.starcoating.com.tw

Available in: Taiwan

High Quality/
Performance

Pollution Reduction



EM-1-008004

Other paints

INTERIOR ACRYLIC EMULSION PAINT (FLAT) CP-66**Environmental Performance**

- * Low TVOC emission, low formaldehyde, low heavy metal content
- * No asbestos, no radioactive substance, harmless to human health
- * In conformity with the standards of Green Building Material.

Product Performance

This product is suitable for use as a protective or decorative paint for indoor walls, ceilings, partitions, etc.

HSIN MEI HUA PAINT FACTORY CO., LTD.

No. 39, Lianhua St., Bade City, Taoyuan Country 33452, Taiwan, R.O.C

Telephone +886-3-4688698

Fax +886-3-368-7840

E-mail star.coating@msa.hinet.net

Website www.starcoating.com.tw

Available in: Taiwan

High Quality/
Performance

Pollution Reduction



EM-1-008005

Other paints

INTERIOR ACRYLIC EMULSION PAINT (FLAT) CP-35**Environmental Performance**

- * Low TVOC emission, low formaldehyde, low heavy metal content
- * No asbestos, no radioactive substance, harmless to human health
- * In conformity with the standards of Green Building Material.

Product Performance

This product is suitable for use as a protective or decorative paint for indoor walls, ceilings, partitions, etc.

HSIN MEI HUA PAINT FACTORY CO., LTD.

No. 39, Lianhua St., Bade City, Taoyuan Country 33452, Taiwan, R.O.C

Telephone +886-3-368-3266#75

Fax +886-3-368-7840

E-mail star.coating@msa.hinet.net

Website www.starcoating.com.tw

Available in: Taiwan

High Quality/
Performance

Pollution Reduction



EM-1-009001

Other glaziers' putty, grafting putty, resin cements

Pentens Aquasilk T-206 Formaldehyde-free, Low VOC, Eco-friendly Paint Pentens T-206**Environmental Performance**

Pentens T-206 is odourless, low voc and environment friendly and it produces no fumes.

Product Performance

Pentens T-206 is excellently water resistant and it's easy to use and can be applied on any surface. Pentens T-206 has no formaldehyde.

UFON NANO-CHEMICAL CORP.

8F, No.2, Ln. 348, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 235, Taiwan

Telephone +886-2-2248-3227#215

Fax +886-2-2248-0245

E-mail service@pentens.com

Website www.pentens.com

Available in: Worldwide

High Quality/
Performance

Pollution Reduction



EM-1-009002

Other polyesters, saturated, in primary forms

Pure Polyurea Waterproofing Spray Coating Pentens SPU-1000

Environmental Performance

Pentens SPU-1000 is water-based, low voc and environment friendly.

Product Performance

Pentens SPU-1000 is a solvent free, two-component pure polyurea spray coating. The seamless coating provides an elastic yet tear resistant surface for applications subjected to extreme wear and tear, strong impact and chemical exposure. Except for some yellowing effect, the coating is suitable for outdoor applications.

UFON NANO-CHEMICAL CORP.

8F., No.2, Ln. 348, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 235, Taiwan

Telephone +886-2-2248-3227#215

Fax +886-2-2248-0245

E-mail service@pentens.com

Website www.pentens.com

Available in: Worldwide

High Quality/
Performance

Pollution Reduction



EM-1-009003

Other polyesters, saturated, in primary forms

Tank Lining Epoxy Coating Pentens E-501LN

Environmental Performance

Pentens E-501LN is odorless application, "zero" VOC content.

Product Performance

- * Pentens E-501LN Tank Lining Epoxy is a 100% solids modified epoxy coating designed for high performance waterproofing, chemical resistance and traffic compatibility under a wide range of application and service conditions.
- * PENTENS E-501LN features odorless application, "zero" VOC content, low viscosity and self-priming to concrete, steel, aluminum, ceramic tile, plywood, natural stone, glass*, vinyl tile and many other substrates.
(*Note: Some glassy surfaces require use of adhesion-promoting additives.) Clear or a wide range of colors is available.

UFON NANO-CHEMICAL CORP.

8F., No.2, Ln. 348, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 235, Taiwan

Telephone +886-2-2248-3227#215

Fax +886-2-2248-0245

E-mail service@pentens.com

Website www.pentens.com

Available in: Worldwide

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



EM-1-010001

Other shampoos and rinse

White Tea Hair Treatment Set 1BB030

Environmental Performance

- * Adopting natural organic certified contents with a priority which does not disrupt nature's ecology, helping to reduce the impact on the environment.
- * An innovative hair care product that does not require a plug in for power and is easy to operate with low energy consumption.
- * There is no need to purchase extra hair care machinery or equipment, thereby conserving energy used.

Product Performance

- * Suitable for damaged hair types.
- * Containing the EU organic (ECOCERT) certified white tea extract essence, offering excellent anti-oxidation property for professional, deep-layer repair and nourishing yield.

Hair O'right International Corporation

No. 18, Goaping Sec., Zhongfong Rd., Longtan Township, Taoyuan County, Taiwan

Telephone +886-3-411-6789#8500

Fax +886-3-411-6779

E-mail angelia@hairoright.comWebsite www.oright.com.twDegradability/
Compostability

Resource Saving

Pollution Reduction



Available in: Taiwan, China, USA, Malaysia, Thailand, Australia, Europe

EM-1-011001

Surface-active preparations, washing preparations and cleaning preparations

Sea mild Environmental Hand Wash SM-005-01

Environmental Performance

Extracted from freshly harvested fruit, it has a biodegradability exceeding 95%.

Product Performance

- * Made from derivatives of sea salt and various natural anti-bacteria ingredient.
- * Not harmful to human body and environment.
- * PH 6.7, mild, and no-irritation
- * Free of industrial skin softener and 95% bio-degradation

Sea mild

No.43, Guanye E. Rd., Pingzhen City, Taoyuan County 324, Taiwan, R.O.C

Telephone +886-3-468-8698

Fax +886-3-216-6699

E-mail sales@seamild.com.twWebsite www.seamild.com.tw/index.phpDegradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-011002

Surface-active preparations, washing preparations and cleaning preparations

Sea mild Environment Floor Cleaner SM-010-03

Environmental Performance

Free of p-nonylphenol or hazardous heavy metal.

Product Performance

- * Botanical Eco-Friendly formula, safe, mild and residue –free.
- * No brushing and washing required, helps your floor from scratches.
- * 100% moderate property, free of residue and non-sticky.

Sea mild

No. 43, Guanye E. Rd., Pingzhen City, Taoyuan County 324, Taiwan, R.O.C

Telephone +886-3-468-8698

Fax +886-3-216-6699

E-mail sales@seamild.com.tw

Website www.seamild.com.tw/index.php

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-011003

Surface-active preparations, washing preparations and cleaning preparations

Sea Mild Eco-Friendly Kitchen Cleanser SM-010-02

Environmental Performance

- * Highly-biodegradable. A higher grade means the product is less polluting on the environment.
- * Highly-concentrated, low-rinsing and low-foaming formula with no residues; water and energy saving.
- * 100% environmentally-friendly and non-toxic; contains no petrochemical surfactants, phosphates, fluorescent brightening agents, and chemical bleaches.

Product Performance

- * Botanical Eco-Friendly formula, safe, mild and residue –free, it is capable of effectively cleaning and disinfection. No brushing and washing required, helps your floor from scratches.
- * 100% moderate property, free of residue, non-sticky- it is botanically eco-friendly formula and it keep your home cleaner and safer.
- * Effective cleaning, disinfection, free of brushing, free of washing, it keeps your floor from scratch.

Sea Mild Biotechnology Co.,Ltd

No. 43, Guanye E. Rd., Pingzhen City, Taoyuan County 324, Taiwan, R.O.C

Telephone +886-3-468-8698

Fax +886-3-216-6699

E-mail sales@seamild.com.tw

Website www.seamild.com.tw/index.php

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-011004

Surface-active preparations, washing preparations and cleaning preparations

Sea Mild Eco-Friendly Bathroom Cleanser SM-010-01

Environmental Performance

- * Highly-biodegradable. A higher grade means the product is less polluting on the environment.
- * Highly-concentrated, low-rinsing and low-foaming formula with no residues; water and energy saving.
- * 100% environmentally-friendly and non-toxic; contains no petrochemical surfactants, phosphates, fluorescent brightening agents, and chemical bleaches.

Product Performance

- * Botanical Eco-Friendly formula, safe, mild and residue –free, it is capable of effectively cleaning and disinfection. No brushing and washing required, helps your floor from scratches.
- * 100% moderate property, free of residue, non-sticky- it is botanically eco-friendly formula and it keep your home . cleaner and safer.
- * Effective cleaning, disinfection, free of brushing, free of washing, it keeps your floor from scratch.

Sea Mild Biotechnology Co.,Ltd

No. 43, Guanye E. Rd., Pingzhen City, Taoyuan County 324, Taiwan, R.O.C

Telephone +886-3-468-8698

Fax +886-3-216-6699

E-mail sales@seamild.com.tw

Website www.seamild.com.tw/index.php

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-011005

Surface-active preparations, washing preparations and cleaning preparations

Sea Mild Environmental Friendly Laundry Powder SM-001-07

Environmental Performance

- * This product does not contain: Fluorescent brightening agents, Butylated hydroxytoluene (BHT), Butylated hydroxyanisole (BHA), formaldehyde, triclosan and chlorine additives, Nitrilotriacetic acid (NTA), Sodium perborate, Ethylenediaminetetraacetic acid (EDTA), Alkylphenol ethoxylates (APEO) and nonylphenol compounds (NPEO).
- * Suitable for laundering all kinds of garments including clothing and bedding.

Product Performance

- * Made from refined natural sea salts and plant extracts to protect your hands and clothes and keep them looking new.
- * 100% environmentally-friendly and non-toxic; contains no petrochemical surfactants, phosphates, fluorescent brightening agents, and chemical bleaches.
- * Highly-biodegradable. A higher grade means the product is less polluting on the environment.

Sea Mild Biotechnology Co.,Ltd

No. 43, Guanye E. Rd., Pingzhen City, Taoyuan County 324, Taiwan, R.O.C

Telephone +886-3-468-8698

Fax +886-3-216-6699

E-mail sales@seamild.com.tw

Website www.seamild.com.tw/index.php

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-012001

Perfumed bath salts and other bath preparations

Environmental Protection Body Wash Shower gel

Environmental Performance

- * Biodegradability: The higher Biodegradability the product is, the less chemical detergent would be left in water. It can eliminate the impact to the environment due to the chemical materials.
- * The products do not contain the chemical ingredients such as triclosan, fluorescence, BHT, BHA, Triclosan, HCHO, Benzophenone, etc.
- * The products complied with Green Mark's requirements have been certificated by Environment Protection Administration Executive Yuan, Taiwan.

Product Performance

- * The unique eco formula is high biodegradability.
- * With the essence of plants extracts, as its main component, it contains abundance of vitamins and mineral, which can be used to regulate the balance of oil. Meanwhile, it can achieve the water-lock and moisturizing goals.
- * It contains the essence of natural herbs (including Lemongrass and Chamomile), can be used to clean your body easily without skin irritation.

BLANCHE NEIGE ENTERPRISE CO., LTD

1F, No.259, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2706-2500#180

Fax +886-2-2708-4139

E-mail snowhua@snowwhite.com.tw

Website www.snowwhite.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-012002

Organic surface-active products and preparations for washing the skin

Environmental Protection Hand Washing Gel

Environmental Performance

- * Biodegradability: The higher Biodegradability the product is, the less chemical detergent would be left in water. It can eliminate the impact to the environment due to the chemical materials.
- * The products do not contain the chemical ingredients such as fluorescence, BHT, BHA, formaldehyde, Triclosan, HCHO, Benzophenone, etc.
- * The products complied with Green Mark's requirements have been certificated by Environment Protection Administration Executive Yuan, Taiwan.

Product Performance

- * It contains various moisture ingredients such as pearl powders, nature proteins, etc.
- * It can enrich and keeps your hands soft, silky, and young

BLANCHE NEIGE ENTERPRISE CO., LTD

1F, No.259, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2706-2500#180

Fax +886-2-2708-4139

E-mail snowhua@snowwhite.com.tw

Website www.snowwhite.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-012003

Surface-active preparations, washing preparations and cleaning preparations

Dishwashing Liquid

Environmental Performance

- * Biodegradability: The higher Biodegradability the product is, the less chemical detergent would be left in water. It can eliminate the impact to the environment due to the chemical materials.
- * The products do not contain the chemical ingredients such as triclosan, fluorescence, BHT, BHA, Triclosan, HCHO, Benzophenone etc.
- * The products complied with Green Mark's requirements have been certificated by Environment Protection Administration Executive Yuan, Taiwan.

Product Performance

- * It is an environmental protection product. With high quality, soft bubble, strong detergency, easy to wash and no residual, biodegradable by nature.
- * It contains the nature lemon essential oil, with pleasant fragrance; make the cleansing easy and happy.

BLANCHE NEIGE ENTERPRISE CO., LTD

1F., No.259, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2706-2500#180

Fax +886-2-2708-4139

E-mail snowhua@snowwhite.com.tw

Website www.snowwhite.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-012004

Surface-active preparations, washing preparations and cleaning preparations

Cold Washing Liquid

Environmental Performance

- * The nonphosphate formula meets the eco requirements.
- * High biodegradability, exclusive of Nonyl Phenol: The higher Biodegradability the product is, the less chemical detergent would be left in water. It can eliminate the impact to the environment due to the chemical materials.
- * The products do not contain the chemical ingredients such as fluorescence, chlorine bleaches, Triclosan, HCHO, Benzophenone etc.

Product Performance

- * Environmental protection and the non-phosphate formula, less bubble, non-triclosan, gentle and protect your skin.
- * Suitable for women' underwear, high end and baby clothes. Do not need use softener.
- * Do not irritate the skin and hand; protect your skin in high standard.
- * Softener contained. It keeps clothes elasticity, without shrink, wrinkles and deformed.
- * Less bubble and easy to do the laundry. Soaking three minutes then rubbing by hand.

BLANCHE NEIGE ENTERPRISE CO., LTD

1F., No.259, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2706-2500#180

Fax +886-2-2708-4139

E-mail snowhua@snowwhite.com.tw

Website www.snowwhite.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-012005

Other surface-active preparations, washing preparations and cleaning preparations

Laundry Detergent 4000g

Environmental Performance

- * The nonphosphate formula meets the eco requirements.
- * High biodegradability, exclusive of Nonyl Phenol: The higher Biodegradability the product is, the less chemical detergent would be left in water. It can eliminate the impact to the environment due to the chemical materials.
- * The products do not contain the chemical ingredients such as fluorescence, chlorine bleaches, Triclosan, HCHO, Benzophenone etc.

Product Performance

- * The brand new formula can be used to eliminate mold on clothes in order to make good smell for your laundry.
- * Multi-effect laundry detergent: It can be used to whiten, soften and antistatic your laundry naturally and remain the bright color of the clothes.
- * Condensed high efficiency laundry detergent: it can remove all kinds of stain by using less detergent, at the mean time; it won't hurt your clothes at all.

BLANCHE NEIGE ENTERPRISE CO., LTD

1F., No.259, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2706-2500#180

Fax +886-2-2708-4139

E-mail snowhua@snowwhite.com.tw

Website www.snowwhite.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-013001

Surface-active preparations, washing preparations and cleaning preparations

MaoBao Dishwashing Liquid 450g, 1000g, 3000g

Environmental Performance

1. This product does not contain a fluorescent agent, triclosan, phosphorus, nonylphenol, methanol, formaldehyde, EDTA, NTA, chlorine, heavy metals.
2. High Biodegradability: at least 95%.
3. Comply with environmental standards, manufacturing high-quality dish detergent, which can reduce environmental pollution.

Product Performance

1. Under CNS 3800 National Institute of Standard.
2. Can clean dishes easily and leave no residue.
3. High quality dishwashing liquid without fluorescent agent, triclosan, phosphorus, nonylphenol, methanol, formaldehyde, EDTA, NTA, chlorine, heavy metals.

MaoBao

23F., No.97, Sec. 4, Chongyang Rd., Sanchong Dist., New Taipei City 241, Taiwan (R.O.C.)

Telephone +886-2-8976-2277#310

Fax +886-2-8976-2716

E-mail anderson@maobao.com.tw

Website www.maobao.com.tw

Recyclability/
ReusabilityDegradability/
Compostability

Resource Saving



Available in: Taiwan

EM-1-013002

Surface-active preparations, washing preparations and cleaning preparations

MaoBao Eco Friendly Laundry Detergent With Plant-Based Ingredient 500g, 1000g, 2000g,3000g**Environmental Performance**

Higher than 95% biodegradable and does not produce nonylphenol.

Product Performance

Higher than 95% biodegradable and does not produce nonylphenol.

MaoBao

23F., No.97, Sec. 4, Chongyang Rd., Sanchong Dist., New Taipei City 241, Taiwan (R.O.C.)

Telephone +886-2-8976-2277#310

Fax +886-2-8976-2716

E-mail anderson@maobao.com.tw

Website www.maobao.com.tw

Available in: Taiwan

Recyclability/
ReusabilityDegradability/
Compostability

Resource Saving



EM-1-013003

Surface-active preparations, washing preparations and cleaning preparations

MaoBao Hsiang Man Shih Environment Bathroom Cleaner-Sunshine 500g**Environmental Performance**

High biodegradability (more than 95%) and does not generate nonylphenol.

Product Performance

1. Cleaning, mildew, aromatic once.
2. High biodegradability (more than 95%) and does not generate nonylphenol.

MaoBao

23F., No.97, Sec. 4, Chongyang Rd., Sanchong Dist., New Taipei City 241, Taiwan (R.O.C.)

Telephone +886-2-8976-2277#310

Fax +886-2-8976-2716

E-mail anderson@maobao.com.tw

Website www.maobao.com.tw

Available in: Taiwan

Recyclability/
ReusabilityDegradability/
Compostability

Resource Saving



EM-1-013004

Surface-active preparations, washing preparations and cleaning preparations

MaoBao Cold Water Wash Detergent 350g, 1000g**Environmental Performance**

High biodegradability (at least 95%).

Product Performance

1. Eliminate clothing static electricity to prevent dust.
2. Apply to clean a variety of pure wool blended sweater, man-made fiber, cotton, silk, linen and other senior clothing.
3. High biodegradability.

MaoBao

23F., No.97, Sec. 4, Chongyang Rd., Sanchong Dist., New Taipei City 241, Taiwan (R.O.C.)

Telephone +886-2-8976-2277#310

Fax +886-2-8976-2716

E-mail anderson@maobao.com.tw

Website www.maobao.com.tw

Recyclability/
ReusabilityDegradability/
Compostability

Resource Saving



Available in: Taiwan

EM-1-014001

Surface-active preparations, washing preparations and cleaning preparations

PAOS Anti-Bacterial Dishwashing Liquid (Lemon Essential Oil) 1000(g)**Environmental Performance**

Biodegradability higher than 95% to reduce environmental pollution.

Product Performance

Biodegradability higher than 95% to reduce environmental pollution.

NICE Enterprise Co.,Ltd.

No.21, Zhongshan Rd., Minxiong Township, Chiayi County 621, Taiwan, R.O.C

Telephone +886-5-221-7888#835

Fax +886-5-220-2427

E-mail pdcaqc@mail.nice.com.tw

Website www.nice.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-014002

Surface-active preparations, washing preparations and cleaning preparations

BAIGO Hand Wash Detergent 1000 (g)**Environmental Performance**

Biodegradability higher than 95% to reduce environmental pollution.

Product Performance

Biodegradability higher than 95% to reduce environmental pollution.

NICE Enterprise Co.,Ltd.

No. 21, Zhongshan Rd., Minxiong Township, Chiayi County 621, Taiwan, R.O.C

Telephone +886-5-221-7888#835

Fax +886-5-220-2427

E-mail pdcaqc@mail.nice.com.tw

Website www.nice.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-014003

Surface-active preparations, washing preparations and cleaning preparations

PAOS Dishwashing Liquid 600, 1000, 2800(g)**Environmental Performance**

Biodegradability higher than 95% to reduce environmental pollution.

Product Performance

Biodegradability higher than 95% to reduce environmental pollution.

NICE Enterprise Co.,Ltd.

No. 21, Zhongshan Rd., Minxiong Township, Chiayi County 621, Taiwan, R.O.C

Telephone +886-5-221-7888#835

Fax +886-5-220-2427

E-mail pdcaqc@mail.nice.com.tw

Website www.nice.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-014004

Surface-active preparations, washing preparations and cleaning preparations

BAIGO Cold Water Wash 1000(g)**Environmental Performance**

Biodegradability higher than 95% to reduce environmental pollution.

Product Performance

Biodegradability higher than 95% to reduce environmental pollution.

NICE Enterprise Co.,Ltd.

No.21, Zhongshan Rd., Minxiong Township, Chiayi County 621, Taiwan, R.O.C

Telephone +886-5-221-7888#835

Fax +886-5-220-2427

E-mail pdcaqc@mail.nice.com.tw

Website www.nice.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-015001

Coating chemicals

De-formaldehy Coating W001**Environmental Performance**

- * The product contains no lead, mercury or cadmium.
- * Non-solvent based green product.
- * Hazard free water based de-formaldehyde formulation certified by SGS with ability to reduce 99% of formaldehyde in 60 minutes.
- * The product is safe to use for human certified by Germany Bioservice Lab.

Product Performance

- * Effectively decompose formaldehyde from plywood.
- * 100% made from non-toxic ingredients.
- * Highly concentrated water based de-formaldehyde formulation.
- * One layer of coating leads a long-lasting performance. Save time and labor.
- * No damage to applied surface or inner structure.
- * The ability to kill bacteria and mold.

TAIWAN HOPAX CHEMS. MFG. CO., LTD

No.28, Huadong, Daliao District, Kaohsiung City 83162, Taiwan

Telephone +886-2-2313-1112#131

Fax +886-2-2313-1117

E-mail Kevinhuang@hopax.com.tw

Website www.greenkey.com.tw

High Quality/
Performance

Pollution Reduction



Available in: Taiwan

EM-1-016001

Coating chemicals

MDI-BASED POLYURETHANE SEALANT MATERIAL MS-202**Environmental Performance**

Environmentally friendly: MDI-based, solvent-free product

Product Performance

1. Strong adhesion, having excellent adhesion with cement, aluminum and iron materials.
2. Good flexibility to be able to adapt to the expansion and contraction of the joint.
3. Good anti-weathering and durability; will not become aged under UV light due to long exposure of the sunlight.

CHINGTAI RESINS CHEMICAL CO., LTD.

No. 50, Kung-II Rd, Tachia, Taichung, Taiwan

Telephone +886-4-2681-6835

Fax +886-4-2681-1329

E-mail brian@chingtai-resins.com.tw

Website www.chingtai-resins.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Asia

EM-1-017001

Other polymers of styrene, in primary forms

Waterproof and Thermal Insulation Sealer CS-200**Environmental Performance**

1. HCHO: N.D.
2. TVOC: 0.08 mg/m².hr
3. resources saving due to excellent thermal insulation

Product Performance

1. Excellent water resistance and insulation
2. Easy to apply

CHANYE CHEMICAL IND.CORP.

No. 2-23, Jingjian 4th Rd., Guanyin Township, Taoyuan County 32853, Taiwan

Telephone +886-3-483-6969

Fax +886-3-483-1919

E-mail chanye@ms43.hinet.net

Website www.chanye.com.tw

Resource Saving

Pollution Reduction



Available in: Taiwan

EM-1-018001

Polyvinyl acetate, in aqueous dispersion

PVAc emulsion adhesiv NP-3761G

Environmental Performance

- * NP-3761G does not contain formaldehyde and passed the VOC test.
- * It meets the requirement of Healthy Green Building Material regulation of TAIWAN ARCHITECTURE & BUILDING CENTER.

Product Performance

- * The green product NP-3761G with high viscosity. It has the feature of good adhesion and short drying time.
- * It is an excellent adhesive for the adhesion of wood working, decoration and most common substrates such as paper, cloth, PS foam and wood.

NAN PAO RESINS CHEMICAL CO., LTD.

No.12, Nanhaipu, Nanhai Vil., Xigang Dist., Tainan City

Telephone +886-6-795-2710#281

Fax +886-6-795-2184


E-mail lady01@nanpao.com

Website www.nanpao.com

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-018002

Polyvinyl acetate, in aqueous dispersion

PVAc emulsion adhesive NP-3670G

Environmental Performance

- * NP-3670G does not contain formaldehyde and passed the VOC test.
- * It meets the requirement of Healthy Green Building Material regulation of TAIWAN ARCHITECTURE & BUILDING CENTER.

Product Performance

- * The green product NP-3670G with high viscosity. It has the feature of good adhesion and short drying time.
- * It is an excellent adhesive for the adhesion of wood working, decoration and porous substrates such as paper, wood, veneer and laminate.

NAN PAO RESINS CHEMICAL CO., LTD.

No. 12, Nanhaipu, Nanhai Vil., Xigang Dist., Tainan City

Telephone +886-6-795-2710#281

Fax +886-6-795-2184

E-mail lady01@nanpao.com

Website www.nanpao.com

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EM-1-018003

Polyvinyl acetate, in aqueous dispersion

PVAc emulsion adhesive NP-300G**Environmental Performance**

- * NP-300G does not contain formaldehyde and passed the VOC test.
- * It meets the requirement of Healthy Green Building Material regulation of TAIWAN ARCHITECTURE & BUILDING CENTER.

Product Performance

- * The NP-300G is a high performance green product with high solid content. It has the feature of good adhesion and short drying time.
- * It is an excellent adhesive for the adhesion of wood working, decoration and most common substrates such as paper, cloth, PS foam, wood and laminate.

NAN PAO RESINS CHEMICAL CO., LTD.

No. 12, Nanhaipu, Nanhai Vil., Xigang Dist., Tainan City

Telephone +886-6-795-2710#281

Fax +886-6-795-2184

E-mail lady01@nanpao.com

Website www.nanpao.com

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-1-019001

Bisphenol a type epoxy resin

Epoxy Resin C-803 S001 Grey**Environmental Performance**

Certified as Healthy Green Building Material by Ministry of the Interior, Taiwan.

Product Performance

1. Features acid and alkali resistance, excellent impact resistance and nice salt spray resistance.
2. Could be used for the coating of ground materials, excellent glossy surface and decorations.
3. Certified as Green Building Material by Ministry of the Interior, Taiwan.

SEA CHIEF ENTERPRISE CO., LTD.

NO. 14, RD. 33, TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN

Telephone +886-4-2350-2588

Fax +886-4-2350-2289

E-mail seachief@seachief.com.tw

Website

Degradability/
Compostability

Pollution Reduction



Available in: Southeast Asia

EM-1-019002

Bisphenol a type epoxy resin

Epoxy Resin C-803 S002 Green ,S003 White**Environmental Performance**

Certified as Healthy Green Building Material by Ministry of the Interior, Taiwan.

Product Performance

- * Features: acid and alkali resistance, excellent impact resistance and nice salt spray resistance.
- * Could be used for the coating of ground materials, excellent glossy surface and decorations.
- * Certified as Green Building Material by Ministry of the Interior, Taiwan.

SEA CHIEF ENTERPRISE CO., LTD.

NO. 14, RD. 33, TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN

Telephone +886-4-2350-2588

Fax +886-4-2350-2289

E-mail seachief@seachief.com.tw

Website

Pollution Reduction



Available in: Southeast Asia

EM-1-019003

Polyurethanes, in primary forms

Polyurethane for flooring C-910 green**Environmental Performance**

Certified as Healthy Green Building Material by Ministry of the Interior, Taiwan.

Product Performance

- * Solidify fast
- * Easy construction
- * Excellent abrasion resistance

SEA CHIEF ENTERPRISE CO., LTD.

NO. 14, RD. 33, TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN

Telephone +886-4-2350-2588

Fax +886-4-2350-2289

E-mail seachief@seachief.com.tw

Website

Pollution Reduction



Available in: Southeast Asia

EM-1-019004

Polyurethanes, in primary forms

**Polyurethane for building waterproof
MDI C-105 black,gray****Environmental Performance**

Certified as Healthy Green Building Material by Ministry of the Interior, Taiwan.

Product Performance

- * Seamless waterproof
- * Easy construction
- * Protect the concrete

SEA CHIEF ENTERPRISE CO., LTD.

NO. 14, RD. 33, TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN

Telephone +886-4-2350-2588

Fax +886-4-2350-2289

E-mail seachief@seachief.com.tw

Website

Pollution Reduction



Available in: Southeast Asia

EM-1-020001

Novolac resin type epoxy resin

Non-solvent Epoxy Resin Paint EP-3046**Environmental Performance**

- * Organic solvent free.
- * It does not contain the heavy metals which can cause damage of human body.
- * It does not contain asbestos, radioactive halide and other toxic chemicals on Environment Protection Agency and Montreal Convention.

Product Performance

- * YU-TAI non-solvent Epoxy resin paint is organic solvent free, thickish coating type and two components flooring paint.
- * It possesses properties of wear-resistant, water-resistant, organic solvent resistant and chemicals resistant.
- * It suitable of flooring installation for parking area, electric industries, GMP food factories, hospitals and cleanrooms ...etc.

YUTAI PAINT CO., LTD

No.18, Ln. 949, Datong Rd., Guishan Township, Taoyuan County 333, Taiwan (R.O.C.)

Telephone +886-3-349-1199

Fax +886-3-349-2299

E-mail yutai@ms3.hinet.net

Website www.yutai-paint.com

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan 、China 、Hong Kong

EM-1-021001

Other epoxide resins, in primary forms

Waterborne Epoxy Resin WEP-405**Environmental Performance**

1. Easy to apply and re-apply
2. Human health and environment friendly.

Product Performance

1. Appearance is clean and beautiful after apply
2. Resistant to oil, water, acid and alkali

CHANYE CHEMICAL IND.CORP.

No.2-23, Jingjian 4th Rd., Guanyin Township, Taoyuan County 32853, Taiwan

Telephone +886-3-483-6969

Fax +886-3-483-1919

E-mail chanye@ms43.hinet.net

Website www.chanye.com.tw

Recyclability/
Reusability

Pollution Reduction



Available in: Taiwan 、 China 、 Philippines

EM-1-022001

Silicone rubber

Modified Silicone 3306**Environmental Performance**

1. Environmentally friendly- Low VOC.
2. Excellent adhesion.
3. Special stain resistance formulation.
4. Do not shrink or crack after cure.

Product Performance

1. Environmentally friendly- Low VOC.
2. Excellent adhesion.
3. Special stain resistance formulation.
4. Do not shrink or crack after cure.
5. Paintable
6. Waterproof and weatherproof.

Perma Enterprise Co.Ltd.

No. 831, Sec. 2, Sanmin Rd. Duyuan Township, Taoyuan County 33746, Taiwan.

Telephone +886-3-383-9900

Fax +886-3-393-7799

E-mail perma@ms15.hinet.net

Website www.perma.com.tw

Degradability/
CompostabilityHigh Quality/
Performance

Pollution Reduction



Available in: Worldwide

waterborne epoxy resin coating A-581**Environmental Performance**

- * This product which complies with Green Building Label requirements has been certified by Ministry of interior, Taiwan.
- * It won't be harmful to human body if the product be used in building due to low HCHO ,TVOC emissions and radiative materials free.

Product Performance

The main features of product:

1. Environment friendly (Low Volatile and Low Pollution)
2. User Friendly (Easy Application and water cleaning)
3. Excellent resistance to humidity and chemicals.

The suitable locations:

1. dust-free cleaning rooms
2. laboratories
3. factories

Berlin Company Limited

No. 43, Ta-Yeh South Rd., Xiaogang Dist., Kaohsiung City 812, Taiwan (R.O.C.)

Telephone +886-7-871-1101#1630

Fax +886-7-871-6583

E-mail info@berlin.com.tw

Website www.berlin.com.tw

Pollution Reduction

Available in: Taiwan 、 China 、 Singapore

EM-2-001001

Other polyesters, unsaturated, in primary forms

100% Biodegradable & Compostable Plastic Resin (Film Grade) GB200, GB100, GB090**Environmental Performance**

- * Produced using natural cornstarch, making the source of raw material dependable.
- * Fully biodegradable through microbes, returning to nature in the form of carbon, water, bio-matter and such in a matter of a few months.

Product Performance

- * Does not generate toxic gas when burned, and the heat energy released is only one-half of conventional plastic materials, such as polyethylene.
- * The product conforms to EN 13432 and ASTM D 6400 international compost standard, and it can be processed into industrial compost with kitchen scraps and leaves without requiring any additional processing. It can be completely broken down without leaving any toxic matter in three months.
- * The processing method is the same as the general low-density LDPE, and can be processed on LDPE injection molding machines without having to modify the equipment.

Grabio Greentech Corporation

No. 91, Guangfu N. Rd., Hsinchu Industrial Park, Hukou Township, Hsinchu County, Taiwan

Telephone +886-3-598-6496

Fax +886-3-598-6491

E-mail tony@grace-bio.com.tw

Website www.grabio.com.tw

Degradability/
CompostabilityUsing Recycled
Materials

Available in: Europe, North America, South America

EM-2-001002

Other self-adhesive plates, sheets,...and other flat shapes, of plastics

100% biodegradable & compostable plastic bag GB200, GB100, GB090**Environmental Performance**

- * Produced using natural cornstarch, making the source of raw material dependable.
- * Fully biodegradable through microbes, returning to nature in the form of carbon, water, bio-matter and such in a matter of a few months.

Product Performance

- * Does not generate toxic gas when burned, and the heat energy released is only one-half of conventional plastic materials, such as polyethylene.
- * The product conforms to EN 13432 and ASTM D 6400 international compost standard, and it can be processed into industrial compost with kitchen scraps and leaves without requiring any additional processing. It can be completely broken down without leaving any toxic matter in three months.
- * The processing method is the same as the general low-density LDPE, and can be processed on LDPE injection molding machines without having to modify the equipment.

Grabio Greentech Corporation

No. 91, Guangfu N. Rd., Hsinchu Industrial Park, Hukou Township, Hsinchu County, Taiwan

Telephone +886-3-598-6496

Fax +886-3-598-6491

E-mail tony@grace-bio.com.tw

Website www.grabio.com.tw

Degradability/
CompostabilityUsing Recycled
Materials

Available in: Europe, North America, South America

EM-2-001003

Other self-adhesive plates, sheets,...and other flat shapes, of plastics

**100% biodegradable & compostable plastic film
GB200, GB100, GB090****Environmental Performance**

- * Produced using natural cornstarch, making the source of raw material dependable.
- * Fully biodegradable through microbes, returning to nature in the form of carbon, water, bio-matter and such in a matter of a few months.

Product Performance

- * Does not generate toxic gas when burned, and the heat energy released is only one-half of conventional plastic materials, such as polyethylene.
- * The product conforms to EN 13432 and ASTM D 6400 international compost standard, and it can be processed into industrial compost with kitchen scraps and leaves without requiring any additional processing. It can be completely broken down without leaving any toxic matter in three months.
- * The processing method is the same as the general low-density LDPE, and can be processed on LDPE injection molding machines without having to modify the equipment.

Grabio Greentech Corporation

No. 91, Guangfu N. Rd., Hsinchu Industrial Park, Hukou Township, Hsinchu County, Taiwan

Telephone +886-3-598-6496

Fax +886-3-598-6491

E-mail tony@grace-bio.com.tw

Website www.grabio.com.tw

**Degradability/
Compostability****Using Recycled
Materials**

Available in: Europe, North America, South America

EM-2-002001

Polylactic acid, in primary forms

**100% Biodegradable & Compostable plastic resin
FT, GP3002, GP1003****Environmental Performance**

- * The green plastic is certified as a biodegradable resin and meets ASTM D6400, EN13432 standards.
- * The processibility and toughness are greatly improved, therefore it can be leaded in different kind of process easily.

Product Performance

The product is subable for :

1. INJECTION:

- * Semi-clear
- * The only semi-clear thermal resistant biodegradable material in the world.

2. BLOWING:

- * white color
- * inflation film

3. EXTRUSION:

- * transparent

Minima Technology Co.,Ltd

No. 33, Yichang E.Rd., Taiping Dist,Taichung City411,Taiwan (ROC)

Telephone +886-4-2277-6888#11

Fax +886-4-2277-6989

E-mail esmy@minima-tech.com

Website minima-tech.com

**Degradability/
Compostability****Pollution Reduction**

Available in: Worldwide

EM-2-002002

Sacks and bags (including cones), of other plastics

100% Biodegradable & Compostable Plastic Bags**Environmental Performance**

- * 100% biodegradable & compostable plastic name "Green Plastic" as well which based alloy with natural plants produce the daily articles.
- * It can reduce 35% CO2 amount produced compared with the conventional plastics in incineration and could be 100% decomposed within 12 weeks in composting conditions.

Product Performance

- * 100% Biodegradable & Compostable raw materials
- * The materials are certified as biodegradable resin and meets ASTM D6400, EN13432 standards.
- * The processibility and toughness are greatly improved, therefore it can be leaded in different kind of process easily.

Minima Technology Co.,Ltd

No. 33, Yichang E. Rd., Taiping Dist, Taichung City 411, Taiwan (ROC)

Telephone +886-4-2277-6888#11

Fax +886-4-2277-6989

E-mail esmy@minima-tech.com

Website minima-tech.com

Degradability/
Compostability

Pollution Reduction



Available in: Worldwide

EM-2-002003

Disposable cup lid for food, of plastics

100% Biodegradable & compostable cups & Lids**Environmental Performance**

- * 100% biodegradable & compostable plastic name "Green Plastic" as well which based alloy with natural plants produce the daily articles.
- * It can reduce 35% CO2 amount produced compared with the conventional plastics in incineration and could be 100% decomposed within 12 weeks in composting conditions.

Product Performance

- * 100% Biodegradable & Compostable raw materials
- * The materials are certified as biodegradable resin and meets ASTM D6400, EN13432 standards.
- * The processibility and toughness are greatly improved, therefore it can be leaded in different kind of process easily.

Minima Technology Co.,Ltd

No. 33, Yichang E. Rd., Taiping Dist, Taichung City 411, Taiwan (ROC)

Telephone +886-4-2277-6888#11

Fax +886-4-2277-6989

E-mail esmy@minima-tech.com

Website minima-tech.com

Degradability/
Compostability

Pollution Reduction



Available in: Worldwide

EM-2-003001

PE tubes, pipes and hoses, not reinforced or otherwise combined with other materials

PVC Pipe for Running Water TDC-101**Environmental Performance**

The raw material of the plastic pipe is high density polyethylene, which can

1. Lower the risk of chemical hazards; no toxicity
2. Reduce the pollutant source
3. Reusable after recycling.

Product Performance

1. Safeguarding the water quality: The HDPE pipe is totally nontoxic, containing no heavy metals, does not contaminate water.
2. Environment-friendly: The chemical composition of HDPE contains only two elements, carbon and hydrogen, which are recyclable. After being burned completely, it produces only carbon dioxide and steam which are completely not hazardous to the environment.
3. Excellent anti-corrosion ability: Except a few strong oxidants, it can resist erosion by many chemical compounds and corrosion by the non-electrochemical process.

TA-DEE CHANG CO.,LTD.

No. 18-1, Chang An Rd., Ping Jhen City, Taoyuan County, Taiwan

Telephone +886-3-493-6026

Fax +886-3-493-5370

E-mail tdc999@ms57.hinet.net

Website www.tdcupp.com.tw/about-us.html

Recyclability/
ReusabilityDegradability/
Compostability

Pollution Reduction



Available in: Taiwan, China

EM-2-003002

PE tubes, pipes and hoses, not reinforced or otherwise combined with other materials

Polyethy Lene Pipes For Chemical Industrial and General Uses TDC-102**Environmental Performance**

The raw material of the plastic pipe is high density polyethylene, which can

1. Lower the risk of chemical hazards; no toxicity
2. Reduce the pollutant source
3. Reusable after recycling

Product Performance

1. Safeguarding the water quality: The HDPE pipe is totally nontoxic, containing no heavy metals, does not contaminate water.
2. Environment-friendly: The chemical composition of HDPE contains only two elements, carbon and hydrogen, which are recyclable. After being burned completely, it produces only carbon dioxide and steam which are completely not hazardous to the environment.
3. Excellent anti-corrosion ability: Except a few strong oxidants, it can resist erosion by many chemical compounds and corrosion by the non-electrochemical process.

TA-DEE CHANG CO.,LTD.

No. 18-1, Chang An Rd., Ping Jhen City, Taoyuan County, Taiwan

Telephone +886-3-493-6026

Fax +886-3-493-5370

E-mail tdc999@ms57.hinet.net

Website www.tdcupp.com.tw/about-us.html

Recyclability/
ReusabilityDegradability/
Compostability

Pollution Reduction



Available in: Taiwan, China

EM-2-004001

Polyvinyl chloride in the form of plates tiles

Wood Plastic Composites 2.5x15cm, 4x14cm**Environmental Performance**

- * Plastic wood composition (WPC) can be 100% recyclable, reducing the consumption of natural resources. The raw materials are recycled polypropylene and polyethylene (PP/PE) and those wood chips gathered from the wood processing factories. After being cut, the remaining portions of finished WPC materials on the work site can be again returned to our factory so that we can crush them for further use in the production line.
- * It is nontoxic. Since its water absorption rate is extremely low, it can resist rotting well. Uses of preservative and varnish to protect wood are no longer necessary, nor the use of agent that may be hazardous to our health.

Product Performance

- * Use of recyclable environment-friendly materials: The synthetic wood which is formed by squeezing the mixture of 55% polyethylene and polypropylene (PE +PP) and 45% wood fiber.
- * The wood plastic composition (WPC) has both features of wood and plastics: Since it contains natural wood fibers, its surface looks very similar to real wood. Because plastics and wood fibers are tightly bonded, it has no drawbacks such as easy rotting and cracking of real wood. No preservative is needed, nor the need to spend money to varnish the wood every year.

HAUNSU TECHNOLOGY CO.,LTD.

1F., No.131, Shishang Rd., Shilin Dist., Taipei City 11168, Taiwan

Telephone +886-2-2836-3100

Fax +886-2-2836-3150

E-mail progames@progames.com.tw

Website www.haunsu.com.tw

Available in: Taiwan, China, Japan, Southeast Asia, Europe, Central America, South America

Recyclability/
Reusability

Long Life

Resource Saving

Using Recycled
Materials

EM-2-005001

Other plastics plates, sheets film foil and strips

Powder packaging (made-to-order)**Environmental Performance**

- * Using Green production process, no heavy metal, no residual organic chemistry solvents, not cross-pollute the contents. No discharge VOCs to affect the environment during processing.
- * Using high barrier processing-A, to extend shelf life. To isolate the organic solvent can avoid cross-polluting the contents.
- * To replace K-type, no PVDC substance can reduce the hazard to health and environment.

Product Performance

- * Exceptional fragrance protection
- * Excellent moisture barrier
- * High transparency
- * Good stiffness

Taipei Pack Industries Corporation

No. 76, Youshi Rd., Dajia Dist., Taichung City 43769, Taiwan (Dajia Youshi Industrial Park)

Telephone +886-4-2681-6010

Fax +886-4-2681-6011


E-mail sobo.liao@msa.hinet.net

Website www.taipei-pack.com

Available in: Taiwan, China, Hong Kong, USA, Japan, Singapore, Philippines, Malaysia, Thailand, Asia, Southeast Asia, Europe, North America, Central America, South America

Resource Saving

Pollution Reduction



EM-2-005002

Other plastics plates, sheets film foil and strips

Military supplier packaging (made-to-order)**Environmental Performance**

- * Adopting Green production process, no organic chemistry solvents will be residue meanwhile, no VOCS will be discharged during processing
- * Adopting high barrier processing-A to replace K-type can reduce the hazard to health and environment.

Product Performance

- * Excellent moisture barrier property
- * Excellent shielding property against sunlight
- * Excellent anti-static effect

Taipei Pack Industries Corporation

No. 76, Youshi Rd., Dajia Dist., Taichung City 43769, Taiwan (Dajia Youshi Industrial Park)

Telephone	+886-4-2681-6010
Fax	+886-4-2681-6011
E-mail	sobo.liao@msa.hinet.net
Website	www.taipei-pack.com

Available in: Taiwan

Pollution Reduction**EM-2-005003**

Other plastics plates, sheets film foil and strips

Medical packaging (made-to-order)**Environmental Performance**

- * Adopting Green production process, no organic chemistry solvents will be residue meanwhile, no VOCS will be discharged during processing
- * Adopting high barrier processing-A to replace K-type can reduce the hazard to health and environment.

Product Performance


- * Low temperature heatsealing property
- * Chemical resistance
- * Excellent formability
- * Excellent isolation properties, ability to enhance shelf life
- * Easy to open

Taipei Pack Industries Corporation

No. 76, Youshi Rd., Dajia Dist., Taichung City 43769, Taiwan (Dajia Youshi Industrial Park)

Telephone	+886-4-2681-6010
Fax	+886-4-2681-6011
E-mail	sobo.liao@msa.hinet.net
Website	www.taipei-pack.com

Available in: Taiwan \ China, Hong Kong, USA, Japan, Singapore, Philippines, Malaysia, Thailand, Australia, Asia, Southeast Asia, Europe, North America, Central America, South America

Pollution Reduction

EM-2-005004

Other plastics plates, sheets film foil and strips

Food packaging (made-to-order)**Environmental Performance**

- * Using Green production process, no heavy metal, no residual organic chemistry solvents, not cross-pollute the contents. No discharge VOCs to affect the environment during processing.
- * Using high barrier processing-A, to extend shelf life. To isolate the organic solvent can avoid cross-polluting the contents.
- * To replace K-type, no PVDC substance can reduce the hazard to health and environment.

Product Performance

- * Exceptional fragrance protection
- * Good moisture barrier
- * Good heatsealing characteristic, suitable for high speed production
- * Good formability
- * Good cold-resistant characteristic
- * Good transparency
- * Good gas barrier applied to nitrogen, carbon dioxide packaging to avoid food putridity, extends product shelf life

Taipei Pack Industries Corporation

No. 76, Youshi Rd., Dajia Dist., Taichung City 43769, Taiwan (Dajia Youshi Industrial Park)

Telephone +886-4-2681-6010

Fax +886-4-2681-6011


E-mail sobo.liao@msa.hinet.net

Website www.taipei-pack.com

Available in: Taiwan, Hong Kong, USA, Japan, Singapore, Philippines, Malaysia, Thailand, Australia, Asia, Southeast Asia, Europe, North America, Central America, South America

Resource Saving

Pollution Reduction

EPA
Category II
Eco-Product

EM-2-005005

Other plastics plates, sheets film foil and strips

Electronic packaging (made-to-order)**Environmental Performance**

- * Adopting Green production process, no organic chemistry solvents will be residue meanwhile, no VOCS will be discharged during processing
- * Adopting high barrier processing-A to replace K-type can reduce the hazard to health and environment.

Product Performance

- * Excellent anti-static effect
- * Excellent moisture barrier property
- * High tensile strength property
- * Puncture resistance, excellent protection effect
- * Excellent shielding property against sunlight

Taipei Pack Industries Corporation

No. 76, Youshi Rd., Dajia Dist., Taichung City 43769, Taiwan (Dajia Youshi Industrial Park)

Telephone +886-4-2681-6010

Fax +886-4-2681-6011


E-mail sobo.liao@msa.hinet.net

Website www.taipei-pack.com

Available in: Taiwan, Hong Kong, USA, Japan, Singapore, Philippines, Malaysia, Thailand, Australia, Asia, Southeast Asia, Europe, North America, Central America, South America

Resource Saving

Pollution Reduction

EPA
Category II
Eco-Product

EM-2-006001

Polypropylene bag

MIAO CHIEH HDPE BAGS 17cmx22cm(180pcs), 20cmx25cm(140pcs),24cmx31cm(70pcs)

Environmental Performance

- * Free of any of the controlled substances as per the Montreal Protocol.
- * Free of harmful chemical substances.
- * Packaging paper box made of at least 80% recycled paper.

Product Performance

- * A clever, clean, heat-resistant bag made of 100% new PE material, now safer than ever.
- * The bag promotes good health by safely cooking food without fear of contamination. It has a heat resistance of up to 120C with pliability strong Pliable enough to resist puncture. Meat, bone, fish, and shrimp may all be cooked in the bag without riskfear of puncture or damage.

New Top Corporation

2F., No.20, Ln. 75, Yongkang St., Da'an Dist., Taipei City 106, Taiwan

Telephone +886-2-2393-1683#34

Fax +886-2-2341-7819

E-mail tp130a059@mail.newtop.com.tw

Website www.newtop.com.tw

Degradability/
Compostability

Pollution Reduction

Using Recycled
Materials



Available in: Taiwan

EM-2-006002

Polypropylene bag

MIAO CHIEH STORAGE FOOD BAGS Small 18cm x 25cm 100 Pieces per Pack

Environmental Performance

- * Free of any of the controlled substances as per the Montreal Protocol, and free of any harmful chemical substances.
- * The packing paper box used for the product has a recycled paper-mixing ratio of over 80%.

Product Performance

- * Adopting a brand-new leak prevention formula, and also undergoing stringent sealing, it can prevent fluid from leaking out.
- * excellent solidness and durability due to adopting specific extra thick materials.

New Top Corporation

2F., No.20, Ln. 75, Yongkang St., Da'an Dist., Taipei City 106, Taiwan

Telephone +886-2-2393-1683#34

Fax +886-2-2341-7819

E-mail tp130a059@mail.newtop.com.tw

Website www.newtop.com.tw

Degradability/
Compostability

Pollution Reduction

Using Recycled
Materials



Available in: Taiwan

EM-2-007001

Other tableware and kitchenware, of plastics

**(Poly Lactic Acid, PLA) FOOD CONTAINER BOWL
P700 P600 P500 P360****Environmental Performance**

- * Biodegradable corn PLA containers are made from a new type of PLA that is extracted from corn.
- * This PLA has better performance than polyethylene, polypropylene, polystyrene, etc. and can replace existing plastic materials.

Product Performance

- * Poly Lactic Acid (PLA) has the following advantages:
 - (1) High biodegradability: Used PLA is completely degradable by micro-organisms, finally it will become carbon dioxide and water, which is pollution-free and environmentally friendly;
 - (2) High compatibility and degradability: PLA can be burned without causing pollution, and burned PLA can be used as a fertilizer.

SEE BOX CORPORATION

No. 51 Ting-hu Road, Dahua Tsun, Kweishan Hsiang, Taoyuan Hsien, Taiwan333, R.O.C

Telephone +886-3-328-3911#710

Fax +886-3-328-2777

E-mail qa-shinyi@goodflag.com

Website www.goodflag.com

Degradability/
Compostability

Pollution Reduction



Available in: Europe

EM-2-007002

Other tableware and kitchenware, of plastics

**(Poly Lactic Acid, PLA) FOOD CONTAINER CUP
R700Y R600Y R600 R500Y R520 R450****Environmental Performance**

Biodegradable corn PLA containers are made from a new type of PLA that is extracted from corn. This PLA has better performance than polyethylene, polypropylene, polystyrene, etc. and can replace existing plastic materials.

Product Performance

- Poly Lactic Acid (PLA) has the following advantages:
 - (1) High biodegradability: Used PLA is completely degradable by micro-organisms, finally it will become carbon dioxide and water, which is pollution-free and environmentally friendly;
 - (2) High compatibility and degradability: PLA can be burned without causing pollution, and burned PLA can be used as a fertilizer.

SEE BOX CORPORATION

No. 51 Ting-hu Road, Dahua Tsun, Kweishan Hsiang, Taoyuan Hsien, Taiwan333, R.O.C

Telephone +886-3-328-3911#710

Fax +886-3-328-2777

E-mail qa-shinyi@goodflag.com

Website www.goodflag.com

Degradability/
Compostability

Pollution Reduction



Available in: Europe

EM-2-008001

Other household articles and hygienic or toilet articles, of plastics

SPA n' SAVE Oxygenic SPA Hand Shower BW-8SN**Environmental Performance**

- * Equipped with a water-saving valve to limit the flow rate to 6-11 L/min.
- * Effective in stabilizing water pressure and saving water.
- * Saves up to 60% of water.

Product Performance

- * The patent ring structure of water outlet can produce a pressurizing effect to control water flow by various spray/flow modes.
- * The thin water streams from showerhead provide a massaging effect, meanwhile the water spray contains more than 1,236,000 c.c. of negative ions that has been proven through SGS test.
- * No matter which floor where it located, a unique design showerhead can limit the flow rate to 6-11 L/min by the built-in water-saving valve.
- * With water outlet pressure stabilized, baths can be taken in winter times without abrupt water temperature variations.

BIDWIN INDUSTRIES CO., LTD.

4F-2, No. 2, Lane 43, Chung Hwa Road, Sanxia District, New Tapei City, Taiwan

Telephone +886-2-2673-8246

Fax +886-2-2673-8141

E-mail bidwin@kimo.com

Website www.bidwin.com.tw

Resource Saving

Available in: Asia, Europe, North America, South America

EM-2-008002

Other household articles and hygienic or toilet articles, of plastics

EZ n' SAVE Oxygenic SPA Hand Shower BW-6S-N**Environmental Performance**

- * This product can provide a maximum flow rate of 9.74 L/min under the condition of 1 kgf/cm².
- * This product which complies with the requirements of Water Conservation Label has been certificated by Water resources Agency, Ministry of Economic Affairs, Taiwan.
- * Once not in use, the water flow would be stopped immediately.
- * Avoiding unnecessary waste and saving up to 60% of water by using this product.

Product Performance

- * The handle can be operated in two steps. Water is released when the handle is gently pressed, and water is stopped as soon as the handle is pressed again.
- * It is easy to use and resources saving.
- * The water outlet ring can be used to adjust different spray/flow modes.
- * The water spray from showerhead is rich in negative ions that have been proven through SGS test.

BIDWIN INDUSTRIES CO., LTD.

4F-2, No. 2, Lane 43, Chung Hwa Road, Sanxia District, New Tapei City, Taiwan

Telephone +886-2-2673-8246

Fax +886-2-2673-8141

E-mail bidwin@kimo.com

Website www.bidwin.com.tw

Resource Saving

Available in: Asia, Europe, North America, South America

EM-2-008003

Other household articles and hygienic or toilet articles, of plastics

**"Clic-Clac" Touch-Control Water-Saving Showerheads
BW-2S-1****Environmental Performance**

- * This product is test proven to provide a maximum flow rate of 9.74 L/min under the condition of 1 kgf/cm².
- * This product which complies with the requirements of Water Conservation Label has been certificated by Water resources Agency, Ministry of Economic Affairs, Taiwan.
- * Once not in use, the water flow would be stopped immediately .
- * Avoiding unnecessary waste and saving up to 35% of water by using this product.

Product Performance

- * The unique designed handle can be used to control water flow. Press the handle once, then water flows out; press the handle again, and water stops automatically.
- * It is convenient as well as water- and energy-saving.

BIDWIN INDUSTRIES CO., LTD.

4F-2, No. 2, Lane 43, Chung Hwa Road, Sanxia District, New Tapei City, Taiwan

Telephone +886-2-2673-8246

Fax +886-2-2673-8141

E-mail bidwin@kimo.com

Website www.bidwin.com.tw

Resource Saving

Available in: Asia, Europe, North America, South America

EM-2-009001

Doors, windows and their frames and thresholds for doors, of plastics

**NAN YA PLASTIC-STEEL WINDOW - Picture Window
NW08 Picture Window****Environmental Performance**

- * Conserve 30% energy consumption compared with metal windows, due to the excellent heat insulation.
- * Sound insulation rated at 35dB.

Product Performance

As opening components for the home environment and buildings.

Nan Ya Plastics Corp.

Room 310, B-6F, 201 Tun Hwa North Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2712-2211#5767

Fax +886-2-2717-8512

E-mail patrick-d@npc.com.tw

Website www.npc.com.tw

Resource Saving**High Quality/
Performance**

Available in: Taiwan

EM-2-009002

Doors, windows and their frames and thresholds for doors, of plastics

NAN YA PLASTIC-STEEL WINDOW - Sliding Window NW08**Environmental Performance**

Its heat insulation is able to conserve 30% energy consumption compared with metal windows, with sound insulation rated at 35dB.

Product Performance

As opening components for the home environment and buildings.

Nan Ya Plastics Corp.

Room 310, B-6F, 201 Tun Hwa North Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2712-2211#5767

Fax +886-2-2717-8512

E-mail patrick-d@npc.com.tw

Website www.npc.com.tw

Resource Saving

High Quality/
Performance

Available in: Taiwan

EM-2-010001

Other builders' ware of plastics

Four Protection Ditch Cover Plate SS-01~SS-08**Environmental Performance**

- * Waste plastic (PP) for recycling.
- * The usage of chemical pesticides (medicine) Reduction.
- * Extending the useful life of ditch.

Product Performance

- * PP materials recovered material.
- * Effectively suppress the smell, the smell inhibition rate of 95.9%
- * Large displacement of up to 234 liters per minute.
- * Preventing vector mosquitoes, cockroaches, rats sprang from the ditch.
- * Reduce pesticide (drug use), to improve the quality of the home environment.
- * product does not contain any metal objects, longer useful life, is not easy to fault.
- * Not drain, the gate is shut Bi.
- * Other sizes are also available, please call (e-mail) Consult

Shi Star CO.

No.146, Ln. 482, Sec. 3, Zhanghe Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-47-568-899

Fax +886-47-566-899

E-mail shistar20120514@yahoo.com.tw

Website

Recyclability/
ReusabilityHigh Quality/
Performance

Resource Saving



Available in: Worldwide

EM-2-011001

PU synthetic leather

U-leather U-LEATHER -UL608**Environmental Performance**

Environmentally friendly benefits includes:

- 1.Reduce energy consumption: manpower and energy saving in the production process.
- 2.Environmental production process: decrease the use of solvents and reduce the emission of carbon dioxide as well as waste water
3. Low VOC

Product Performance

The product characteristics are as follows:

1. Durability: U-leather has excellent durability and will not crack in low temperature.
2. Soiling resistance: U-leather has a special surface treatment so only with water or low-alcohol-based cleaners can easy clean the stain on the surface.
3. Cost-effectiveness: Compared to genuine leather, U-leather is with high usage rate and it can significantly reduce the material cost.

SAN FANG CHEMICAL INDUSTRY CO., LTD

9FL., 289 NANKING E. RD., SECTION 3, TAIPEI TAIWAN

Telephone +886-2-2715-5441#132

Fax +886-2-2712-3025

E-mail service@sanfang.com.tw

Website www.sanfang.com.tw

Pollution Reduction

Using Recycled Materials

EPA
Category II
Eco-Product



Available in: Worldwide

EM-2-012001

Plates, tiles or strip of other plastic, used for flooring

V.C TILE 8901~8908, 8912, 9308, H2001~H2004, H2006~H2017, 0801~0808, 173, 184.**Environmental Performance**

V.C Tiles will benefit you from resources saving and waste reducing due to recyclability.

Product Performance

The features of V.C Tiles:

1. reasonable price,
2. friendly installation,
3. easy maintenance,
4. long lifespan,
5. recyclability.

CHUNG PEI CHEMICAL INDUSTRY CO., LTD

NO.952, CHIA-HOU ROAD, HOU-LI DIST, TAICHUNG CITY, TAIWAN

Telephone +886-4-2556-7142

Fax +886-4-2556-7146

E-mail chungpei@ms8.hinet.net

Website www.chugn-pei.com

Recyclability/ Reusability

Resource Saving

Pollution Reduction



Available in: Worldwide

EM-2-013001

Other self-adhesive plates, sheets,...and other flat shapes, of plastics

PVC ELECTRICAL INSULATING TAPE IV5#R**Environmental Performance**

- * Product Carbon Footprint Verification
- * Product Water Footprint Verification.

Product Performance

- * The performances of tape: good weatherability, good adhesion, high elasticity and flame retardant.
- * Suitable for wire and cable insulation and bundling.
- * Assorted colors for color coding of cables.
- * Meet RoHS regulations.

AVATAACK CO., LTD.

2F., No.79, Sec.1, Kuang Fu Rd., San Chung District, New Taipei City 241, Taiwan, R.O.C.

Telephone +886-3-598-1294#88819


Fax +886-3-598-1677

E-mail carol@avataackco.com.tw

Website www.avataackco.com

Resource Saving

Pollution Reduction

**SGS**

Available in: Worldwide

EM-2-014001

Boxes, cases, crates and similar articles, of plastics

Biodegradable and Compostable Supermarket Tray and Containers TS-PLA-1/2/38/40/50**Environmental Performance**

- * Product will be 100% biodegraded in proper composting facility within 180 days
- * Raw materials are all natural, non-toxic, and made from annually renewable and sustainable resources

Product Performance

- * 100% Biodegradable and Compostable. ASTM 6400 certified
- * FDA approved Natureworks PLA resins
- * PLA (polylactic acid): A plant-based plastics derived from sustainable resources, such as corn, tapioca, or sugarcane

Applied Sustainable Materials Inc

No. 72, Huayuan E. Rd., Toufen Township, Miaoli County 351, Taiwan (R.O.C.)

Telephone +886-37-687-938#308

Fax +886-2-8192-6376

E-mail leah.chen@asminc.com.tw

Website www.asminc.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Worldwide

EM-2-014002

Disposable cup lid for food, of plastics

Biodegradable and Compostable bags PLA Shopping bags, Trash Bags, Packaging Bags

Environmental Performance

- * Product will be 100% biodegraded in proper composting facility
- * Raw materials are all natural, non-toxic, and made from annually renewable and sustainable resources

Product Performance

- * 100% Biodegradable and Compostable. ASTM 6400 certified
- * PLA (polylactic acid): A plant-based plastics derived from sustainable resources, such as corn, tapioca, or sugarcane

Applied Sustainable Materials Inc

No. 72, Huayuan E. Rd., Toufen Township, Miaoli County 351, Taiwan (R.O.C.)

Telephone +886-37-687-938#308

Fax +886-2-8192-6376

E-mail leah.chen@asminc.com.tw

Website www.asminc.com.tw

Available in: Worldwide

Degradability/
Compostability

Pollution Reduction



EM-2-014003

Disposable cup lid for food, of plastics

PLA Clear Cold cups, lids and containers CCP-PLA-4/7/8/9/10/12/14/16/20/24; LD-PLA-S/M/L/DH

Environmental Performance

- * Product will be 100% biodegraded in proper composting facility
- * Raw materials are all natural, non-toxic, and made from annually renewable and sustainable resources

Product Performance

- * 100% Biodegradable and Compostable. ASTM 6400 certified
- * FDA approved Natureworks PLA resins
- * PLA (polylactic acid): A plant-based plastics derived from sustainable resources, such as corn, tapioca, or sugarcane

Applied Sustainable Materials Inc

No. 72, Huayuan E. Rd., Toufen Township, Miaoli County 351, Taiwan (R.O.C.)

Telephone +886-37-687-938#308

Fax +886-2-8192-6376

E-mail leah.chen@asminc.com.tw

Website www.asminc.com.tw

Available in: Worldwide

Degradability/
Compostability

Pollution Reduction



EM-2-014004

Trays, dishes, plates cups and the like, of other paper or paperboard

**PLA Coated Paper Hot Cups & bowls
HCP-Paper-4/8/10/12/16/20/24; FC-Paper-8/12/16/32****Environmental Performance**

- * Product will be 100% biodegraded in proper composting facility
- * Raw materials are all natural, non-toxic, and made from annually renewable and sustainable resources

Product Performance

- * 100% Biodegradable and Compostable. ASTM 6400 certified
- * FDA approved FSC SBS paperboard
- * PLA coating in replace of traditional PE coating
- * PLA (polylactic acid): A plant-based plastics derived from sustainable resources, such as corn, tapioca, or sugarcane

Applied Sustainable Materials Inc

No. 72, Huayuan E. Rd., Toufen Township, Miaoli County 351, Taiwan (R.O.C.)

Telephone +886-37-687-938#308

Fax +886-2-8192-6376

E-mail leah.chen@asminc.com.tw

Website www.asminc.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: United Kingdom, Australia, East Asia, Europe, North America

EM-2-014005

Moulded or pressed articles of paper pulp

**Sugarcane Plates and Bowls
PL-SC-5/6/7/8/9/10; BW-SC-8/12/16****Environmental Performance**

- * Product will be 100% biodegraded in proper composting facility
- * Raw materials are all natural, non-toxic, and made from annually renewable and sustainable resources

Product Performance

- * 100% Plant fibers such as wheat straw or sugarcane
- * Made from agricultural waste such as sugarcane fiber
- * Biodegradable and compostable
- * Tree free. Promote conservation and biological diversity

Applied Sustainable Materials Inc

No. 72, Huayuan E. Rd., Toufen Township, Miaoli County 351, Taiwan (R.O.C.)

Telephone +886-37-687-938#308

Fax +886-2-8192-6376

E-mail leah.chen@asminc.com.tw

Website www.asminc.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Worldwide

EM-2-015001

Other tableware and kitchenware, of plastics

PLA Cultery/Mug PLA-C01~04/PLA-M01**Environmental Performance**

Use Ingeo resins from Nature Works, USA Biodegradable and compostable Eco-friendly and Nontoxic PLA is made from Corn to formulated into green plastics Let those materials come from the earth, return back to the earth!

Product Performance

- * Natural, Nontoxic, Eco-friendly
- * Durable, Good Quality & Trendy Design

WEI MON INDUSTRY CO., LTD

2F, NO. 57, Singjhong Rd., Neihu District, Taipei City 114, Taiwan, R.O.C.

Telephone +886-2-2795-3131#560

Fax +886-6-250-0366

E-mail georgiasu@weimon.com.tw

Website www.plandpaper.com

**Degradability/
Compostability**
Pollution Reduction


Available in: Australia, Asia, North America, Central America, South America, Oceania, Africa

EM-2-015002

Trays, dishes, plates, cups and the like, of paper or paperboard, of bamboo

**Disposable PLA paper soup containers
PLAP-W260~W850/PLAP-70****Environmental Performance**

Use Ingeo resins from Nature Works, USA Biodegradable and compostable Eco-friendly and Nontoxic PLA is made from Corn to be formulated into green plastics Let those materials come from the earth, return back to the earth!

Product Performance

- * Natural, Nontoxic, Eco-friendly
- * Durable, Good Quality & Trendy Design

WEI MON INDUSTRY CO., LTD

2F, NO. 57, Singjhong Rd., Neihu District, Taipei City 114, Taiwan, R.O.C.

Telephone +886-2-2795-3131#560

Fax +886-6-250-0366

E-mail georgiasu@weimon.com.tw

Website www.plandpaper.com

**Degradability/
Compostability**
Pollution Reduction


Available in: Australia, Asia, North America, Central America, South America, Oceania, Africa

EM-2-015003

Trays, dishes, plates, cups and the like, of paper or paperboard, of bamboo

**Disposable PLA paper cups
PLAP-2.5~22/DW8~RW16****Environmental Performance**

Use Ingeo resins from Nature Works, USA Biodegradable and compostable Eco-friendly and Nontoxic PLA is made from Corn to formulated into green plastics Let those materials come from the earth, return back to the earth!

Product Performance

- * Natural, Nontoxic, Eco-friendly
- * Durable, Good Quality & Trendy Design

WEI MON INDUSTRY CO., LTD

2F, NO. 57, Singjhong Rd., Neihu District, Taipei City 114, Taiwan, R.O.C.

Telephone +886-2-2795-3131#560

Fax +886-6-250-0366

E-mail georgiasu@weimon.com.tw

Website www.plandpaper.com

**Degradability/
Compostability****Pollution Reduction**

Available in: Southeast Asia, North America, Central America, South America, Oceania, Africa

EM-2-016001

Articles of cellular rubber

Rubber floor covering AGW**Environmental Performance**

- * The product which complied with requests of Healthy Green Building Material has been certified by Ministry of Interior, Taiwan.
- * Reducing the impact on environment is due to non-toxic
- * Resources saving is due to wear-resistance.

Product Performance

- * Sound absorption
- * Vibration reduction
- * Wear-resistance
- * Non-toxic

ARCHWELL CORPORATION


10FL, 242, SEC.4, CHENG TEH RD., TAIPEI, TAIWAN R.O.C

Telephone +886-2-2880-7396

Fax +886-2-2880-7395

E-mail zolayeh.archwell@iviewtek.com.tw

Website http://archwell-flooring.com

**High Quality/
Reusability****Pollution Reduction**

Available in: Worldwide

EM-3-001001

Adhesives of unvulcanised rubber of rubber compounds

5rainbow Tile Adhesive 5368**Environmental Performance**

Compliant with seven major heavy metal waste standards.

Product Performance

- * Suitable as a super high-rise buildings' interior and exterior refurbishing building material, such as mineral fiber boards, plaster boards and related paneling surface layer bonded with a variety of refurbishing materials, such as ceramic tiles, stone materials and so forth,
- * excellent workability, dynamic surface adhesion, high shock resistance, and water-resistant property.

Wan Jin Trading Co., LTD.

1F., No.9, Alley 7, Lane 252, Sec. 3, Zhongyang N. Rd., Beitou Dist., Taipei City 11257, Taiwan, R.O.C

Telephone +886-2-2891-6338

Fax +886-2-2896-3203

E-mail support@5rainbow.com.tw

Website www.5rainbow.com.tw

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



Available in: Taiwan

EM-3-002001

Refractory cements, mortars, concretes and similar compositions

PANG PANG Tile Adhesive GP/A**Environmental Performance**

The product won't pollute the environment, at the meantime; it is not harmful to human bodies.

Product Performance

- * This is a cement-based dry mixing product that will replace the job-side mixing. It is dry mixed from cement, fine sand, polymer and other special chemicals, etc.
- * It is a gluing powder suitable for install tiles and other stone material after mixed with adequate amount of water.

Chia Hung Pigment Co., LTD.

No. 450, Zhongshan N. Rd., Yongkang Dist., Tainan City 71086, Taiwan (R.O.C.)

Telephone +886-6-232-3175

Fax +886-6-232-1642

E-mail web.yingmei@msa.hinet.net

Website www.yingmei.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EM-3-003001

Prepared additives for cements, mortars or concretes

TILE GRIPPER NAN SHING TILE GRIPPER**Environmental Performance**

- * HCHO emission rate: 0.002(mg/m².hr).
- * TVOC emission rate: 0.032 (mg/m².hr).

Product Performance

- * Easy to work; just mix the polymerized tile gripper with water at the recommended ratio.
- * Durable adhesion; high viscosity; tested by the TAF approved lab, its bonding strength is in compliance with the CNS 12611 specification.
- * Suitable for rectangular, large and heavy tiles, board or existing tiles.

NAN SHING COLOUR CO.,LTD.

No. 109, Changchun Rd., Zhongshan Dist., Taipei City 104, Taiwan (R.O.C.)

Telephone	+886-2-2536-2069
Fax	+886-2-2531-5198
E-mail	alcaflex@mail.alcaflex.com.tw
Website	www.alcaflex.com.tw

Available in: Taiwan, China, Hong Kong

Long Life

Resource Saving

High Quality/
PerformanceUsing Recycled
Materials**EM-3-004001**

Coating chemicals

Granite Ciscoat SN-351**Environmental Performance**

- * This product which complies with Green building materials label requirements has been certificated by Ministry of Interior, Taiwan.
- * Using this product not only can reduce the wastes from rebuilding, but also avoid the danger due to the falling tiles. It totally meets energy saving and carbon reduction needs.

Product Performance

The key features:

1. Waterproofing
2. Heat insulation
3. Flame-resistance
4. Anti-UV
5. Acid and alkali resistance

RAINBOW COATING CO.LTD

19F., No.861, Nanping Rd., Gushan Dist., Kaohsiung City 804, Taiwan (R.O.C.)

Telephone	+886-7-555-9811
Fax	+886-7-555-9711
E-mail	rain387@gmail.com
Website	www.rainbow-coating.com

Available in: Taiwan, China, South Africa

Resource Saving

Pollution Reduction



EM-3-005001

Other articles of marble

Eco-Friendly Beautifying Brick RNST001 B2 C2 D2 D2**Environmental Performance**

The water-permeable bricks are made from recycled glass and waste ceramic materials to reduce the amount of wastes, extend the service lives of waste treatment sites, and reuse recyclable materials.

Product Performance

- * The porous structure of the bricks provides high permeability so that rain water on the brick surface can permeate through the bricks into the underlying soil layer.
- * The bricks prevent people and cars from slipping in the rain, minimize rainwater splashing and fogging, reduce thermal effects, cut energy consumption, relieve the load on drainage facilities, and save the expenses for constructing drainage facilities.

You Bo Environmental Protection Industry Co., Ltd.

No. 1, Lane 448, Jhong-jheng 3rd Rd Yingge Township

Telephone +886-2-8678-1668#9

Fax +886-2-8678-1670

E-mail youbo.com@msa.hinet.net

Website www.youbo.com.tw

Available in: Taiwan

Resource Saving

Using Recycled Materials



EM-3-006001

Building blocks and bricks, of cement, of concrete or of artificial stone

Compressed Concrete Paving Units JH Black 20x20x3cm**Environmental Performance**

Adopting recycled stone scrap materials to produce Compressed concrete paving units will benefit our environment in two ways:

- * reduce stone material quarrying, meanwhile reduce carbon dioxide emissions.
- * reduce waste materials which pollute the environment.

Product Performance

1. Compressed to shape with ultra high pressure, making it sturdy and durable.
2. Having an extremely high density and low moisture absorption ratio.
3. Same thickness for quickly switch application.

JING TAY CEMENT PRODUCT CO., LTD.

No. 37, Xizikou, Shanshang Dist., Tainan City 743, Taiwan (R.O.C.)

Telephone +886-6-578-1345


Fax +886-6-578-2313

E-mail jtccp.ltd@msa.hinet.net

Website

Available in: Taiwan

Using Recycled Materials



EM-3-007001

Building blocks and bricks, of cement, of concrete or of artificial stone

Brick MT-1

Environmental Performance

- * Using recycle building resources to produce the Bricks not only can reduce the consumption of building materials, Carbon emission and the building waste but also can retard the impact on environment.
- * Using Bricks to build can improve the quality of building construction such as sound-insulation, heat insulation, moisture-proof etc. Meanwhile, it is help to achieve the energy saving goals due to the consumption of electric power reducing.

Product Performance

- * Non-inflammable: Unlike mental or plastic material might be deformed and melted by heat, the Brick won' t be deformed in high temperature environment.
- * Non-corrosive: Unlike steel plates, aluminum plates and wood plates might be caved or corrosively, the Brick pathway won' t be corrosive without any special protection.
- * Good strength: no matter how awful weather condition is , the brick buildings won' t be damaged by hazards , even the mucedine can' t filter through either.

MING TAI BRICK MFG. CO., LTD.

No.169, Ln. 180, Hushan St., Guishan Township, Taoyuan County 333, TAIWAN

Telephone +886-3-329-6156

Fax +886-3-350-4112

E-mail MT8899TW@GMAIL.COM

Website

Available in: Taiwan

Pollution Reduction

Using Recycled Materials



EM-3-008001

Other sheets, panels, tiles and similar articles of cellulose fibre-cement or the like

Calcium silicate board 1.0FK

Environmental Performance

FECB is the one of the most advanced fire-proofing stuff so far.

Product Performance

- * With the latest technology, JIA DAH manufactures Fiber Enhanced Cement Board(FECB) with zero Asbestos. It is excellent to be used as up-to-date partition materials.
- * Comparing with gypsum board and cement board, FECB has such great features like lighter, more environment friendly, more appropriate mechanic strength, better proofing of fire and insulation against moisture and temperature.
- * FECB is excellent to be used as indoor partition board, interior walls or ceilings of different building such as office, movie theaters, exhibition hall, restaurant, hotels, hospitals, train station or MRT station.
- * This great partition material has been used widely in different applications worldwide.

Jiadah Industrial.CO,LTD

No. 611, Beizidian, Shanhua Dist., Tainan City 741, Taiwan (R.O.C.)

Telephone +886-6-583-5121#828

Fax +886-6-585-1972

E-mail jd611@ms27.hinet.net

Website jiadah.myweb.hinet.net

Available in: Taiwan, China, Hong Kong, USA, Japan, Singapore, Republic of Korea, Vietnam, Malaysia, Thailand, Indonesia, India

Recyclability/
ReusabilityDegradability/
Compostability

Resource Saving

Pollution Reduction



EM-3-008002

Other sheets, panels, tiles and similar articles of cellulose fibre-cement or the like

Cement Fiber Board(1.0FPC) 4~15mm**Environmental Performance**

Environmental Friendly: Calcium Silicate Board is 100% free of Asbestos Fiber and will not cause any harm to human body or the environment. Process waste material can be recycled.

Product Performance

Fire Proofing/Heat Resistance/Sound Insulation/Environment Friendly

Jiadah Industrial.CO,LTD

No.611, Beizidian, Shanhua Dist., Tainan City 741, Taiwan (R.O.C.)

Telephone +886-6-583-5121#828

Fax +886-6-585-1972

E-mail jd611@ms27.hinet.net

Website jiadah.myweb.hinet.net

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials



EM-3-009001

Ceramic building bricks

Tile HD66R0901 ,HD36R0912,HD36R0913**Environmental Performance**

- * The product which complied with the Green Mark's environment specifications has been certificated by Environmental Protection Administration, Executive Yuan, Taiwan.
- * The tile was made from materials which recycled the waste in factory, in order to achieve the waste reduction goal.

Product Performance

- * Adapting advanced Ink-jet printing technique which developed in Italy, the detailed and undistorted veins of pebble appeared on the surfaces of tile.
- * Using stone-like tile can slow down the impact on environment through reducing the stone mining.

GRAND CERAMIC CO., LTD.

No. 36 Tung Hu Rd., Yingge District, New Taipei City, Taiwan R.O.C.

Telephone +886-2-2670-8255

Fax +886-2-2679-5259

E-mail grand.rhf@msa.hinet.net

Website www.grand.net.tw

Available in: Taiwan

Recyclability/
Reusability

Pollution Reduction

Using Recycled
Materials



EM-3-009002

Ceramic building bricks

Tile D36R0905,HD36R0906,HD36R0907,HD36R0908

Environmental Performance

- * The product which complied with the Green Mark' s environment specifications has been certificated by Environmental Protection Administration, Executive Yuan, Taiwan.
- * The tile was made from materials which recycled the waste in factory, in order to achieve the waste reduction goal.

Product Performance

- * Adapting advanced Ink-jet printing technique which developed in Italy, the detailed and undistorted veins of wood appeared on the surfaces of tile.
- * Using wood-like tile can slow down the impact on environment through reducing the tree cutting.

GRAND CERAMIC CO., LTD.

No. 36 Tung Hu Rd., Yingge District, New Taipei City, Taiwan R.O.C.

Telephone +886-2-2670-8255


Fax +886-2-2679-5259

E-mail grand.rhf@msa.hinet.net

Website www.grand.net.tw

Recyclability/
Reusability

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan

EM-3-010001

Glazed ceramic tiles, cubes and similar articles

Freya Series

Environmental Performance

- * Easy to maintain
- * Reducing the burden on environment which induced by the use of chemical cleaner.

Product Performance

- * Combining technology, environmental conservation and art, it creates value in ceramic tiles by turning flat ceramic tiles into a 3D configuration, and simplifying the maintenance.
- * Consumers can choose to create different styles of patterns on their own.
- * The computer does the universal edge finish with consistent dimensions for easier hanging.
- * The floor tiles adopt a matte finish with special glazing, making the skid-proof index to be higher than most floor tiles, providing a safer living safeguard.

White Horse Ceramic Co., Ltd.

No. 5, Dian Yan Road, Xinrong Vil., Yangmei City, Taoyuan County 326, Taiwan (R.O.C.)

Telephone +886-3-490-3111#656

Fax +886-3-420-3813

E-mail devanno@devannotile.com

Website www.whitehorse.com.tw

Using Recycled
Materials

Available in: Taiwan, Japan, Southeast Asia

EM-3-010002

Glazed ceramic tiles, cubes and similar articles

Demeter

Environmental Performance

- * This product complies with the requirements of Green Mark Label.
- * Recycling the waste materials which produced by plant.
- * Mitigating environmental problems by waste reducing.

Product Performance

- * Demeter Series: "LOHAS Wooden Tile" is a series of antique wood look tiles, with designs of light and dark colored stripes and embossment, to create a "mottled and weathered wood look" and a "vintage and rough texture".
- * Demeter Series" is a set of glazed quartz tiles featuring excellent abrasion resistance, acid and alkali resistance, and low water absorption.
- * This is a great choice for restaurants and public spaces to create a classical and nostalgic ambiance.

White Horse Ceramic Co., Ltd.

No. 5, Dian Yan Road, Xinrong Vil., Yangmei City, Taoyuan County 326, Taiwan (R.O.C.)

Telephone +886-3-490-3111#656

Fax +886-3-420-3813

E-mail devanno@devannotile.com

Website www.whitehorse.com.tw

Using Recycled Materials



Available in: Taiwan, Japan, Southeast Asia

EM-3-010003

Glazed ceramic tiles, cubes and similar articles

Inkjet Printing Wall & Floor Tile

Environmental Performance

- * This product meets the Green Mark certification, recycling the plant's waste materials.
- * To achieve waste reduction, mitigation of environmental problems.

Product Performance

- * The Chanson series uses the industry's highest resolution 960 dpi digital inkjet printing technology, creating a modern, restrained and warm, multi-colored effect.
- * This product creates a sense of variety for it is designed as a set with components that be assembled to fit the design and aesthetics of the individual home.
- * The Chanson series is stain-resistant and easy to clean. In order to protect the Earth's environment, this series uses recycled materials from the factory more than 20%, and reduces supplies more than 25%.

White Horse Ceramic Co., Ltd.

No. 5, Dian Yan Road, Xinrong Vil., Yangmei City, Taoyuan County 326, Taiwan (R.O.C.)

Telephone +886-3-490-3111#656

Fax +886-3-420-3813


E-mail devanno@devannotile.com

Website www.whitehorse.com.tw

Resource Saving

Pollution Reduction

Using Recycled Materials



Available in: Taiwan, Japan, Southeast Asia

EM-3-010004

Glazed ceramic tiles, cubes and similar articles

Glazed Porcelain Tile

Environmental Performance

- * This product meets the Green Mark certification, recycling the plant's waste materials.
- * To achieve waste reduction, mitigation of environmental problems.

Product Performance

- * This product uses special surface glaze technology, results in a unique natural texture. The dark surface incorporates minute fragments of sheet mica and it recreates a weathering effect to show the mineral crystallization of rock look. Each piece of tile displays the most natural amaze with various looks.
- * This series possesses high degrees of hardness and strength, does not absorb water, can withstand pressure, and is ware-resistant and non-slip. Suitable for patio, courtyard and walkway construction, these tiles can be but together in any desired fashion, providing designers and consumers with the opportunity to express their creativity.

White Horse Ceramic Co., Ltd.

No. 5, Dian Yan Road, Xinrong Vil., Yangmei City, Taoyuan County 326, Taiwan (R.O.C.)

Telephone +886-3-490-3111#656

Fax +886-3-420-3813

E-mail devanno@devannotile.com

Website www.whitehorse.com.tw

Resource Saving

Pollution Reduction

Using Recycled Materials



Available in: Taiwan, Japan, Southeast Asia

EM-3-010005

Glazed ceramic tiles, cubes and similar articles

Amazon Wooden

Environmental Performance

It only requires wiping with water to keep the brick products clean, helping to reduce the use of cleaning chemicals without burdening the environment.

Product Performance

- * The product features an ultra low moisture absorption ratio, with advantages of not being prone to expand in heat or contract in cold.
- * It withstands wear and tear, is resistant to acidity and alkalinity, not prone to humidity, resistant to insects and corrosion, and easy to clean and maintain.
- * It is flame retardant, does not corrode or discolor, withstands wear and tear, is easy to clean, and is easier to clean than a wooden floor. Besides, it is also safe, environmentally friendly, durable and convenient.

White Horse Ceramic Co., Ltd.

No. 5, Dian Yan Road, Xinrong Vil., Yangmei City, Taoyuan County 326, Taiwan (R.O.C.)


Telephone +886-3-490-3111#656

Fax +886-3-420-3813

E-mail devanno@devannotile.com

Website www.whitehorse.com.tw

Using Recycled Materials



Available in: Taiwan, Japan, Southeast Asia

EM-3-011001

Glazed ceramic tiles, cubes and similar articles

Raysound Calcium Silicate Board RSS 1.0FK**Environmental Performance**

- * No formaldehyde, asbestos or any other poisonous substance
- * Durable lifetime
- * Reuseable after careful dismantling

Product Performance

- * Fireproof
- * Immaculate appearance
- * Fair and affordable price
- * Easily cut and installed, raising construction efficiency

RAYSOUND ENTERPRISE CORP.

4F, No. 2, Sec.1, Dunhua S.Rd., Songshan Dist., Taipei 10506, Taiwan

Telephone +886-2-2752-1780

Fax +886-2-2752-1790

E-mail jonathan@m1.raysound.com

Website www.Raysound.com.tw

Available in: Taiwan

Long Life

Degradability/
Compostability

Resource Saving

Pollution Reduction



EM-3-012001

Glazed ceramic tiles, cubes and similar articles

Split Stone**Environmental Performance**

- * Champion Tiles acquired the Green Building Material certificate which meets the regulation of CO 2 and waste reduction
- * Reduce the burden to the environment from the waste brings and contributes to environmental protection
- * Creates sustainable construction industry and adequate quality living environment.

Product Performance

- * Insist on quality, water absorption below 1%, precise dimensions
- * Nano Auto-Clean exterior wall tile keeps the building new permanently and save the cleaning cost
- * Low deviation of dimensions, nice glaze finish, color uniform and stable flatness make the installation easy
- * Low water absorption, not east to absorb water, good bending strength, not easy to break, no crack on the surface, stable quality

Champion Building Materials Co.,Ltd.

No.200-7 Zhugaocuo,Dapu Li 13 Lin,Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

Telephone +886-37-583-775

Fax +886-37-583-115

E-mail webuser@mail.champion.com.tw

Website www.champion.com.tw

Available in: Worldwide

Recyclability/
Reusability

Resource Saving



EM-3-012002

Glazed ceramic tiles, cubes and similar articles

Glazed**Environmental Performance**

- * Champion Tiles acquired the Green Building Material certificate which meets the regulation of CO₂ and waste reduction
- * Reduce the burden to the environment from the waste brings and contributes to environmental protection
- * Creates sustainable construction industry and adequate quality living environment.

Product Performance

- * Insist on quality, water absorption below 1%, precise dimensions
- * Nano Auto-Clean exterior wall tile keeps the building new permanently and save the cleaning cost
- * Low deviation of dimensions, nice glaze finish, color uniform and stable flatness make the installation easy
- * Low water absorption, not east to absorb water, good bending strength, not easy to break, no crack on the surface, stable quality

Champion Building Materials Co.,Ltd.

No. 200-7 Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

Telephone +886-37-583-775

Fax +886-37-583-115

E-mail webuser@mail.champion.com.tw

Website www.champion.com.tw

Recyclability/
Reusability

Resource Saving



Available in: Worldwide

EM-3-012003

Glazed ceramic tiles, cubes and similar articles

Eternal G30138 G30139**Environmental Performance**

- * Champion Tiles acquired the Green Building Material certificate which meets the regulation of CO₂ and waste reduction
- * Reduce the burden to the environment from the waste brings and contributes to environmental protection
- * Creates sustainable construction industry and adequate quality living environment.

Product Performance

- * Developing and Producing the tiles from imported high quality clay and glaze
- * Water absorption below 0.5%, precise dimensions and uniform colors
- * High Moh's degree, good performance in abrasion resistance, eternal color tone from inside out
- * Chemical resistance with good characters
- * Superior flatness with no bending, cracking and aging
- * Easy to install, no waxing needed, easy to clean and maintenance

Champion Building Materials Co.,Ltd.

No. 200-7 Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

Telephone +886-37-583-775

Fax +886-37-583-115

E-mail webuser@mail.champion.com.tw

Website www.champion.com.tw

Recyclability/
Reusability

Resource Saving



Available in: Worldwide

EM-3-012004

Glazed ceramic tiles, cubes and similar articles

Vogue GR6050 GR6051 GR63050 GR63051**Environmental Performance**

- * Champion Tiles acquired the Green Building Material certificate which meets the regulation of CO₂ and waste reduction
- * Reduce the burden to the environment from the waste brings and contributes to environmental protection
- * Creates sustainable construction industry and adequate quality living environment.

Product Performance

- * Developing and Producing the tiles from imported high quality clay and glaze
- * Water absorption below 0.5%, precise dimensions and uniform colors
- * High Moh's degree, good performance in abrasion resistance, eternal color tone from inside out
- * Chemical resistance with good characters
- * Superior flatness with no bending, cracking and aging
- * Easy to install, no waxing needed, easy to clean and maintenance

Champion Building Materials Co.,Ltd.

No. 200-7 Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

Telephone +886-37-583-775

Fax +886-37-583-115

E-mail webuser@mail.champion.com.tw

Website www.champion.com.tw

Available in: Worldwide

Recyclability/
Reusability

Resource Saving



EM-3-012005

Glazed ceramic tiles, cubes and similar articles

Veined Stone GR8070 、GR6070 、GR8072 、GR6072**Environmental Performance**

- * Champion Tiles acquired the Green Building Material certificate which meets the regulation of CO₂ and waste reduction
- * Reduce the burden to the environment from the waste brings and contributes to environmental protection
- * Creates sustainable construction industry and adequate quality living environment.

Product Performance

- * Developing and Producing the tiles from imported high quality clay and glaze
- * Water absorption below 0.5%, precise dimensions and uniform colors
- * High Moh's degree, good performance in abrasion resistance, eternal color tone from inside out
- * Chemical resistance with good characters
- * Superior flatness with no bending, cracking and aging
- * Easy to install, no waxing needed, easy to clean and maintenance

Champion Building Materials Co.,Ltd.

No. 200-7 Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

Telephone +886-37-583-775

Fax +886-37-583-115

E-mail webuser@mail.champion.com.tw

Website www.champion.com.tw

Available in: Worldwide

Recyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

EM-3-013001

Glazed ceramic tiles, cubes and similar articles

Interior wall tiles Type III -interior wall tiles

Environmental Performance

The use of recycled material (kg / a Product * recovery%)

Product Performance

- * Homogeneity Size: The product is use-friendly, tidy and beautiful due to the homogeneity size.
- * Low Absorbing Ability : The lower absorbing ability the product is, the lower the effect weather has on the product's lifespan.
- * Good Smoothness: The product provides good smoothness and never bends or twists. It is easily constructed; even after construction, the floor is still flat.
- * High Strength: The product provides high strength, it is wear-resistant and pressure-resistant, it can also be used in public places.
- * Chromatic aberration: To observe the chromatic aberration, please put the tiles on the floor within one square meter, and observe the tiles from three-meters away to see if the color of the tile surface is discordant or unsightly.

HORNG JOU CERAMICS CO.,LTD

No.16, Ln. 230, Zhongzheng 3rd Rd., Yingge Dist., New Taipei City 239, Taiwan (R.O.C.)

Telephone +886-2-2679-6212

Fax +886-2-2679-6219

E-mail hjc23016@ms29.hinet.net

Website www.horngjou.com.tw/index.htm

Available in: Taiwan, Republic of Korea

Recyclability/
Reusability

Pollution Reduction



EM-3-013002

Glazed ceramic tiles, cubes and similar articles

Exterior tiles Type II -interior tiles

Environmental Performance

The use of recycled material (kg / a Product * recovery%)

Product Performance

- * Homogeneity Size: The product is use-friendly, tidy and beautiful due to the homogeneity size.
- * Low Absorbing Ability : The lower absorbing ability the product is, the lower the effect weather has on the product's lifespan.
- * Good Smoothness: The product provides good smoothness and never bends or twists. It is easily constructed; even after construction, the floor is still flat.
- * High Strength: The product provides high strength, it is wear-resistant and pressure-resistant, it can also be used in public places.
- * Chromatic aberration: To observe the chromatic aberration, please put the tiles on the floor within one square meter, and observe the tiles from three-meters away to see if the color of the tile surface is discordant or unsightly.

HORNG JOU CERAMICS CO.,LTD

No.16, Ln. 230, Zhongzheng 3rd Rd., Yingge Dist., New Taipei City 239, Taiwan (R.O.C.)

Telephone +886-2-2679-6212

Fax +886-2-2679-6219

E-mail hjc23016@ms29.hinet.net

Website www.horngjou.com.tw/index.htm

Available in: Taiwan, Republic of Korea

Recyclability/
Reusability

Pollution Reduction



EM-3-013003

Glazed ceramic tiles, cubes and similar articles

Exterior tiles Type II - exterior tiles

Environmental Performance

The use of recycled material (kg / a Product * recovery%)

Product Performance

- * Homogeneity Size: The product is use-friendly, tidy and beautiful due to the homogeneity size.
- * Low Absorbing Ability : The lower absorbing ability the product is, the lower the effect weather has on the product's lifespan.
- * Good Smoothness: The product provides good smoothness and never bends or twists. It is easily constructed; even after construction, the floor is still flat.
- * High Strength: The product provides high strength, it is wear-resistant and pressure-resistant , it can also be used in public places.
- * Chromatic aberration: To observe the chromatic aberration, please put the tiles on the floor within one square meter, and observe the tiles from three-meters away to see if the color of the tile surface is discordant or unsightly.

HORNG JOU CERAMICS CO.,LTD

No.16, Ln. 230, Zhongzheng 3rd Rd., Yingge Dist., New Taipei City 239, Taiwan (R.O.C.)

Telephone +886-2-2679-6212

Fax +886-2-2679-6219

E-mail hjc23016@ms29.hinet.net

Website www.horngjou.com.tw/index.htm

Available in: Taiwan, Republic of Korea

Recyclability/
Reusability

Pollution Reduction



EM-3-013004

Glazed ceramic tiles, cubes and similar articles

Exterior tiles Type II -exterior tiles

Environmental Performance

The use of recycled material (kg / a Product * recovery%)

Product Performance

- * Homogeneity Size: The product is use-friendly, tidy and beautiful due to the homogeneity size.
- * Low Absorbing Ability : The lower absorbing ability the product is, the lower the effect weather has on the product's lifespan.
- * Good Smoothness: The product provides good smoothness and never bends or twists. It is easily constructed; even after construction, the floor is still flat.
- * High Strength: The product provides high strength, it is wear-resistant and pressure-resistant , it can also be used in public places.
- * Chromatic aberration: To observe the chromatic aberration, please put the tiles on the floor within one square meter, and observe the tiles from three-meters away to see if the color of the tile surface is discordant or unsightly.

HORNG JOU CERAMICS CO.,LTD

No.16, Ln. 230, Zhongzheng 3rd Rd., Yingge Dist., New Taipei City 239, Taiwan (R.O.C.)

Telephone +886-2-2679-6212

Fax +886-2-2679-6219

E-mail hjc23016@ms29.hinet.net

Website www.horngjou.com.tw/index.htm

Available in: Taiwan, Republic of Korea

Recyclability/
Reusability

Pollution Reduction



EM-3-013005

Glazed ceramic tiles, cubes and similar articles

Interior wall tiles Type III -Interior wall tiles

Environmental Performance

The use of recycled material (kg / a Product * recovery%)

Product Performance

- * Homogeneity Size: The product is use-friendly, tidy and beautiful due to the homogeneity size.
- * Low Absorbing Ability : The lower absorbing ability the product is, the lower the effect weather has on the product's lifespan.
- * Good Smoothness: The product provides good smoothness and never bends or twists. It is easily constructed; even after construction, the floor is still flat.
- * High Strength: The product provides high strength, it is wear-resistant and pressure-resistant , it can also be used in public places.
- * Chromatic aberration: To observe the chromatic aberration, please put the tiles on the floor within one square meter, and observe the tiles from three-meters away to see if the color of the tile surface is discordant or unsightly.

HORNG JOU CERAMICS CO.,LTD

No.16, Ln. 230, Zhongzheng 3rd Rd., Yingge Dist., New Taipei City 239, Taiwan (R.O.C.)

Telephone	+886-2-2679-6212
Fax	+886-2-2679-6219
E-mail	hjc23016@ms29.hinet.net
Website	www.horngjou.com.tw/index.htm

Available in: Taiwan, Republic of Korea

Recyclability/
Reusability

Pollution Reduction



EM-3-014001

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

Water-Saving Water Closet Equipment
ACT5683AK (ACT5684AK)

Environmental Performance

1. ROC Green Mark system the Department of Environmental Protection Department under the Green Mark to promote the Guidelines" and the "Green Mark Committee Guidelines" came into force, is in full compliance with ISO / CNS 14024 standards, the product in the production process must not add any significant harm the environment substances.
2. Assume that there are four members in each family, each one will defecate once and urinate three times every day. The traditional water closet is a single stage flushing type. Water flushing amount is 12L each time. For two-stage flushing type, it consumes 6 liters of water for stool.

Product Performance

Each time you flush, it takes less than 6 liters of water for stool and less than 3 liters for urine, compliant with two stage water-saving specification.

TIEN KUANG ENTERPRISE CO., LTD.

No.131, Sec. 2, Zhongshan Rd., Shulin Dist., New Taipei City 238, Taiwan

Telephone	+886-2-8684-3345
Fax	+886-2-8685-8098
E-mail	marketing@tenco.com.tw
Website	www.tenco.com.tw

Available in: Taiwan

Resource Saving

Pollution Reduction



EM-3-014002

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

Water-Saving Water Closet Equipment (ACT5654AK)**Environmental Performance**

1. ROC Green Mark system the Department of Environmental Protection Department under the Green Mark to promote the Guidelines" and the "Green Mark Committee Guidelines" came into force, is in full compliance with ISO / CNS 14024 standards, the product in the production process must not add any significant harm the environment substances.
2. Assume that there are four members in each family, each one will defecate once and urinate three times every day. The traditional water closet is a single stage flushing type. Water flushing amount is 12L each time. For two-stage flushing type, it consumes 6 liters of water for stool.
3. If each family installs a two-stage type water closet, saving water increases up to 40 million tons, equivalent to the storage amount of water of 4-5 Nanhua Reservoir.

Product Performance

Each time you flush, it takes less than 6 liters of water for stool and less than 3 liters for urine, compliant with two stage water-saving specification.

TIEN KUANG ENTERPRISE CO., LTD.

No.131, Sec. 2, Zhongshan Rd., Shulin Dist., New Taipei City 238, Taiwan

Telephone +886-2-8684-3345

Fax +886-2-8685-8098

E-mail marketing@tenco.com.tw

Website www.tenco.com.tw

Available in: Taiwan

Resource Saving

Pollution Reduction



EM-3-014003

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

**Water-Saving Water Closet Equipment
ACT3603A-A, CT3604A-A****Environmental Performance**

1. ROC Green Mark system the Department of Environmental Protection Department under the Green Mark to promote the Guidelines" and the "Green Mark Committee Guidelines" came into force, is in full compliance with ISO / CNS 14024 standards, the product in the production process must not add any significant harm the environment substances.
2. Assume that there are four members in each family, each one will defecate once and urinate three times every day. The traditional water closet is a single stage flushing type. Water flushing amount is 12L each time. For two-stage flushing type, it consumes 6 liters of water for stool.

Product Performance

Each time you flush, it takes less than 6 liters of water for stool and less than 3 liters for urine, compliant with two stage water-saving specification.

TIEN KUANG ENTERPRISE CO., LTD.

No.131, Sec. 2, Zhongshan Rd., Shulin Dist., New Taipei City 238, Taiwan

Telephone +886-2-8684-3345

Fax +886-2-8685-8098

E-mail marketing@tenco.com.tw

Website www.tenco.com.tw

Available in: Taiwan

Resource Saving

Pollution Reduction



EM-3-014004

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

**Water-Saving Water Closet Equipment
ACT3613A-A, CT3614A-A****Environmental Performance**

1. ROC Green Mark system the Department of Environmental Protection Department under the Green Mark to promote the Guidelines" and the "Green Mark Committee Guidelines" came into force, is in full compliance with ISO / CNS 14024 standards, the product in the production process must not add any significant harm the environment substances.
2. Assume that there are four members in each family, each one will defecate once and urinate three times every day. The traditional water closet is a single stage flushing type. Water flushing amount is 12L each time. For two-stage flushing type, it consumes 6 liters of water for stool.

Product Performance

Each time you flush, it takes less than 6 liters of water for stool and less than 3 liters for urine, compliant with two stage water-saving specification.

TIEN KUANG ENTERPRISE CO., LTD.

No.131, Sec. 2, Zhongshan Rd., Shulin Dist., New Taipei City 238, Taiwan

Telephone	+886-2-8684-3345
Fax	+886-2-8685-8098
E-mail	marketing@tenco.com.tw
Website	www.tenco.com.tw

Available in: Taiwan

Resource Saving

Pollution Reduction



EM-3-015001

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

LEGATO Two-piece Water Closet CS4384U**Environmental Performance**

- * A dual-flush toilet can save up to 70% more water than a traditional toilet. Assume that there are four members in each family, each one will defecate once and urinate four times every day.
- * Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste. By contrast, traditional toilets release 12 liters of water in each flush. Thus, dual-flush toilet can save close to 168 liters of water each day.

Product Performance

Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste. Anti-Dirty Technology : With HCG's exclusive Nano technology combining antimicrobial silver ions into the glaze, a more smooth and delicate coating is created. This warrants that water furring and dark spots can be easily wiped off, ensuring that no dirt or bacteria are trapped.

Hocheng Corporation

4F., No.89, Houzhuang St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone	+886-3-362-3105#1615
Fax	+886-3-375-6493
E-mail	kevinhsu@hcgnet.com.tw
Website	www.hcg.com.tw

Available in: Taiwan

Resource Saving



EM-3-015002

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

ceramic faucet LF3113(P)TE

Environmental Performance

1. 100% Lead free
2. Water pressure 0.1Mpa (1.0kgf / c m²) out of water, 9.0L comply with water conservation labels specification

Product Performance

1. Ceramic faucet lasts much longer than rubber
2. 100% Lead free
3. Water pressure 0.1Mpa (1.0kgf / c m²) out of water, 9.0L comply with water conservation labels specification

HCG

4F., No.89, Houzhuang St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-362-3105#1165

Fax +886-3-375-6964

E-mail slmkt@hcgnet.com.tw

Website www.hcg.com.tw

Resource Saving

High Quality /
Performance

Available in: Taiwan

EM-3-015003

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

LEGATO Two-piece Water Closet C4283U

Environmental Performance

- * A dual-flush toilet can save up to 70% more water than a traditional toilet
- * Assume that there are four members in each family, each one will defecate once and urinate four times every day. Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste. By contrast, traditional toilets release 12 liters of water in each flush. Thus, dual-flush toilet can save close to 168 liters of water each day.

Product Performance

- * Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste
- * Anti-Dirty Technology : With HCG's exclusive Nano technology combining antimicrobial silver ions into the glaze, a more smooth and delicate coating is created.
- * This warrants that water furring and dark spots can be easily wiped off, ensuring that no dirt or bacteria are trapped.

HCG

4F., No.89, Houzhuang St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-362-3105#1165

Fax +886-3-375-6964

E-mail slmkt@hcgnet.com.tw

Website www.hcg.com.tw

Resource Saving

High Quality /
Performance

Available in: Taiwan

EM-3-015004

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

Toilet CS41NU

Environmental Performance

- * Dual-flush toilet can save up to 70% more water than a traditional toilet
- * Assume that there are four members in each family, each one will defecate once and urinate four times every day. Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste. By contrast, traditional toilets release 12 liters of water in each flush. Thus, dual-flush toilet can save close to 168 liters of water each day.

Resource Saving

High Quality /
Performance

Product Performance

Dual-flush toilets release 6 liters of water to flush solid waste, and 3 liters of water to flush liquid waste

HCG

4F., No.89, Houzhuang St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-362-3105#1165

Fax +886-3-375-6964

E-mail slmkt@hcgnet.com.tw

Website www.hcg.com.tw



Available in: Taiwan

EM-3-015005

Other ceramic sinks, wash basins, water closet pans,... and similar sanitary fixtures

ceramic faucet LF3213(P)TE

Environmental Performance

- * 100% Lead free
- * Water pressure 0.1Mpa (1.0kgf / c m²) out of water, 9.0L comply with water conservation labels specification

Resource Saving

High Quality /
Performance

Product Performance

- * Ceramic faucet lasts much longer than rubber
- * 100% Lead free
- * Water pressure 0.1Mpa (1.0kgf / c m²) out of water, 9.0L comply with water conservation labels specification

HCG

4F., No.89, Houzhuang St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-362-3105#1165

Fax +886-3-375-6964

E-mail slmkt@hcgnet.com.tw

Website www.hcg.com.tw



Available in: Taiwan

EM-3-016001

Multiple-walled insulating units of glass

TG Insulating Glass**TG-IL(F.GR-TLE62#2+CL) (6+12AS+6)mm****Environmental Performance**

- * High light transmittance ratio.
- * Low refractive ratio.
- * High heat insulation
- * Environmentally friendly and energy-saving.

Product Performance

- * With a high transmittance ratio on visible light spectrum of 380nm to 780nm, it helps to reduce the use of interior lighting to save on energy.
- * With a higher refraction ratio on infrared ray (at wave lengths between 780~3000nm), particularly in completely refracting the infrared ray with a longer wavelength (at wave lengths over 3000nm), it cut off the entry of voluminous heat, making the interior feels cooler to achieve winter warmth and summer cooling effect.

Taiwan Glass Ind. Corp.

Taiwan Glass Building 11F., No.261, Sec.3, Nanjing E Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2713-0333#1211

Fax +886-2-2639-0332

E-mail fl@tp.taiwanglass.com

Website www.taiwanglass.com

Resource Saving

High Quality /
Performance

Available in: Taiwan, China, Japan, Republic of Korea, Australia, Southeast Asia, Middle East, Europe, North America, Africa

EM-3-016002

Multiple-walled insulating units of glass

TG Insulating Glass**TG-IL(F.GR-TLE72#2+CL) (10+12AS+10)mm****Environmental Performance**

- * High light transmittance ratio.
- * Low refractive ratio.
- * High heat insulation.
- * Environmentally friendly and energy-saving.

Product Performance

- * With a high transmittance ratio on visible light spectrum of 380nm to 780nm, it helps to reduce the use of interior lighting to save on energy.
- * With a higher refraction ratio on infrared ray (at wave lengths between 780~3000nm), particularly in completely refracting the infrared ray with a longer wavelength (at wave lengths over 3000nm), it cut off the entry of voluminous heat, making the interior feels cooler to achieve winter warmth and summer cooling effect.

Taiwan Glass Ind. Corp.

Taiwan Glass Building 11F., No.261, Sec.3, Nanjing E Road, Taipei, Taiwan, R.O.C


Telephone +886-2-2713-0333#1211

Fax +886-2-2639-0332

E-mail fl@tp.taiwanglass.com

Website www.taiwanglass.com

Resource Saving

High Quality /
Performance

Available in: Taiwan, China, Japan, Republic of Korea, Australia, Southeast Asia, Middle East, Europe, North America, Africa

EM-3-017001

Multiple-walled insulating units of glass

HEAT MIRROR Insulating Glass 28mm Transparent HM-SC75

Environmental Performance

1. Energy Saving: In cold winter conditions and hot summer conditions, Heat Mirror IGU high insulation performance reduces the need for perimeter heating and cooling systems otherwise needed for comfort in commercial buildings, thus providing further energy savings.
2. Low pollution: The uncoated floating glass can be fully recycled. Only the suspended coated film in the middle of an insulating glass unit needs to be incinerated.

Product Performance

1. Visually Clear and Colorless : High performance with clear appearance.
2. High Ultraviolet Protection : Blocks 99.5% of ultraviolet radiation and 85% of near-infrared radiation, reducing fading and increasing the lifespan of fabrics, furniture, flooring and other household items.
3. Super Sound Control : Heat Mirror IGU's unique construction insulates against unwanted sound transmission better than ordinary double-pane windows.

KWANG TE GLASS CO., LTD.

No. 538-1, SEC. 2, YANGTONG RD., LONGTAN TOWNSHIP, TAOYUAN COUNTY 32543, TAIWAN

Telephone +886-3-479-9403

Fax +886-3-479-4411

E-mail yushi.glass@msa.hinet.net

Website www.yushi.com.tw

Available in: Worldwide

Resource Saving

High Quality /
PerformanceUsing Recycled
Materials

EM-3-018001

Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or moulded glass

Compressed Concrete Paving Units 30*30*6CM

Environmental Performance

- * It has both the green building material concept and the natural material texture.
- * It possesses the green building material characteristics.

Product Performance

- * The "Composite Wood & Stone" is added with a certain proper proportion of blast furnace ballast, waste glass, waste foundry sand, waste stone material, furnace slag, waste resin sand wheel and constructional waste, compliant with the "reuse and recycling" principle.
- * Offering the aesthetics and texture realization of "almost natural material", the ordinary simple water permeable brick and compressed brick are totally incomparable.
- * To pave by joining the block in a non-continuous pattern, leaving the paving to have bigger gaps in where the local natural pebbles are filled. Underneath, the paving is laid with a water-holding layer, such as non-aggregate concrete waste and the sand layer, to provide enough gaps for the plantation to grow.

PRETTY WOOD ENTERPRISE CO., LTD.

NO.81-33, Ln.245, Sec.3, Shatian Rd., Dadu Dist., Taichung City 43241, Taiwan

Telephone +886-4-2699-0968

Fax +886-4-2699-3984

E-mail tri.good@msa.hinet.net

Website www.3hui.com.tw

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EM-3-019001

Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or moulded glass

Green bricks**Environmental Performance**

- * The green building materials with light texture and good quality are made by the unharmed materials, recovery of the waste and combined the new recipe.
- * The product which complied with the Green Building Material's requirements had been certified by the Ministry of The Interior, Executive Yuan, Taiwan.

Product Performance

1. Landscape engineering.
2. Horticulture, gardening, landscaping.
3. Parking lot.
4. Green Building

EVEREST TEXTILE CO., LTD.

NO.256, MINGHE VIL., SHANSHANG DIST., TAINA CITY 74342, TAIWAN(R.O.C.)

Telephone +886-6-578-2561#6397

Fax +886-6-578-4347

E-mail henry.lian@everest.com.twWebsite www.evereset.com.tw

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials**EM-3-020001**

Other glass beads and similar glass smallwares

Glasstone Green Building Material**Environmental Performance**

Glasstone is a green products which is made by recycled glass. For our environmental protection, it is only reduced the a great quantity of the wasted glass, but also helped to decrease the raw material which is developed by the earth destroyed mining.

Product Performance

- * Glasstone is a building material for the decorative purpose. It is provided various vision and touching to the interior and exterior of building, including rich colors and glassy crystal looking.
- * Glasstone is another new choice for interior and exterior designers.

Taibao Glass Industrial Co., Ltd.

No. 97, 2 Sec., Yen-Ping Road, Hsin-Chu City, Taiwan, R.O.C

Telephone +886-3-540-2851



Fax +886-3-540-2858

E-mail taibaog@ms69.hinet.netWebsite www.taibao.com.tw

Available in: Worldwide

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

GYPSUM BOARD GB-F**Environmental Performance**

- * Contains no controlled substances per the Montreal Protocol, and free of any harmful substances, and does not generate harmful business waste.
- * Adopting recycled paper as the main covering material, it adopts coal power generation plant's by-product flue gas desulfurization (FGD) as the main ingredient; no wastewater is generated in the process, and the rejects derived from the production process can be fully recycled as an additive in the reprocess flow, making it a recyclable, low-pollution process.

Product Performance

1. Sound insulation: With good sound insulation reaching D40 or STC50dB or higher depending on the thickness and varied combinations.
2. Fire proof: The unique plaster core material offers excellent fire prevention properties.
3. Heat insulation: With a low heat conductivity ratio, it has excellent heat insulation properties.
4. Workability: Easy and quick to install.

UNIVERSAL CEMENT CORPORATION

10TH FL.125,SEC.2,NAN KING E.RD.,TAIPEI,104,TAIWAN,R.O.C

Telephone +886-3-354-3056

Fax +886-3-354-1711


E-mail hai-fu@ucctw.com

Website www.ucctw.com

Recyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, Singapore, Asia

EM-4-001001

Flat-rolled products of iron or non-alloy steel, painted, vanished or coated with plastics, based on hot-dipped with zinc alum

Lead-Free Galvanized Steel Plate T. 6mm-16mm, etc.**Environmental Performance**

- * It doesn't generate heavy metals in the incorporating the lead-free galvanization process
- * The waste derived from the process can be recycled and reused
- * This product with surface treatment are relatively free of black spots
- * The rustproof ratio of thicker galvanized layer is higher than the conventional nickel plating.
- * Lower maintenance and repair cost by extending the product's life.

Product Performance

For use in outdoor weatherproof environment, it can be used as floor base plate, and can also be reprocessed into other products.

Shine Metal Hot-Galvanization Enterprise Co., Ltd.

No.119-86, Sanhe Rd. , Ligang Township, Pingtung County 905, Taiwan, R.O.C

Telephone +886-7-555-9377#105

Fax +886-7-555-9251

E-mail kingstar616@gmail.com

Website www.smg.com.tw

Available in: Taiwan

Long Life

Degradability/
Compostability

Pollution Reduction

Using Recycled
MaterialsEPA
Category II
Eco-Product**EM-4-001002**

Other articles of iron or steel

**Lead-Free Galvanized Expanded Metal
XG11, XG12, XG13, etc.****Environmental Performance**

- * It doesn't generate heavy metals in the incorporating the lead-free galvanization process
- * The waste derived from the process can be recycled and reused
- * This product with surface treatment are relatively free of black spots
- * The rustproof ratio of thicker galvanized layer is higher than the conventional nickel plating.
- * Lower maintenance and repair cost by extending the product's life.

Product Performance

It is used as factory, building, ship staircase's step plates, corridor and platform flooring, and can be used as fence walls, partitions, railings, reinforcement material and for producing electrical appliances and household electrical products.

Shine Metal Hot-Galvanization Enterprise Co., Ltd.

No.119-86, Sanhe Rd. , Ligang Township, Pingtung County 905, Taiwan, R.O.C

Telephone +886-7-555-9377#105

Fax +886-7-555-9251

E-mail kingstar616@gmail.com


Website www.smg.com.tw

Available in: Taiwan

Long Life

Degradability/
Compostability

Pollution Reduction

Using Recycled
MaterialsEPA
Category II
Eco-Product

EM-4-001003

Other articles of iron or steel

Lead-Free Galvanized Grating FB25*4. 5t, etc.**Environmental Performance**

- * It doesn't generate heavy metals in the incorporating the lead-free galvanization process
- * The waste derived from the process can be recycled and reused
- * This product with surface treatment are relatively free of black spots
- * The rustproof ratio of thicker galvanized layer is higher than the conventional nickel plating.
- * Lower maintenance and repair cost by extending the product's life.

Product Performance

It is used in various plants and buildings' floor insulation layers. There are steel structure platforms and passageways, staircase steps, cement products' reinforcement material, roadway ditch cover plate, storage racks, grills, temporary cover plates for a variety of working holes, and post-modern architectural design materials.

Shine Metal Hot-Galvanization Enterprise Co., Ltd.

No.119-86, Sanhe Rd., Ligang Township, Pingtung County 905, Taiwan, R.O.C

Telephone +886-7-555-9377#105

Fax +886-7-555-9251

E-mail kingstar616@gmail.com

Website www.smg.com.tw

Available in: Taiwan

Long Life

Degradability/
Compostability

Pollution Reduction

Using Recycled
MaterialsEPA
Category II
Eco-Product

EM-4-001004

Other articles of iron or steel

Lead-Free Galvanized Steel Structure 150*150*75, etc.**Environmental Performance**

- * It doesn't generate heavy metals in the incorporating the lead-free galvanization process
- * The waste derived from the process can be recycled and reused
- * This product with surface treatment are relatively free of black spots
- * The rustproof ratio of thicker galvanized layer is higher than the conventional nickel plating.
- * Lower maintenance and repair cost by extending the product's life.

Product Performance

It is suitable as general building structural material or facilitating material for factories, warehouses, offices, schools, sports stadiums, agricultural greenhouses, prefabricated residential units, car canopies, car park equipment and the like.

Shine Metal Hot-Galvanization Enterprise Co., Ltd.

No.119-86, Sanhe Rd., Ligang Township, Pingtung County 905, Taiwan, R.O.C

Telephone +886-7-555-9377#105

Fax +886-7-555-9251

E-mail kingstar616@gmail.com


Website www.smg.com.tw

Available in: Taiwan

Long Life

Degradability/
Compostability

Pollution Reduction

Using Recycled
MaterialsEPA
Category II
Eco-Product

EM-4-001005

Other articles of iron or steel

Lead-Free Galvanized Steel Angles L50*50*6t, etc.**Environmental Performance**

- * It doesn't generate heavy metals in the incorporating the lead-free galvanization process
- * The waste derived from the process can be recycled and reused
- * This product with surface treatment are relatively free of black spots
- * The rustproof ratio of thicker galvanized layer is higher than the conventional nickel plating.
- * Lower maintenance and repair cost by extending the product's life.

Product Performance

Parts and components can be used in plant structures, bridges, power transmission towers and for general structures.

Shine Metal Hot-Galvanization Enterprise Co., Ltd.

No.119-86, Sanhe Rd., Ligang Township, Pingtung County 905, Taiwan, R.O.C

Telephone +886-7-555-9377#105

Fax +886-7-555-9251


E-mail kingstar616@gmail.com

Website www.smg.com.tw

Long Life

Degradability/
Compostability

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan

EM-4-002001

Doors, windows and their frames and thresholds for doors, of aluminium

Casement Window YE-661C**Environmental Performance**

Recyclable aluminum parts and non-toxic metal accessories are used.

Product Performance

- * The casement window is one type of aluminum alloy windows that use stainless steel four-bar linkages to facilitate opening.
- * High-quality rainproof strips are used to provide watertightness, air-tightness and acoustic insulation.
- * YE-661C casement window provides at least 35db acoustic insulation and is a high-performance Green Construction Material.
- * The sash and the frame of the casement window have a hidden drainage system that works despite blowing wind to prevent rainwater from flowing into the room.
- * The casement window can be opened at the desired angle to keep ventilation and thereby save energy.
- * It also functions as an emergency exit.

YUANGEE INDUSTRIAL CO., LTD.

No.193, Sec. 1, Erren Rd., Rende Dist., Tainan City 717, Taiwan (R.O.C.)

Telephone +886-6-266-2511

Fax +886-6-266-4065

E-mail ye@yuangee.com.tw

Website www.yuangee.com.tw

Degradability/
CompostabilityHigh Quality/
PerformanceUsing Recycled
Materials

Available in: Taiwan

EM-4-003001

Doors, windows and their frames and thresholds for doors, of aluminium

Sound-insulated Aluminum Window Type 1070 B5N**Environmental Performance**

High performance soundproof green building material, which can effectively insulate the sound and protect the living quality from being disturbed by noise.

Product Performance

- * Mock-up test approved by TAF.
- waterproof: above 1500Pa (upper limit)
- airtight: under 2 grades
- wind pressure resistance: above 3600
- * Sound insulation test approved by TAF: 37Db
- * Surface anode handling test by SGS * weathering resistance: more than 5,000 hours (more than 20 times the national standard (250hours))
- * Anti-corrosion: More than 550 hours (national standard (480 hours))
- * Alkali resistance: More than 240 hours (national standard (24 hours))

CHIU JOU ALUMINUM CO., LTD.

No.668-1, Fongkeng Village, HsinFong Township, HsinChu County, Taiwan

Telephone +886-3-559-9666

Fax +886-3-559-9670

E-mail chiujou@ms12.hinet.net

Website www.windowking.com.tw

High Quality/
Performance

Pollution Reduction



Available in: Worldwide

EM-4-004001

Doors, windows and their frames and thresholds for doors, of aluminium

DHD energy-efficient windows HP100**Environmental Performance**

- * The features of aluminum alloy extrusion window frames: tough but lightweight , airtight, watertight, soundproof.
- * Heat bridge technology through technical cooperation and actively with industry-leading U.S. AZON off by polyurethane insulation plastic blocking outdoor heat transmission to the interior.
- * Adopting LOW-E complex layer hollow glass produced through the internationally renowned AGC online coating technology, to improve the performance of product in heat /sound insulation dramatically.

Product Performance

1. Sound insulation
2. Airtight, watertight, wind pressure resistance
3. Thermal resistance.

Quan Feng Aluminum Limited Company

No.20, Gongjian N. Rd., Qidu Dist., Keelung City 206, Taiwan (R.O.C.)

Telephone +886-2-2452-1413

Fax +886-2-2452-4039

E-mail lion.brenda@msa.hinet.net

Website www.ddh.com.tw

High Quality/
Performance

Pollution Reduction



Available in: Taiwan

EM-4-005001

Other aluminium structures and parts thereof, finished

SoundMicro Sound-absorption Panel SoundMicro**Environmental Performance**

- * SoundMicro is manufactured with a completely aluminum alloy without the need for any sound silencing foam. Its sound absorption rate is NRC0.8 or more. It has none of the ineffective sound absorption problems that occur with traditional sound silencing foam due to absorption of moisture, it is therefore durable with a longer service life.
- * Total metal material, convenient to recycle without having the problem of discarding the sound silencing foam.

Product Performance

1. Without attaching any other sound absorption material, the rate of sound-absorption can reach NRC0.8 or above.
2. Lifetime: above 10 years.

CKM Building Material Corp.

No.9, Gongye Rd., Guantian Dist., Tainan City 720, Taiwan

Telephone +886-6-698-6623#128

Fax +886-6-698-9533

E-mail yosia@mail.ckm.com.tw


Website www.ckm.com.tw

Long Life

Resource Saving

High Quality/
Performance

Pollution Reduction



Available in: Worldwide

EM-4-006001

Electric conductors, for a voltage not exceeding 1000V, fitted with connectors, of a kind used for telecommunications

600V EM-IE Ecological-Material Electric Cable LSFH-01**Environmental Performance**

The product can reduce 0.3 kg air pollutants and 0.08 kg heavy metals per kilo.

Product Performance

Functions:

Suited for general electrical equipment circuit wiring of a nominal voltage less than 600V, building indoor wiring, and the electrical equipment wiring.

Features:

1. It is certified with the environmental protection mark of Taiwan's EPA.
2. It uses no halogen plastics and produces no hazardous substances, e.g. dioxins or halogen acid gas when it is burned.
3. The heavy metal content meets the specifications of the environmental protection mark of Taiwan's EPA, posing no pollution to the environment.
4. The electric wire is highly flame retardant and produces very small amounts of fumes when it is burned, very safe to use.

TA YA ELECTRIC WIRE & CABLE CO., LTD.

NO. 249, SEC.2, CHUNG SHAN ROAD, KUAN MIAO DIST., TAINAN CITY 71847, TAIWAN

Telephone +886-6-595-8191

Fax +886-6-595-8190

E-mail tayapvc@mail.taya.com.tw

Website www.taya.com.tw

Recyclability/
ReusabilityDegradability/
Compostability

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan

EM-5-001001

Other fertilisers

GI SAN FA Miscellaneous Organic Fertilizer**Environmental Performance**

1. Adopting natural plant or agricultural by-products, scraps, deteriorated agricultural products,
2. long-lasting, gentle, even fertilization, buffering and harmless characteristics.

Product Performance

Leaf vegetable type:

1. It excels in growth, budding, thick flesh, aroma enhancement, and aggregate production.
2. The quality of plants are solid, full, lustrous and crisp .

Fruit tree type:

1. Blossoming with subtle fragrance, it improves the fruit coloration, and the fruits fuller and more lustrous.
2. It enhances the sweetness and production .

Floral type:

Flowers stay fresh with a prolonged flowering period.

SINLONFA INDUSTRIAL CORPORATION

No,38-2,Jiangshi Rd,Jushan,Jan,Nantou,Taiwan 55767

Telephone +886-4-9263-1234

Fax +886-4-9263-2221

E-mail slf.com@msa.hinet.net

Website www.twslf.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EM-5-001002

Other fertilisers

YI TONG FA Miscellaneous Organic Fertilizer**Environmental Performance**

1. Adopting natural plant or agricultural by-products, scraps, deteriorated agricultural products.
2. long-lasting, gentle, even fertilization, buffering and harmless characteristics.

Product Performance

Leaf vegetable type:

1. It excels in growth, budding, thick flesh, aroma enhancement, and aggregate production.
2. The quality of plants are solid, full, lustrous and crisp .

Fruit tree type:

1. Blossoming with subtle fragrance, it improves the fruit coloration, and the fruits fuller and more lustrous.
2. It enhances the sweetness and production.

Floral type: Flowers stay fresh with a prolonged flowering period.

** Materials: Full nitrogen: 3.4%, full phosphoric anhydride: 2.1%, full potassium oxide: 2.1% and organic substance: 78%.

SINLONFA INDUSTRIAL CORPORATION

No,38-2,Jiangshi Rd,Jushan,Jan,Nantou,Taiwan 55767

Telephone +886-4-9263-1234

Fax +886-4-9263-2221

E-mail slf.com@msa.hinet.net

Website www.twslf.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EM-5-001003

Other fertilisers

GI SAN FA Miscellaneous Organic Fertilizer No.1

Environmental Performance

1. Adopting natural plant or agricultural by-products, scraps, deteriorated agricultural products.
2. long-lasting, gentle, even fertilization, buffering and harmless characteristics.
 - * No chemical fertilisers.
 - * No Animal's excrement.

Product Performance

1. It excels in growth, budding, thick flesh, aroma enhancement, and aggregate production.
2. Rich nutrition
3. Blossoming with subtle fragrance.

SINLONFA INDUSTRIAL CORPORATION

No,38-2,Jiangshi Rd,Jushan,Jan,Nantou,Taiwan 55767

Telephone +886-4-9263-1234

Fax +886-4-9263-2221

E-mail slf.com@msa.hinet.net

Website www.twslf.com

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Taiwan

EM-5-001004

Other fertilisers

YI TONG FA Organic Fertilizer No.5

Environmental Performance

- Adopting natural plant or agricultural by-products, scraps, deteriorated agricultural products, it carries long-lasting, gentle, even fertilization, buffering and harmless characteristics.
- * No chemical fertilisers.
 - * No Animal's excrement.

Product Performance

- * It excels in growth, budding, thick flesh, aroma enhancement, and aggregate production output.
- * Rich nutrition, can help the plants develop the rootstock well.
- * Blossoming with subtle fragrance, it improves the fruit coloration, and the fruits fuller and more lustrous.

SINLONFA INDUSTRIAL CORPORATION

No,38-2,Jiangshi Rd,Jushan,Jan,Nantou,Taiwan 55767

Telephone +886-4-9263-1234

Fax +886-4-9263-2221

E-mail slf.com@msa.hinet.net

Website www.twslf.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Taiwan

EM-5-002001

Other builders' ware of plastics

HDPE Wood-Plastic Contain 25 × 142 imitated teakwood color

Environmental Performance

1. Features: a. Reusability/Recyclability b. Using recycled materials c. Pollution Reduction
2. Advantages: Green building material: Reduce the ecological burden and energy consumption from chemical synthesis. Recycled: Save resources due to using recycled materials Health purpose: Adopt the natural and organic low-volatility materials to produce in order to avoid physiological hazards brought by chemical synthesis. Material feature: Estimation and control of the basic characteristics and special product performances could ensure the quality of the products while using.

Product Performance

1. Product is wood-like and according with Green Building Material standard. Easy to maintain, lower maintenance costs, anti-acid and anti-alkali.
2. Low diffusion, low pollution, low odor, low physiological hazards, and without hazardous substances like formaldehyde asbestos...etc.

DANNY PLASTICS CO.,LTD

No.145 LANE 898 WU-FANG RD., SHIN-YUAN HSIANG,PING-TUNG

Telephone +886-7-333-9799


Fax +886-7-333-7669

E-mail danny@plasticdoor.com

Website www.plasticdoor.com

Recyclability/
ReusabilityDegradability/
Compostability

Pollution Reduction



Available in: Taiwan, Asia, Europe, North America, South America

EM-5-003001

Other particle board and similar board of wood

Decorative Particleboard 18mm (6510) U-Type F3

Environmental Performance

With the product containing low permeation of formaldehyde, its total evaporative organic substances' permeating characteristics help to reduce pollution to the air quality of indoors.

Product Performance

A material used for indoor furniture.

Degradability/
CompostabilityHigh Quality/
Performance

Pollution Reduction



Sunflower Corporation

12F,82 Sung Chiang Rd, Taipei,Taiwan, R.O.C

Telephone +886-3-469-6296#200

Fax +886-3-469-6300

E-mail tqc@sunflower.com.tw

Website www.sunflower.com.tw/tc

Available in: Taiwan, China, Japan, Singapore

EM-5-004001

Other particle board and similar board of wood

Melamine Face Chipboard**Environmental Performance**

Using recycled wood material and factory scraps as the main content, it helps to reduce the dependence on log.

1. recycled wood (mainly pallets) - 25%
2. factory scraps
 - (1) remnants from lumber yards - 40%
 - (2) furniture and remnants from lumber mills - 17%
 - (3) fine sawdust from lumber yards - 18%

Product Performance

No preservatives or pesticides harmful to the human body, such as formaldehyde, isocyanides, chlorine, PCP, Lindane or hydroxybenzene are added in the production process, making it environmentally friendly and healthy..

LONGLAND INTERNATIONAL CO., LTD.

NO.28 9TH RD.THE 2ND INDUSTRIAL PARK.LINKOU TAIPEI, 24452

Telephone +886-4-2659-5338

Fax +886-4-2659-5358

E-mail jerrywu@longland.com.tw

Website www.longland.com.tw

Degradability/
Compostability

Resource Saving

Pollution Reduction



Available in: Taiwan

EM-5-005001

Other particle board and similar board of wood

MELAMINE FACE CHIPBOARD OWP**Environmental Performance**

Recycled wood is broken into wood particles, and the wood particles are bonded and pressed into particle boards; thus, the consumption of trees is effectively reduced. Particle boards can be made from the timber of secondary forests to facilitate continuous development of the ecosystem.

Product Performance

Melamine chipboard is commonly used in system cabinets, furniture, school desks and chairs, bed boards, closets, etc.

ODENWALD WOOD PRODUCTS CO., LTD.

NO.12, JINGJIAN RD., PINGTUNG EXPORT PROCESSING ZONE, PINGTUNG CITY, TAIWAN

Telephone +886-8-751-6388

Fax +886-8-751-7388

E-mail owp@odenwald.com.tw

Website

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Taiwan

EM-5-006001

Other particle board and similar board of wood

Wedego E1 Class F3 Type Chipboardt**Environmental Performance**

- * Low formaldehyde emission.
- * The best substitute for solid wood, avoid the forests chopping.

Product Performance

Features:

- * Waterproofing
- * Scratch resistant.
- * Wear resistant.
- * Solid wood like.

Taiwan Order Furniture Corporation

3F., No.84, Sec. 1, Wenhua 1st Rd., Linkou Dist., New Taipei City 244, Taiwan, R.O.C

Telephone +886-2-2600-6008#1163

Fax +886-2-2600-6028

E-mail maggie@order.com.tw

Website www.order.com.tw

Long Life

Degradability/
Compostability

Resource Saving

High Quality/
Performance

Available in: Taiwan, China

EM-5-007001

Medium density fibreboard, of a thickness exceeding 9 mm , not mechanically worked or surface covered

Fire-persitebt TW-4812,TW-4818,TW-4825**Environmental Performance**

- * TECHWOOD is by far the most superior interior building material for use in all areas. With its excellent features of fire resistance, it is sound absorption, thermal isolates and waterproof, while still achieving non-toxicity, it is also an energy saving and environmentally friendly material.
- * The physical properties of TECHWOOD meet the requirements of interior building materials.

Product Performance

- * Fire-resistance, water-proof, mothproof, sound absorption, low density green building material.
- * TECHWOOD can be used for interior decoration, floor and outside wall.

DYNASTY TECHWOOD CORP.

No. 95-1, Sankuaicuo, Guantian Dist., Tainan City 72044, Taiwan

Telephone +886-6-690-0999

Fax +886-6-690-0123

E-mail hanson45@gmail.com

Website www.dynasty-techwood.com

Resource Saving

High Quality/
Performance

Available in: Taiwan, China, USA, Japan, Germany, United Kingdom, Europe

EM-5-008001

Plywood, veneered panels and similar laminated wood

Plywood**Environmental Performance**

The wood is derived from the artificial forestry developed and managed by the Forest Stewardship Council's principles and standards, and is a form of renewable natural resources.

Product Performance

The paneling material produced from bonding thin, single timber sheets is characterized by tearing, contraction, warp resistance and high strength. It is applied in:

- * Flooring, walls and ceilings.
- * Decorating.
- * Packaging.
- * Building construction.

Wand Tsai Industrial Co., Ltd.

No.55, Hudi, Dalin Township, Chiayi County 622, Taiwan (R.O.C.)

Telephone +886-5-265-1181

Fax +886-5-265-7169

E-mail wand.tsai@msa.hinet.net

Website www.wts-ply.com.tw

Recyclability/
Reusability

Using Recycled
Materials



Available in: Taiwan, USA, Japan

EM-5-009001

Plywood, veneered panels and similar laminated wood

Padauk veneered laminate K6136**Environmental Performance**

- * KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors.
- * The water-based primary coating is applied to our KD prefinished wood veneered laminates to achieve the best adhesion between the coating and the veneer.

Product Performance

- * This coating is able to protect the veneer from water and dampness, providing twice the durability of the laminates produced using conventional painting and finishing procedures.
- * There is a significant time savings in project completion as there is no on-site finishing required.
- * Workers only need to paint the edge line with our KD edging set, eliminating unnecessary material and labor costs.

Keding Enterprises Co., Ltd.

No. 16, Lane 431, Sec. 2, Zhounghshan Rd., Taishan District, New Taipei City, Taiwan (R. O. C.)

Telephone +886-2-2900-3039

Fax +886-2-2900-7622

E-mail keding@uv-veneer.com

Website www.uv-veneer.com/us/index.html

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



Available in: Taiwan, China, USA, Australia, Asia, North America

EM-5-009002

Plywood, veneered panels and similar laminated wood

Prefinished Walnut veneered laminate K6121**Environmental Performance**

KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors. The water-based primary coating is applied to our KD prefinished wood veneered laminates to achieve the best adhesion between the coating and the veneer.

Product Performance

KD prefinished veneered laminates truly bring out the beauty of the wood grain and provide deep-penetrating wood protection. KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors.

Keding Enterprises Co., Ltd.

No. 16, Lane 431, Sec. 2, Zhongshan Rd., Taishan District, New Taipei City, Taiwan (R. O. C.)

Telephone +886-2-2900-3039

Fax +886-2-2900-7622


E-mail keding@uv-veneer.com

Website www.uv-veneer.com/us/index.html

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



Available in: Taiwan, China, USA, Singapore, Australia, Asia, North America

EM-5-009003

Plywood, veneered panels and similar laminated wood

Teak veneered laminate K6118**Environmental Performance**

KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors. The water-based primary coating is applied to our KD prefinished wood veneered laminates to achieve the best adhesion between the coating and the veneer.

Product Performance

KD prefinished veneered laminates truly bring out the beauty of the wood grain and provide deep-penetrating wood protection. KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors.

Keding Enterprises Co., Ltd.

No. 16, Lane 431, Sec. 2, Zhongshan Rd., Taishan District, New Taipei City, Taiwan (R. O. C.)

Telephone +886-2-2900-3039

Fax +886-2-2900-7622

E-mail keding@uv-veneer.com

Website www.uv-veneer.com/us/index.html

Degradability/
Compostability

Resource Saving

Pollution Reduction



Available in: Taiwan, China, USA, Singapore, Australia, Asia, North America

EM-5-009004

Plywood, veneered panels and similar laminated wood

Ash veneered laminate K6149

Environmental Performance

KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors. The water-based primary coating is applied to our KD prefinished wood veneered laminates to achieve the best adhesion between the coating and the veneer.

Product Performance

KD prefinished veneered laminates truly bring out the beauty of the wood grain and provide deep-penetrating wood protection. KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors.

Keding Enterprises Co., Ltd.

No. 16, Lane 431, Sec. 2, Zhongshan Rd., Taishan District, New Taipei City, Taiwan (R. O. C.)

Telephone +886-2-2900-3039

Fax +886-2-2900-7622

E-mail keding@uv-veneer.com

Website www.uv-veneer.com/us/index.html

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



Available in: Taiwan, China, USA, Singapore, Australia, Asia

EM-5-009005

Plywood, veneered panels and similar laminated wood

Oak veneered laminate K6129B

Environmental Performance

KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors. The water-based primary coating is applied to our KD prefinished wood veneered laminates to achieve the best adhesion between the coating and the veneer.

Product Performance

KD prefinished veneered laminates truly bring out the beauty of the wood grain and provide deep-penetrating wood protection. KD prefinished wood veneered laminates are sanded, stained (when applicable), and finished using advanced finishing methods in a controlled environment and thus, can be installed without the exposure of toxic vapors or finishing odors.

Keding Enterprises Co., Ltd.

No. 16, Lane 431, Sec. 2, Zhongshan Rd., Taishan District, New Taipei City, Taiwan (R. O. C.)

Telephone +886-2-2900-3039

Fax +886-2-2900-7622

E-mail keding@uv-veneer.com

Website www.uv-veneer.com/us/index.html

Degradability/
Compostability

High Quality/
Performance

Pollution Reduction



Available in: Taiwan, China, USA, Singapore, Australia, Asia

EM-5-010001

Plywood, veneered panels and similar laminated wood

Blockboard CCB175**Environmental Performance**

- * Green Building Material (GBM) Blockboard sets the target on the minds of "green" and "environmental protection" standards. In other words, the target is to provide the building materials that could minimize the waste and damage to the earth while eliminate possible harms to human health.
- * Research from data records illustrates that the indoor environment do have pollutions that hits over the limit provided by the WTO. The 0.08ppm (parts per million) standard has been exceeded overwhelming in Taiwan. With the low possible air flow in certain building or other temperature affection, this could indirectly harm one's health simply due to the use of building material.

Product Performance

- * Meranti, as the main material, and the intermediate log batten is used to make blockboard. It is generally classified into three-layer and five-layer plywood, and is mainly used for furniture and other wooden products that need dowels, splines, dovetail joints, butt hinges or exposed edges.
- * Blockboard has strong resistant to heavy pressure performance and most parts used in the building for indoor decoration, such as siding, flooring and ceiling; In addition to interior decoration, it is commonly used to make furniture, kitchen utensils, beds and so on. It is different from ordinary blockboard in the gluing of the lamination of the manufacturing process.

Chuan-Chi Lumber Co., Ltd.

No.290, Wubian Ln., Yongjing Township, Changhua County 512, Taiwan, R.O.C

Telephone +886-4-822-0521#18

Fax +886-4-823-2129

E-mail oscar.eagle@msa.hinet.net

Website plywoodcenter.com

Available in: Taiwan

Degradability/
CompostabilityHigh Quality/
Performance

Pollution Reduction



EM-5-011001

Recovered (waste and scrap) unbleached kraft paper or paperboard or corrugated paper or paperboard

c2s(coated 2 side) art paper**Environmental Performance**

- * Waste materials reducing
- * Tree cutting reducing.

Product Performance

for making playing card

Shihlin Paper Corporation

No1631,Sec2,Wenhua Rd,Xinwu Township,Taoyuan County,Taiwan

Telephone +886-3-476-8077#155

Fax +886-3-476-0968

E-mail ju@shihlin.com.tw

Website www.shihlin.com.tw

Available in: Taiwan, Singapore, Vietnam, Philippines, Malaysia, Southeast Asia

Recyclability/
Reusability

Resource Saving

Pollution Reduction



EM-5-011002

Recovered (waste and scrap) unbleached kraft paper or paperboard or corrugated paper or paperboard

duplex paperboard(gray back/non-coated)**Environmental Performance**

- * Waste materials reducing
- * Tree cutting reducing.

Product Performance

for packing

Shihlin Paper Corporation

No1631,Sec2.Wenhua Rd,Xinwu Township,Taoyuan County,Taiwan

Telephone +886-3-476-8077#155

Fax +886-3-476-0968

E-mail ju@shihlin.com.tw

Website www.shihlin.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction



Available in: Taiwan, Singapore, Vietnam, Philippines, Malaysia, Southeast Asia

EM-5-011003

Recovered (waste and scrap) unbleached kraft paper or paperboard or corrugated paper or paperboard

coated duplex paperboard(white back)**Environmental Performance**

- * Waste materials reducing
- * Tree cutting reducing.

Product Performance

for packing

Shihlin Paper Corporation

No1631,Sec2.Wenhua Rd,Xinwu Township,Taoyuan County,Taiwan

Telephone +886-3-476-8077#155

Fax +886-3-476-0968

E-mail ju@shihlin.com.tw

Website www.shihlin.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction



Available in: Taiwan, Singapore, Vietnam, Philippines, Malaysia, Southeast Asia

EM-5-011004

Recovered (waste and scrap) unbleached kraft paper or paperboard or corrugated paper or paperboard

coated duplex paperboard(gray back)**Environmental Performance**

- * Waste materials reducing
- * Tree cutting reducing.

Product Performance

for packing

Shihlin Paper Corporation

No1631,Sec2.Wenhua Rd,Xinwu Township,Taoyuan County,Taiwan

Telephone +886-3-476-8077#155

Fax +886-3-476-0968


E-mail ju@shihlin.com.tw

Website www.shihlin.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction



Available in: Taiwan, Singapore, Vietnam, Philippines, Malaysia, Southeast Asia

EM-5-011005

Recovered (waste and scrap) other paper or paperboard made mainly of bleached chemical pulp, not coloured in the mass

chip board**Environmental Performance**

- * Waste materials reducing
- * Tree cutting reducing.

Product Performance

for packing

Shihlin Paper Corporation

No1631,Sec2.Wenhua Rd,Xinwu Township,Taoyuan County,Taiwan

Telephone +886-3-476-8077#155

Fax +886-3-476-0968

E-mail ju@shihlin.com.tw

Website www.shihlin.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction



Available in: Taiwan, Singapore, Vietnam, Philippines, Malaysia, Southeast Asia

EM-5-012001

Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind used for household or sanitary purposes

Tender Interfold Toilet Paper 100pcs/pack**Environmental Performance**

Generating pulp using recycled meal box paper.

Product Performance

A toilet paper offering environmental yield.

Juei Fong Paper Co., Ltd.

NO.345,SEC.1,YAO FONG RD.PU HSIN HSIANG,CHANG HUA HSIEN,TAIWAN,R.O.C

Telephone +886-4-829-6161

Fax +886-4-829-6165

E-mail sunti.jf@msa.hinet.net

Website

Available in: Taiwan

Resource Saving

Using Recycled
Materials**EM-5-012002**

Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind used for household or sanitary purposes

**Tender Jumbo Toilet Paper Roll
270pcs/roll (800g~1000g/per roll)****Environmental Performance**

Generating pulp using recycled meal box paper.

Product Performance

A toilet paper offering environmental yield.

Juei Fong Paper Co., Ltd.

NO.345,SEC.1,YAO FONG RD.PU HSIN HSIANG,CHANG HUA HSIEN,TAIWAN,R.O.C

Telephone +886-4-829-6161

Fax +886-4-829-6165

E-mail sunti.jf@msa.hinet.net

Website

Available in: Taiwan

Resource Saving

Using Recycled
Materials

EM-5-012003

Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind used for household or sanitary purposes

Tender Hand Towel 200pcs/pack**Environmental Performance**

Generating pulp using recycled meal box paper.

Product Performance

A toilet paper offering environmental yield.

Juei Fong Paper Co., Ltd.

NO.345,SEC.1,YAO FONG RD.PU HSIN HSIANG,CHANG HUA HSIEN,TAIWAN,R.O.C

Telephone +886-4-829-6161

Fax +886-4-829-6165

E-mail sunti.jf@msa.hinet.net

Website

Available in: Taiwan

Resource Saving

Using Recycled
Materials**EM-5-013001**

Multi-ply paper or paperboard, only with one outer layer bleached

Coated Duplex Board (Grey Back)(by size)**Environmental Performance**

Produced with recycled waste paper, it contains over 90% of waste paper utilization ratio, and utilizes high levels of waste regenerated bio-matters to replace fossil fuel.

Product Performance

It is applied in color printing to supply the manufacturing of packing paper boxes, hang tags and so on.

Kuan Yuan Paper Mfg. Co., Ltd.

18, Chau-nan., Shan-Jia Li, Chu-nan Township, Miaoli County, Taiwan, R.O.C

Telephone +886-3-747-7715


Fax +886-3-747-6668

E-mail kycm@kyp.com.twWebsite www.kyp.com.tw

Available in: USA, Australia, Asia

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EM-5-014001

Toilet paper

Dandelion Hand Towel 874800F**Environmental Performance**

1. Using recycled resources: Dandelion Eco-Friendly Interfolded Toilet Paper is made from 100% recycled pulp. Each ton of paper recycled saves approximately 20 trees from being felled and cuts 9.3 times as much carbon dioxide equivalent (CO₂e) emissions as when virgin pulp is used (Data source: the Life Cycle Assessment software GaBi4 database).
2. Saving energy and resources: Part of the electricity used in manufacturing Dandelion Eco-Friendly Interfolded Toilet Paper comes from wind power, which is a clean energy source. This reduces the use of fossil fuel and CO₂ emissions.

Product Performance

- * Dandelion Hand Towel is high-temperature sterilized and free of fluorescent brightening agent.
- * It is also highly water-absorbent, high-wet strength, hygienic and pollution-free.
- * Environmental protection certifications received: Taiwan Green Mark

Cheng Loong Corp.

27F., No. 3, Sec. 1, Minsheng Rd., Banqiao District, New Taipei City 220, Taiwan

Telephone +886-2-2222-5131#222

Fax +886-2-2222-6110

E-mail 1004925@mail.clc.com.tw

Website www.clc.com.tw

Resource Saving

Using Recycled Materials



Available in: Taiwan, Asia, Europe, North America, Central America, South America, Oceania

EM-5-014002

Toilet paper

Dandelion Eco-Friendly Interfolded Toilet Paper 814800F**Environmental Performance**

1. Using recycled resources: Dandelion Eco-Friendly Interfolded Toilet Paper is made from 100% recycled pulp. Each ton of paper recycled saves approximately 20 trees from being felled and cuts 9.3 times as much carbon dioxide equivalent (CO₂e) emissions as when virgin pulp is used (Data source: the Life Cycle Assessment software GaBi4 database).
2. Saving energy and resources: Part of the electricity used in manufacturing Dandelion Eco-Friendly Interfolded Toilet Paper comes from wind power, which is a clean energy source. This reduces the use of fossil fuel and CO₂ emissions.

Product Performance

- * Dandelion Eco-Friendly Interfolded Toilet Paper is high-temperature sterilized and free of fluorescent brightening agent.
- * It is also highly water-absorbent, high-wet strength, hygienic and pollution-free.
- * Environmental protection certifications received: Taiwan Green Mark

Cheng Loong Corp.

27F., No. 3, Sec. 1, Minsheng Rd., Banqiao District, New Taipei City 220, Taiwan

Telephone +886-2-2222-5131#222

Fax +886-2-2222-6110

E-mail 1004925@mail.clc.com.tw

Website www.clc.com.tw

Resource Saving

Using Recycled Materials



Available in: Taiwan, Asia, Europe, North America, Central America, South America, Oceania

EM-5-014003

Toilet paper

Dandelion Eco-Friendly Small Toilet Paper Roll 8128000**Environmental Performance**

1. Using recycled resources: Dandelion Eco-Friendly Interfolded Toilet Paper is made from 100% recycled pulp. Each ton of paper recycled saves approximately 20 trees from being felled and cuts 9.3 times as much carbon dioxide equivalent (CO₂e) emissions as when virgin pulp is used (Data source: the Life Cycle Assessment software GaBi4 database).
2. Saving energy and resources: Part of the electricity used in manufacturing Dandelion Eco-Friendly Interfolded Toilet Paper comes from wind power, which is a clean energy source. This reduces the use of fossil fuel and CO₂ emissions.

Product Performance

- * Dandelion Eco-Friendly Small Toilet Paper Roll is high-temperature sterilized and free of fluorescent brightening agent.
- * It is also highly water-absorbent, high-wet strength, hygienic and pollution-free.
- * Environmental protection certifications received: Taiwan Green Mark

Cheng Loong Corp.

27F., No. 3, Sec. 1, Minsheng Rd., Banqiao District, New Taipei City 220, Taiwan

Telephone +886-2-2222-5131#222

Fax +886-2-2222-6110

E-mail 1004925@mail.clc.com.tw

Website www.clc.com.tw

Resource Saving

Using Recycled Materials



Available in: Taiwan, Asia, Europe, North America, Central America, South America, Oceania

EM-5-015001

Other sacks and bags, including cones, paper

paperbag ht-mac**Environmental Performance**

Post Consumer Waste 40% product

Product Performance

- * We have own print equipments such as HEIDELBERG 4C PRINTING MACHINE, HEIDELBERG 2C PRINTING MACHINE, AUTO PAPER BAG FOLDING MACHINE, CUTTING MACHINE, LAMINATION MACHINE, DIE CUTTING AND CREASING MACHINE, AUTO EMBOSSED MACHINE, COMPUTER TO PLATE MACHINE.
- * Good quality and service are our main principles. We also have many patents from different countries.
- * Our Certifications with various special specs as below: Our paper bags are made in ISO 9001:2008-certificate 2010, And are patented from - SOYSEAL USER AGREEMENT. And are approved by Disney authorization.

Haur Tyi Paper Bag Co., Ltd

No.600, Zhongzheng 2nd St., Yongkang Dist., Tainan City 710, Taiwan (R.O.C.)

Telephone +886-6-242-7811#11

Fax +886-6-242-7791

E-mail carrie@ht-paperbagging.com.tw

Website ht-paperbag.com

Pollution Reduction

Using Recycled Materials



Available in: China, USA, Japan, Republic of Korea, Germany, United Kingdom, Australia, Middle East, Europe, North America, Central America, South America

EM-5-015002

Other sacks and bags, including cones, paper

paperbag HT PAPERBAG

Environmental Performance

The more FSC certificated products to be used, the more forest in the world are being protected

Product Performance

- * We have own print equipments such as HEIDELBERG 4C PRINTING MACHINE, HEIDELBERG 2C PRINTING MACHINE, AUTO PAPER BAG FOLDING MACHINE, CUTTING MACHINE, LAMINATION MACHINE, DIE CUTTING AND CREASING MACHINE, AUTO EMBOSSEING MACHINE, COMPUTER TO PLATE MACHINE.
- * Good quality and service are our main principles. We also have many patents from different countries.
- * Our Certifications with various special specs as below: Our paper bags are made in ISO 9001:2008-certificate 2010, And are patented from - SOYSEAL USER AGREEMENT. And are approved by Disney authorization.

Haur Tyi Paper Bag Co., Ltd

No 600, JungJeng 2th Street, Yung Kang City, Tainan Hsien, Taiwan, 710 (R.O.C.)

Telephone +886-6-242-7811#11

Fax +886-6-242-7791

E-mail carrie@ht-paperbagging.com.tw

Website http://ht-paperbag.com/

Recyclability/
Reusability

Resource Saving



Available in: Taiwan, Hong Kong, USA, Japan, Singapore, Germany, Netherlands, United Kingdom, Australia, Russia, Middle East, Europe, North America, South America, Oceania

EM-5-016001

Other sacks and bags, including cones, paper

Gift Bag

Environmental Performance

- * Resource saving
- * Environmentally appropriate forest management ensures that the harvest of timber and non-timber products maintains the forest's biodiversity, productivity, and ecological processes.

Product Performance

Various designs for gift wrapping

- * Happy birthday
- * Having a baby
- * Wedding *Christmas

Syncmen Enterprise Corp.

9F-2, No.257, Sec. 1, Wuquan W. Rd., West Dist., Taichung City 403, Taiwan

Telephone +886-4-2378-0116

Fax +886-4-2376-4787

E-mail packaging@syncmen.com.tw

Website www.syncmen.com.tw

Resource Saving



Available in: Australia, Europe, North America

EM-5-016002

Other sacks and bags, including cones, paper

Art Paper Bag art001

Environmental Performance

- * Resource saving
- * Environmentally appropriate forest management ensures that the harvest of timber and non-timber products maintains the forest's biodiversity, productivity, and ecological processes.

Product Performance

The purposes of paper bag:

- * Promotion
- * Shopping
- * Gift wrapping
- * Others

Syncmen Enterprise Corp.

9F-2, No.257, Sec. 1, Wuquan W. Rd., West Dist., Taichung City 403, Taiwan


Telephone +886-4-2378-0116

Fax +886-4-2376-4787

E-mail packaging@syncmen.com.tw

Website www.syncmen.com.tw

Resource Saving



Available in: Australia, Europe, North America

EM-5-016003

Other sacks and bags, including cones, paper

Kraft Paper Bag kraft001

Environmental Performance

- * Resource saving
- * Environmentally appropriate forest management ensures that the harvest of timber and non-timber products maintains the forest's biodiversity, productivity, and ecological processes.

Product Performance

The purposes of paper bag:

- * Promotion
- * Shopping
- * Gift wrapping
- * Others

Syncmen Enterprise Corp.

9F-2, No.257, Sec. 1, Wuquan W. Rd., West Dist., Taichung City 403, Taiwan

Telephone +886-4-2378-0116

Fax +886-4-2376-4787

E-mail packaging@syncmen.com.tw

Website www.syncmen.com.tw

Resource Saving



Available in: Australia, Europe, North America

EM-5-017001

Panels, boards, tiles, blocks and similar articles of vegetable fibre, of straw or of shavings, chips, particles, sawdust,... or other mineral binders

Diacrete Wood-Wool Cement Board**Environmental Performance**

- * DIACRETE can give people a safer, healthier, and more comfortable living, so we continue to engage in multi-faceted improvement and innovation on DIACRETE. Except acoustic ceilings and walls, we also have integrated new technology to develop "DIACRETE-Motif" series to enrich people's living.
- * It's the best encouragement to us to have the Green Building Material Label certification in Taiwan for its great performance in enhancing people's living and protecting environment.
- * People's living has never been separated from the nature. We have infused our attention for the nature as well as ecological design into our DIACRETE. We hope that due to DIACRETE, the future of living space can be more delightful, comfortable and healthy.

Product Performance

Fire-proof / Heat-insulation / humidity-control / sound absorption and insulation / long lifespan

Chunlyn Diacrete wwcb .Ltd .Co

3F., No.100, Sec. 2, Dunhua S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Telephone +886-2-2702-1516

Fax +886-2-2704-2525

E-mail service@wwcb-diacrete.com

Website www.wwcb-diacrete.com

Pollution Reduction

Resource Saving



Available in: Taiwan, China, Hong Kong, Singapore, Vietnam, Southeast Asia

Eco-Products



EP-1-001001

Other preparations

Silk milk Pudding B3104

Environmental Performance

- * Find out what the product carbon footprint is and calculate the product carbon emission from every part of life cycle. Furthermore, try to find out the best way to reduce the carbon emission in supply chain.
- * Consumers have enough information to choose low carbon emission products in order to achieve the Green House gas emission reducing goal indirectly.

Product Performance

- * Adopting the eggs from Shihan Farm.
- * Adding no water in the process of production
- * The pudding tastes soft and delicate with strong flavor of egg and melt in your mouth instantly
- * Shihan Farm complies with EU Welfare of Laying Hens's requirements and certified by Taiwan Society of Agricultural Standards and SGS .

KING EGG CO.,LTD

No.206, Heping Rd., Alian Dist., Kaohsiung City 822, Taiwan (R.O.C.)

Telephone +886-7-631-7922

Fax +886-7-631-7915

E-mail qc01egg@yahoo.com.tw

Website

Available in: Taiwan

Pollution Reduction



EP-1-001002

Other birds eggs, in shell, fresh, preserved or cooked

HOT SPRING EGGS C2202

Environmental Performance

- * Find out what the product carbon footprint is and calculate the product carbon emission from every part of life cycle. Furthermore, try to find out the best way to reduce the carbon emission in supply chain.
- * Consumers have enough information to choose low carbon emission products in order to achieve the Green House gas emission reducing goal indirectly.

Product Performance

- * The eggs from Shihan Farm were steamed to half-boiled status by high temperature
- * Shihan Farm complies with EU Welfare of Laying Hens's requirements and certified by Taiwan Society of Agricultural Standards and SGS .

KING EGG CO.,LTD

No.206, Heping Rd., Alian Dist., Kaohsiung City 822, Taiwan (R.O.C.)

Telephone +886-7-631-7922

Fax +886-7-631-7915

E-mail qc01egg@yahoo.com.tw

Website

Available in: Taiwan

Pollution Reduction



EP-1-002001

Uncooked rice pasta, not stuffed or otherwise prepared, not containing eggs

Double Dragon Low Carbon Hsinchu Rice Noodle**Environmental Performance**

Through the process to calculate the carbon footprint, a better understanding of the direction and implementation of methods to reduce carbon emissions.

Product Performance

- * The first rice noodle factory got carbon footprint label certified by Environmental Protection Administration.
- * Manufacture through the brand-new automatic mechanical processing with consistent operating procedures
- * No Fermented and easy to digest ,particularly suitable for people who suffer from indigestion.

SHIN HUA RICE-NOODLE CO., LTD.

NO.469, CHENG KUNG RD., HSINCHU CITY, TAIWAN

Telephone +886-3-522-1587

Fax +886-3-521-7277

E-mail sinhwa@rice-noodle.com.tw

Website www.rice-noodle.com.tw

Pollution Reduction

Available in: Taiwan

EP-1-003001

Other food preparations

Nostalgic Pork Chop Packed Meal with stewed vegetable rice**Environmental Performance**

Through calculating the direct and indirect carbon dioxide emission in the process of making meals, to set goals and achieve the aim of energy saving and carbon reduction.

Product Performance

Taking grain as the staple food, together with meat, fish, beans, eggs or vegetables, as side dishes.

Taipei Railways Restaurant, Catering Service
Department, Taiwan Railways Administration, Ministry of Transportation and Communications

6082R, 6F., No.3, Beiping W. Rd., Zhongzheng Dist., Taipei City, R.O.C. (Taiwan)

Telephone +886-2-2361-9309

Fax +886-2-2361-9309

E-mail tr852912@msa.tra.gov.tw

Website www.railway.gov.tw

Resource Saving

Available in: Taiwan

EP-1-003002

Other food preparations

Pork Chop Packed Meal in Octagonal wooden box**Environmental Performance**

Through calculating the direct and indirect carbon dioxide emission in the process of making meals, to set goals and achieve the aim of energy saving and carbon reduction.

Product Performance

Taking grain as the staple food, together with meat, fish, beans, eggs or vegetables, as side dishes.

Taipei Railways Restaurant, Catering Service
Department, Taiwan Railways Administration, Ministry of
Transportation and Communications

6082R.,6F.,No.3, Beiping W. Rd.,Zhongzheng Dist., Taipei City,R.O.C.(Taiwan)

Telephone +886-2-2361-9309

Fax +886-2-2361-9309

E-mail tr852912@msa.tra.gov.tw

Website www.railway.gov.tw

Resource Saving

Available in: Taiwan

EP-1-003003

Other food preparations

Traditional Pork Chop Packed Meal**Environmental Performance**

Through calculating the direct and indirect carbon dioxide emission in the process of making meals, to set goals and achieve the aim of energy saving and carbon reduction.

Product Performance

Taking grain as the staple food, together with meat, fish, beans, eggs or vegetables, as side dishes.

Taipei Railways Restaurant, Catering Service
Department, Taiwan Railways Administration, Ministry of
Transportation and Communications

6082R.,6F.,No.3, Beiping W. Rd.,Zhongzheng Dist., Taipei City,R.O.C.(Taiwan)

Telephone +886-2-2361-9309

Fax +886-2-2361-9309

E-mail tr852912@msa.tra.gov.tw

Website www.railway.gov.tw

Resource Saving

Available in: Taiwan

EP-1-004001

Mineral waters, not containing added sugar or other sweetening matter nor flavoured

Vedan Morewater-Bamboo Charcoal Filtered Alkaline Water 700ml**Environmental Performance**

The product carbon footprint with the functional unit of each Mineral Water packaged in 700ml PET bottle for drinking as named Vedan Morewater -Bamboo Charcoal Filtered Alkaline Water is 176.82g of CO₂ equivalent.

Product Performance

- * Top-quality water from non-pollution waterhead
- * The water was filtered through charcoal and O₃.

VEDAN ENTERPRISE CORP.

NO. 65, XING' AN RD.,SHALU DIST.,TAICHUNG CITY 433,TAIWAN(R.O.C)

Telephone +886-4-2662-2111#6814

Fax +886-4-2662-6891

E-mail u004950@mail.vedan.com

Website www.vedan.com

Pollution Reduction

Resource Saving



Available in: Taiwan, Australia

EP-1-004002

Mineral waters, not containing added sugar or other sweetening matter nor flavoured

Vedan More Water 5800ml**Environmental Performance**

The product carbon footprint with the functional unit of each Mineral Water packaged in 5800ml PET bottle for drinking as named Vedan Morewater is 900g of CO₂ equivalent.

Product Performance

- * Top-quality water from non-pollution waterhead
- * The water was filtered through charcoal and O₃.

VEDAN ENTERPRISE CORP.

NO. 65, XING' AN RD.,SHALU DIST.,TAICHUNG CITY 433,TAIWAN(R.O.C)

Telephone +886-4-2662-2111#6814

Fax +886-4-2662-6891

E-mail u004950@mail.vedan.com

Website www.vedan.com

Pollution Reduction

Resource Saving



Available in: Taiwan, Australia

EP-1-004003

Mineral waters, not containing added sugar or other sweetening matter nor flavoured

Vedan More Water 2000ml

Environmental Performance

The product carbon footprint with the functional unit of each Mineral Water packaged in 2000ml PET bottle for drinking as named Vedan Morewater is 340g of CO₂ equivalent.

Product Performance

- * Top-quality water from non-pollution waterhead
- * The water was filtered through charcoal and O₃.

VEDAN ENTERPRISE CORP.

NO. 65, XING' AN RD.,SHALU DIST.,TAICHUNG CITY 433,TAIWAN(R.O.C)

Telephone +886-4-2662-2111#6814

Fax +886-4-2662-6891

E-mail u004950@mail.vedan.com

Website www.vedan.com

Pollution Reduction

Resource Saving



Available in: Taiwan, Australia

EP-1-004004

Mineral waters, not containing added sugar or other sweetening matter nor flavoured

Vedan More Water 1500ml

Environmental Performance

The product carbon footprint with the functional unit of each Mineral Water packaged in 1500ml PET bottle for drinking as named Vedan Morewater is 240g of CO₂ equivalent.

Product Performance

- * Top-quality water from non-pollution waterhead
- * The water was filtered through charcoal and O₃.

VEDAN ENTERPRISE CORP.

NO. 65, XING' AN RD.,SHALU DIST.,TAICHUNG CITY 433,TAIWAN(R.O.C)

Telephone +886-4-2662-2111#6814

Fax +886-4-2662-6891

E-mail u004950@mail.vedan.com

Website www.vedan.com

Pollution Reduction

Resource Saving



Available in: Taiwan, Australia

EP-1-004005

Mineral waters, not containing added sugar or other sweetening matter nor flavoured

Vedan More Water 600ml

Environmental Performance

The product carbon footprint with the functional unit of each Mineral Water packaged in 600ml PET bottle for drinking as named Vedan Morewater is 140.11g of CO₂ equivalent.

Product Performance

- * Top-quality water from non-pollution waterhead
- * The water was filtered through O₃.

VEDAN ENTERPRISE CORP.

NO. 65, XING' AN RD.,SHALU DIST.,TAICHUNG CITY 433,TAIWAN(R.O.C)

Telephone +886-4-2662-2111#6814

Fax +886-4-2662-6891

E-mail u004950@mail.vedan.com

Website www.vedan.com

Pollution Reduction

Resource Saving



Available in: Taiwan, Australia

EP-1-005001

Other water, containing added sugar or other sweetening matter or flavoured

NüLife Bubble Green Tea

Environmental Performance

After you finish with the product, you can squeeze the carton flat to make it smaller for recycling and for further treatment. This in turn reduces the emission of carbon.

Product Performance

- * NüLife Bubble Green Tea 250ml is a packaged tea drink in aseptic carton pack.
- * It is a blends with of authentically brewed green tea and refreshing jasmine aroma, which brings a joyful taste in the leisure time.

Sunkey Technologies Corporation

12F., No.28, Sec. 3, Nanjing E. Rd., Zhongshan Dist., Taipei City 10489, Taiwan

Telephone +886-2-2505-1818#1304

Fax +886-2-2515-6330

E-mail eva@sunkey.com.tw

Website www.sunkey.com.tw

Using Recycled Materials

Recyclability/ Reusability



Available in: Taiwan, USA, Malaysia, Australia

EP-1-005002

Other water, containing added sugar or other sweetening matter or flavoured

NüLife Bubble Green Tea

Environmental Performance

After you finish with the product, you can squeeze the carton flat to make it smaller for recycling and for further treatment. This in turn reduces the emission of carbon.

Product Performance

- * NüLife Bubble Green Tea 300ml is a packaged tea drink in aseptic carton pack.
- * It is a blends with of authentically brewed green tea and refreshing jasmine aroma, which brings a joyful taste in the leisure time.

Sunkey Technologies Corporation

12F., No.28, Sec. 3, Nanjing E. Rd., Zhongshan Dist., Taipei City 10489, Taiwan

Telephone +886-2-2505-1818#1304

Fax +886-2-2515-6330

E-mail eva@sunkey.com.tw

Website www.sunkey.com.tw

Using Recycled Materials

Recyclability/ Reusability



Available in: Taiwan, USA, Malaysia, Australia

EP-1-005003

Other water, containing added sugar or other sweetening matter or flavoured

NüLife Bubble Black Tea 300ml

Environmental Performance

After you finish with the product, you can squeeze the carton flat to make it smaller for recycling and for further treatment. This in turn reduces the emission of carbon.

Product Performance

- * NüLife Bubble Green Tea 500ml is a packaged tea drink in aseptic carton pack.
- * It is a blends with of authentically brewed green tea and refreshing jasmine aroma, which brings a joyful taste in the leisure time.

Sunkey Technologies Corporation

12F., No.28, Sec. 3, Nanjing E. Rd., Zhongshan Dist., Taipei City 10489, Taiwan

Telephone +886-2-2505-1818 ext.1304

Fax +886-2-2515-6330

E-mail eva@sunkey.com.tw

Website www.sunkey.com.tw

Using Recycled Materials

Recyclability/ Reusability



Available in: Taiwan, USA, Malaysia, Australia

EP-1-005004

Other water, containing added sugar or other sweetening matter or flavoured

NüLife Bubble Black Tea

Environmental Performance

After you finish with the product, you can squeeze the carton flat to make it smaller for recycling and for further treatment. This in turn reduces the emission of carbon.

Product Performance

- * NüLife Bubble Black Tea 250ml is a packaged tea drink in aseptic carton pack.
- * It is a blends with of authentically brewed green tea and refreshing jasmine aroma, which brings a joyful taste in the leisure time.

Sunkey Technologies Corporation

12F., No.28, Sec. 3, Nanjing E. Rd., Zhongshan Dist., Taipei City 10489, Taiwan

Telephone +886-2-2505-1818 ext.1304

Fax +886-2-2515-6330

E-mail eva@sunkey.com.twWebsite www.sunkey.com.tw

Using Recycled Materials

Recyclability/ Reusability



Available in: Taiwan, USA, Malaysia, Australia

EP-1-005005

Other water, containing added sugar or other sweetening matter or flavoured

NüLife Bubble Black Tea

Environmental Performance

After you finish with the product, you can squeeze the carton flat to make it smaller for recycling and for further treatment. This in turn reduces the emission of carbon.

Product Performance

- * NüLife Bubble Black Tea 300ml is a packaged tea drink in aseptic carton pack.
- * It is a blends with of authentically brewed green tea and refreshing jasmine aroma, which brings a joyful taste in the leisure time.

Sunkey Technologies Corporation

12F., No.28, Sec. 3, Nanjing E. Rd., Zhongshan Dist., Taipei City 10489, Taiwan (R.O.C)

Telephone +886-2-2505-1818 ext.1304

Fax +886-2-2515-6330

E-mail eva@sunkey.com.twWebsite www.sunkey.com.tw

Using Recycled Materials

Recyclability/ Reusability



Available in: Taiwan, USA, Malaysia, Australia

EP-1-006001

Other birds eggs, in shell, fresh, preserved or cooked

Golden Lutein Egg

Environmental Performance

1. This product which complies with Carbon Foot print requirements have been certified by Taiwan EPA.
2. For eco- friendly purpose, we adopt Pulp Package to avoid the environment damage from plastic package.

Product Performance

1. Contains 5 times of lutein in average egg, good for your eyesight
2. Drug Residue Free / Antibiotic Free
3. HALAL Certificate / Taiwan Carbon Footprint
4. Rich and smooth, no odd smell

Chinyi Eggs Technology Corporation

4F, No.1067, Zhongzhent Rd., Taoyuan City, Taoyuan County, Taiwan

Telephone +886-3-357-6168#228

Fax +886-3-357-9361

E-mail service@chinyiegs.com.tw

Website www.chinyiegs.com

Resource Saving

Pollution Reduction



Available in: Taiwan

EP-1-007001

Other birds eggs, in shell, fresh, preserved or cooked

Shih An Farm Animal friendly eggs(Grade Wash Egg)

Environmental Performance

- * In 2013, Shih An Farm will complete a full-scale upgrade of its farming facilities. The company has also launched a project to construct a green energy plant, which is expected to begin operation in 2015 to generate natural gas from chicken manure at the farm through anaerobic digestion technology followed by a desulfurization purification process.
- * This will effectively reduce the CO₂ emissions from chicken farming by 75%. In an effort to provide innovative brand value, Shih An Farm is striving to fulfil its social responsibilities and is taking the action needed to create a friendly environment.

Product Performance

- * Shih An Farm will keep making its best attempts to protect the laying hens by discouraging inhumane practices, including forced moulting, medication, and the feeding of antibiotics and animal protein. We use only vegetarian feed and rear our chickens in humane ways in compliance with the EU laying hen protection standards.

Shih An Farm

No. 230-53, Shih An, Alian Dist., Kaohsiung City 822, Taiwan(R.O.C)

Telephone +886-7-631-2776

Fax +886-7-631-4576

E-mail service@shihanfarm.com.tw

Website www.shihanfarm.com.tw

Pollution Reduction

Degradability/
Compostability

Available in: Taiwan

EP-1-007002

Other birds eggs, in shell, fresh, preserved or cooked

Shih An Farm Animal friendly eggs(Grade Wash Egg)

Environmental Performance

- * In 2013, Shih An Farm will complete a full-scale upgrade of its farming facilities. The company has also launched a project to construct a green energy plant, which is expected to begin operation in 2015 to generate natural gas from chicken manure at the farm through anaerobic digestion technology followed by a desulfurization purification process.
- * This will effectively reduce the CO₂ emissions from chicken farming by 75%. In an effort to provide innovative brand value, Shih An Farm is striving to fulfil its social responsibilities and is taking the action needed to create a friendly environment.

Product Performance

- * Shih An Farm will keep making its best attempts to protect the laying hens by discouraging inhumane practices, including forced moulting, medication, and the feeding of antibiotics and animal protein. We use only vegetarian feed and rear our chickens in humane ways in compliance with the EU laying hen protection standards.

Shih An Farm

No. 230-53, Shih An, Alian Dist.,Kaohsiung City 822,Taiwan(R.O.C)

Telephone +886-7-631-2776

Fax +886-7-631-4576

E-mail service@shihanfarm.com.tw

Website www.shihanfarm.com.tw

Available in: Taiwan

Pollution Reduction

Degradability/
Compostability

EP-1-007003

Other birds eggs, in shell, fresh, preserved or cooked

Shih An Farm Animal friendly eggs(Grade Wash Egg)

Environmental Performance

- * In 2013, Shih An Farm will complete a full-scale upgrade of its farming facilities. The company has also launched a project to construct a green energy plant, which is expected to begin operation in 2015 to generate natural gas from chicken manure at the farm through anaerobic digestion technology followed by a desulfurization purification process.
- * This will effectively reduce the CO₂ emissions from chicken farming by 75%. In an effort to provide innovative brand value, Shih An Farm is striving to fulfil its social responsibilities and is taking the action needed to create a friendly environment.

Product Performance

- * Shih An Farm will keep making its best attempts to protect the laying hens by discouraging inhumane practices, including forced moulting, medication, and the feeding of antibiotics and animal protein. We use only vegetarian feed and rear our chickens in humane ways in compliance with the EU laying hen protection standards.

Shih An Farm

No. 230-53, Shih An, Alian Dist.,Kaohsiung City 822,Taiwan(R.O.C)

Telephone +886-7-631-2776

Fax +886-7-631-4576

E-mail service@shihanfarm.com.tw

Website www.shihanfarm.com.tw

Available in: Taiwan

Pollution Reduction

Degradability/
Compostability

EP-2-001001

High tenacity filament yarn of polyesters, not put up for retail sale

Polyester Textured Yarns**Environmental Performance**

150 pieces of clothing can be made from 3700 recycled PET bottles, effectively reducing waste and the trash on this densely populated earth. In addition, using recycled materials reduces energy consumption and emission of carbon dioxide, thereby slowing down global warming.

Product Performance

This is a kind of recycled polyester fiber, made from recycled PET bottles. Its physical and chemical properties are similar to those of normal polyester, and it is suitable for making adult apparel. When processed with special additives, the fiber can be made into a strong, stretchable, breathable, absorbent or soft fabric, improving comfort and beauty of apparel.

Nan Ya Plastics Corp.

5F, No. 201, Tun Hwa North Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2371-8331#654

Fax +886-2-397-0056

E-mail ssyuh@npc.com.tw

Website www.npc.com.tw

Recyclability/
Reusability

Using Recycled
Materials



Available in: Asia, Europe, North America, Central America, South America

EP-2-001002

High tenacity filament yarn of polyesters, not put up for retail sale

Polyester Pre-Orientated Yarn (POY)**Environmental Performance**

150 pieces of clothing can be made from 3700 recycled PET bottles, effectively reducing waste and the trash on this densely populated earth. In addition, using recycled materials reduces energy consumption and emission of carbon dioxide, thereby slowing down global warming.

Product Performance

This is a kind of recycled polyester fiber, made from recycled PET bottles. Its physical and chemical properties are similar to those of normal polyester, and it is suitable for making adult apparel. When processed with special additives, the fiber can be made into a strong, stretchable, breathable, absorbent or soft fabric, improving comfort and beauty of apparel.

Nan Ya Plastics Corp.

5F, No. 201, Tun Hwa North Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2371-8331#654

Fax +886-2-397-0056

E-mail ssyuh@npc.com.tw

Website www.npc.com.tw

Recyclability/
Reusability

Using Recycled
Materials



Available in: Asia, Europe, North America, Central America, South America

EP-2-001003

High tenacity filament yarn of polyesters, not put up for retail sale

Polyester Full-Orientated Yarn (SDY)**Environmental Performance**

150 pieces of clothing can be made from 3700 recycled PET bottles, effectively reducing waste and the trash on this densely populated earth. In addition, using recycled materials reduces energy consumption and emission of carbon dioxide, thereby slowing down global warming.

Product Performance

This is a kind of recycled polyester fiber, made from recycled PET bottles. Its physical and chemical properties are similar to those of normal polyester, and it is suitable for making adult apparel. When processed with special additives, the fiber can be made into a strong, stretchable, breathable, absorbent or soft fabric, improving comfort and beauty of apparel.

Nan Ya Plastics Corp.

5F, No. 201, Tun Hwa North Road, Taipei, Taiwan, R.O.C

Telephone +886-2-2371-8331#654

Fax +886-2-397-0056

E-mail ssyuh@npc.com.tw

Website www.npc.com.tw

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Asia, Europe, North America, Central America, South America

EP-2-002001

High tenacity filament yarn of polyesters, not put up for retail sale

PETSPUN 10's/1 yarn**Environmental Performance**

- * Recycle PET yarn is made from recycled PET bottles. Its advantages include wastage decrease, educational meaning of Recycle PET, environmental burden decrease and so on.
- * Recycle PET yarn also has the same features as polyester yarn, such as durable and good colour fastness.
- * In order to response to the Green policy of the government, we have developed and produced the Recycle PET material several years ago and were among the earlier ones to be granted the Green mark.

Product Performance

- * Recycle PET yarn is made from 100% post-consumer PET bottles.
- * The recycle PET yarn comes in various designs, such as weaving and stitch.

ECOMAX TEXTILE CO.,LTD.

No.117, Biantou Rd., Shengang Township, Changhua County 509, Taiwan (R.O.C.)

Telephone +886-4-798-2028

Fax +886-4-798-0533

E-mail sales@ecomaxtex.com.tw

Website www.ecomaxtex.com

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, China, Hong Kong, USA, Japan, Asia, Europe, North America, Central America, South America

EP-2-003001

Textured filament yarn, of polyesters, not put up for retail sale

100% Recycled Polyester Pre-Oriented Yarn**Environmental Performance**

According to the literature:

Compared to the ordinary petrochemical yarn, using renewed PET bottle fiber yarn can reduce 50% energy, 60% air pollution, 20% water pollution and 90% waste.

Product Performance

- * Recycling waste PET bottles to go through esterification and recombination reactions, we re-make the textile POY yarn. Compared to the silk or yarn made from crude oil refining, it can save approx. 70% energy.
- * According to the literature, 3700 2L PET bottles (200 kg PET bottles) equal to 160 Litter fossil oil, i.e. to produce each kilogram of "green" yarn can save 0.186 litter of crude oil from the earth.

CHUNG SHING TEXTILE MARKETING CO.,LTD.

2F.,No.550,Sec.4,Zhongxiao E.Rd.,Xinyi Dist.,Taipei City 110,Taiwan

Telephone +886-3-478-3141#402

Fax +886-3-475-2124

E-mail cswen2000@yahoo.com.tw

Website www.chung-shing-marketing.com.tw/html/index2.html

Resource Saving

Using Recycled Materials



Available in: Taiwan, Japan, Thailand, Europe

EP-2-003002

Textured filament yarn, of polyesters, not put up for retail sale

100% Recycled Polyester Texturized Yarn**Environmental Performance**

According to the literature:

Compared to the ordinary petrochemical yarn, using renewed PET bottle fiber yarn can reduce 50% energy, 60% air pollution, 20% water pollution and 90% waste.

Product Performance

- * Recycling waste PET bottles to go through esterification and recombination reactions, we re-make the textile POY yarn. Compared to the silk or yarn made from crude oil refining, it can save approx. 70% energy.
- * According to the literature, 3700 2L PET bottles (200 kg PET bottles) equal to 160 Litter fossil oil, i.e. to produce each kilogram of "green" yarn can save 0.186 litter of crude oil from the earth.

CHUNG SHING TEXTILE MARKETING CO.,LTD.

2F.,No.550,Sec.4,Zhongxiao E.Rd.,Xinyi Dist.,Taipei City 110,Taiwan

Telephone +886-3-478-3141#402

Fax +886-3-475-2124

E-mail cswen2000@yahoo.com.tw

Website www.chung-shing-marketing.com.tw/html/index2.html

Resource Saving

Using Recycled Materials



Available in: Taiwan, Japan, Thailand, Europe

EP-2-004001

Textured filament yarn, of polyesters, not put up for retail sale

100% Recycled Polyester Yarn (RePET)**Environmental Performance**

- * Comparison of the Energy and the CO2 Emissions use between the two processes, can save the energy use by 52.6%.
- * RePET recycled yarns and recycled fabrics are free of petrochemicals, conserve natural resources, and reduce the environmental burden

Product Performance

- * LIBOLON manufactured RePET recycled yarns and recycled fabrics are free of petrochemicals, conserve natural resources, and reduce the environmental burden while still offering high-quality textile solutions.
- * LIBOLON RePET recycled yarns can be used in any nearly any textile applications.
- * Excellent quality, application without limitation.

LEALEA ENTERPRISE CO., LTD.

11F, No.162, Sung-Chiang Rd., Taipei 104, Taiwan

Telephone +886-2-2100-1188#8003

Fax +886-2-2100-2688

E-mail chachu@lealea.com.tw

Website www.libolon.com.tw

Resource Saving

Using Recycled
Materials

Available in: Worldwide

EP-2-004002

Other elastomeric filament yarn

100% Recycled Polyester Yarn (RePET)**Environmental Performance**

- * Comparison of the Energy and the CO2 Emissions use between the two processes, can save the energy use by 52.6%.
- * RePET recycled yarns and recycled fabrics are free of petrochemicals, conserve natural resources, and reduce the environmental burden

Product Performance

- * LIBOLON manufactured RePET recycled yarns and recycled fabrics are free of petrochemicals, conserve natural resources, and reduce the environmental burden while still offering high-quality textile solutions.
- * LIBOLON RePET recycled yarns can be used in any nearly any textile applications.
- * Excellent quality, application without limitation.

LEALEA ENTERPRISE CO., LTD.

11F, No.162, Sung-Chiang Rd., Taipei 104, Taiwan


Telephone +886-2-2100-1188#8003

Fax +886-2-2100-2688

E-mail chachu@lealea.com.tw

Website www.libolon.com.tw

Resource Saving

Using Recycled
Materials

Available in: Worldwide

EP-2-005001

Other elastomeric filament yarn

RECYCLE POLYESTER AIR TEXTURED YARN

Environmental Performance

The product made from recycled post-consumer PET bottles in order to achieve the waste reduction goal.

Product Performance

1. Made from recycled post-consumer PET bottles
2. Natural look & cottony Hand feel
3. Fine denier & high filament
4. Rich in color variation
5. Better air permeability

TOUNG LOONG TEXTILE MFG. CO., LTD.

19F, No.31, Sec.2, San Ming Rd., Panchiao Dist., New Taipei City, Taiwan

Telephone +886-2-2961-2112#256

Fax +886-2-2962-6523

E-mail sharyyang@tloong.com.tw

Website www.tloong.com.tw

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Worldwide

EP-2-006001

Other dyed woven fabrics

100% Nylon Anti-UV woven fabric

Environmental Performance

*This fabric is awarded to Bluesign approved fabric, ensuring textiles meet highest environmental standards.

*The Bluesign standard is to combine aspects of consumer safety, water and air emissions as well as occupational health in a single standard under the general objective of resource productivity. With its practical and solution-orientated approach, the Bluesign standard creates transparency along the whole textile production chain without compromising functionality, quality or design.

Product Performance

- * Durable UV protection function
- * Suitable for outdoor activities.

De Licacy Industrial Co., Ltd.

10F, No. 188, Sec. 5, Nanjing E. Road, Taipei, Taiwan

Telephone +886-2-2763-9088#811

Fax +886-2-2753-1909

E-mail taipei@delicacy.com.tw

Website www.delicacy.com.tw

Resource Saving

High Quality/
Performance

Available in: USA, Europe

EP-2-006002

Other dyed woven fabrics

100% Polyester P.R.T. woven fabric**Environmental Performance**

- * This fabric is awarded to Bluesign approved fabric, ensuring textiles meet highest environmental standards.
- * The Bluesign standard is to combine aspects of consumer safety, water and air emissions as well as occupational health in a single standard under the general objective of resource productivity. With its practical and solution-orientated approach, the Bluesign standard creates transparency along the whole textile production chain without compromising functionality, quality or design.

Product Performance

- * Pass rain test to prevent moisture from penetrating from outside.
- * Ideal for wind proof jacket.

De Licacy Industrial Co., Ltd.

10F, No. 188, Sec. 5, Nanjing E. Road, Taipei, Taiwan

Telephone +886-2-2763-9088#811

Fax +886-2-2753-1909

E-mail taipei@delicacy.com.twWebsite www.delicacy.com.tw

Resource Saving

High Quality/
Performance

Available in: USA, Europe

EP-2-007001

Other grey (unbleached) woven fabrics

HwenBoLon**Environmental Performance**

Content with 80% more Post-consumer recycled material per kilogram.

Product Performance

1. Made of over 80% Regenerated Textile. With Certificate No.7777 for the use of Green Mark ,By Environmental Protection Administration.
2. It's Low energy consumption & reduce emission CO2.
3. Provide permanent Functions of Fast Drying, Oder-Control and UV-Protection.

Kaolink International Co., Ltd.

5F-6,N0.36,Long'an Rd.,Xizhi Dist.New Taipei City 221, Taiwan

Telephone +886-2-2648-8638#16

Fax +886-2-2648-8378

E-mail kaolink.kcl@msa.hinet.netWebsite www.klc.net.tw

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan

EP-2-007002

Other dyed woven fabrics

HwenBoLon**Environmental Performance**

Content with 80% more Post-consumer recycled material per kilogram.

Product Performance

1. Made of over 80% Regenerated Textile. With Certificate No.7776 for the use of Green Mark ,By Environmental Protection Administration.
2. It's Low energy consumption & reduce emission CO2.
3. Provide permanent Functions of Fast Drying, Oder-Control and UV-Protection.

Kaolink International Co., Ltd.

5F-6,N0.36,Long'an Rd.,Xizhi Dist.New Taipei City 221, Taiwan

Telephone +886-2-2648-8638#16

Fax +886-2-2648-8378

E-mail kaolink.kcl@msa.hinet.net

Website www.klc.net.tw

Resource Saving

Pollution Reduction

Using Recycled Materials



Available in: Taiwan

EP-2-008001

Staple fibres of polyesters, not carded, combed or otherwise processed for spinning

Polyester Recycle Fiber (Black Staple)**Environmental Performance**

Each kilogram of product consumes approximately one kilogram of wastes.

Product Performance

Recycled plastics are used

Resource Saving

Recyclability/
Reusability

Using Recycled Materials

**Far Eastern New Century Corporation**

NO.369, YA-TUNG Sec, WEN SHAN ROAD, 3 LIN, WEN SHAN LII, HSINPU,HSINCHU,TAIWAN

Telephone +886-3-620-9000 ext.3162

Fax +886-3-620-9034

E-mail ktkuo@cfp.fenc.com

Website www.fenc.com

Available in: Worldwide

EP-2-008002

Staple fibres of polyesters, not carded, combed or otherwise processed for spinning

Polyester Recycle Fiber (Raw White Staple)**Environmental Performance**

Each kilogram of product consumes approximately one kilogram of wastes.

Product Performance

Recycled plastics are used

Far Eastern New Century Corporation

NO.369, YA-TUNG Sec, WEN SHAN ROAD, 3 LIN, WEN SHAN LII, HSINPU,HSINCHU,TAIWAN

Telephone +886-3-620-9000 ext.3162

Fax +886-3-620-9034

E-mail ktkuo@cfp.fenc.com

Website www.fenc.com

Resource Saving

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Worldwide

EP-2-008003

Staple fibres of polyesters, not carded, combed or otherwise processed for spinning

Polyester Recycle Fiber (Black Filament)**Environmental Performance**

Each kilogram of product consumes approximately one kilogram of wastes.

Product Performance

Recycled plastics are used

Far Eastern New Century Corporation

NO.369, YA-TUNG Sec, WEN SHAN ROAD, 3 LIN, WEN SHAN LII, HSINPU,HSINCHU,TAIWAN

Telephone +886-3-620-9000#3162

Fax +886-3-620-9034

E-mail ktkuo@cfp.fenc.com

Website www.fenc.com

Resource Saving

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Worldwide

EP-2-008004

Staple fibres of polyesters, not carded, combed or otherwise processed for spinning

100% Polyester Recycle Fiber (Raw White Filament)**Environmental Performance**

Each kilogram of product consumes approximately one kilogram of wastes.

Product Performance

Recycled plastics are used

Far Eastern New Century Corporation

NO.369, YA-TUNG Sec, WEN SHAN ROAD, 3 LIN, WEN SHAN LII, HSINPU,HSINCHU,TAIWAN

Telephone +886-3-620-9000#3162

Fax +886-3-620-9034

E-mail ktkuo@cfp.fenc.com

Website www.fenc.com

Resource Saving

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: Worldwide

EP-2-009001

Staple fibres of polyesters, not carded, combed or otherwise processed for spinning

The 100% PET Bottle Recycled, Regenerated Color Fiber (Regenerated Polyester) BR Series of Color Fibers**Environmental Performance**

Using 100% PET bottle fragments as the raw material for producing customized color fiber, it frees the customer from having to dye the color, cutting down dying energy consumption, carbon discharge and wastewater pollution.

Adopting dye colorings confirming to the EU RoHS guideline to reduce the burden of eco-environmental pollution.

Product Performance

Using 100% PET bottle fragments as the raw material for producing customized color (dope dyed) fiber, the fiber's physical property allows a preferred colorization, contributing to a reduced loss in yarn spinning and weaving, reducing the cost. It features a sunlight resistant bonding level at over the gray mark level 4.

True Young Co., Ltd.

No. 8, Lising St., Guantian Dist, Tainan City, 72046, Taiwan, R.O.C

Telephone +886-6-698-6205

Fax +886-6-698-4984

E-mail tycoltd@ms9.hinet.net

Website www.trueyoung.com.tw

Resource Saving

Using Recycled
Materials

Available in: Taiwan

EP-2-010001

Other narrow woven fabrics, of man-made fibres

**Recycle fabric Polyester yarn satin label fabrc
(R Serie) (White)****Environmental Performance**

Re-use waste bottle to reduce the garbage of the environment.

Product Performance

Recycle serie products by collecting waste bottle after clean, high temperature disinfecting, melting..to get PET pellet, then send to Yarn factory to melt PET pellets and get PET yarn for weaving recycle fabric. To apply recycle fabric for avoiding over pollution of petrochemical industry to use virgin PET material.

Best Label.Enterprise Co., Ltd.

15F, No. 229, Hsin Tai Rd., Hsin Chuang Dist., New Taipei City, Taiwan

Telephone +886-2-2997-3778

Fax +886-2-2997-2738

E-mail katie@best-label.com

Website www.best-label.com

Resource Saving

Recyclability/
ReusabilityUsing Recycled
Materials

Available in: China, Hong Kong, Singapore, Thailand, India, Middle East

EP-2-011001

Blankets and travelling rugs, of wool or fine animal hair

Eco Fleece Blanket**Environmental Performance****MATERIALS:**

- * 100% recycled polyester.

INFORMATION:

- * Color obtained from the original bottle colors.
- * Super soft.
- * eco-friendly.
- * MIT Mark certified.

Product Performance

- * Moisture-removing.
- * Fast dryig.
- * Totally undyed.
- * 100% recyclable.
- * Machine wash

DA.AI TECHNOLOGY CO., LTD.

5F, No.69, Zhouzi St., Neihu District, Taipei City114-93, Taiwan(R.O.C)

Telephone +886-2-2657-5245#1882

Fax +886-2-2657-5265

E-mail irene_lin@daait.com

Website www.daait.com

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: USA, Philippines, Malaysia

EP-2-011002

Blankets and travelling rugs, of silk or silk waste

Grey Eco Blanket

Environmental Performance

- * Using recycled resources as raw materials to manufacture eco-friendly products. This process not only activates a new life cycle for used PET bottles, at the same time, it also reduces the consumption of new resources, solving problems associated with Taiwan's massive volume of plastic recyclables.
- * Sort and clean PET bottles carefully, remove caps and bottle rings, helping to ensure the quality of raw materials. As of today, over 230 million PET bottles have been recycled and regenerated.

Product Performance

The Gray Eco Blanket is derived from recycled polyester yarn made from 100% recycled PET bottles. It is made using the original color of the recycled PET bottles instead of using dye. This process not only reduces water pollution and chemical poisoning, but is also an environmentally friendly process, which conserves energy and water.

DA.AI TECHNOLOGY CO., LTD.

5F, No.69, Zhouzi St., Neihsu District, Taipei City 114-93, Taiwan(R.O.C)

Telephone +886-2-2657-5245#1874

Fax +886-2-2657-5265

E-mail shihpei_ho@daait.com

Website www.daait.com

Resource Saving

Using Recycled Materials



Available in: Taiwan, China, USA, Singapore, Philippines, Malaysia, Thailand, Indonesia, Australia

EP-2-012001

Buttons, of plastics not covered with textile material

polyester resin button

Environmental Performance

- * Eco-friendly in the production processing
- * Harmless to human body.

Product Performance

- * Material: polyester button (resin button), nylon button, acrylic button, ABS button, metal button, rhinestone button, metal buckle, nylon buckle, acrylic buckle, ABS buckle, rhinestone buckle, plastic tube for button, metal accessories, bra accessories, garment accessories etc.
- * Usage: for shirt, uniform, suit, slipover, pullover, knit top, sweater, woolen sweater, cardigan, robe, maternity clothes, pajamas, underwear, sleepwear and other garments, gloves, mitten, hat, scarf, muffler, neckerchief, shoes, boots, bag, etc.
- * Sizes: different sizes available
- * Color: Different colors and effects available

Long Sky Corporation

7F., No.331, Siyuan Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Telephone +886-2-2276-4770

Fax +886-2-2992-6176

E-mail info@longsky.com.tw

Website www.longsky.com.tw

High Quality/
Performance

Pollution Reduction



Available in: Worldwide

EP-2-013001

Other fabrics of other textile materials

Recycled fabrics

Environmental Performance

Fabric made from recycled PET bottles recycled fiber, compared to the traditional mode of production can save the use of crude oil, save water, and reduce carbon emissions

Product Performance

Applications in the leisure, sports and outdoor activities equipment products fabric lining(Daypacks, Purses, schoolbags, messenger bags, outdoor backpack)

FULLTIDE ENTERPRISE CO., LTD.

No.8-14, Dapu,Wu Chuan Village, Dayuan Township, Taoyuan County 337, Taiwan (R.O.C.)

Telephone +886-3-381-4788#288


Fax +886-3-381-1910

E-mail ft@fulltide.com.tw

Website www.fulltide.com.tw

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, China, Hong Kong, USA, Japan, Vietnam, Germany, Southeast Asia, Europe, South Africa

EP-3-001001

Sanitary ware and parts thereof, of copper

Basin Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved

Product Performance

- * The smooth shape could increase the gradation of vision and console the tired spirits of users. Moreover, the smooth lines will protect users from any accidental injury.
- * Swiveling design not only maintains complete shape, but decreases seams where are easily accumulated filth.
- * Product provide the easy installation with considerate design.

SHENG TAI BRASSWARE CO., LTD.

No 99, Sec 3 Chang Tsao Rd, Ho Me Chen, Chang Hua, Taiwan

Telephone +886-4-762-9971#212

Fax +886-4-752-6980

E-mail info@justime.com

Website www.justime.com

Resource Saving



Available in: Taiwan, China, Thailand, Middle East

EP-3-001002

Sanitary ware and parts thereof, of copper

Kitchen Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved

Product Performance

- * Utilizing the simplify concept of Tai Chi motion, creating extraordinary look on the Tai Chi Series faucets. Spout can be rotated for 360° by customer for different needs. This function provides more spacious space to customer.
- * Swiveling spout up to 50,000 turns test. And its features low flow rate and low water use that have received high-standard water conservation certifications.

SHENG TAI BRASSWARE CO., LTD.

No 99, Sec 3 Chang Tsao Rd, Ho Me Chen, Chang Hua, Taiwan

Telephone +886-4-762-9971#212

Fax +886-4-752-6980

E-mail info@justime.com

Website www.justime.com

Resource Saving



Available in: Taiwan, China, Thailand, Middle East

EP-3-001003

Sanitary ware and parts thereof, of copper

Basin Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved

Product Performance

- * Stainless Steel material has character of acid-resisting, heat-resistant and erode-resisting and surface with brushed finish could increase durability.
- * It is convenience for user to clean the environment, and have certificate of CUPC and NSF.

SHENG TAI BRASSWARE CO., LTD.

No 99, Sec 3 Chang Tsao Rd, Ho Me Chen, Chang Hua, Taiwan

Telephone +886-4-762-9971#212

Fax +886-4-752-6980

E-mail info@justime.com

Website www.justime.com

Resource Saving



Available in: Taiwan, China, USA, Vietnam, Germany, Thailand, India, Middle East

EP-3-001004

Faucet

Kitchen Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved

Product Performance

Stainless Steel material has character of acid-resisting, heat-resistant and erode-resisting and surface with brushed finish could increase durability. It is convenience for user to clean the environment, and have certificate of CUPC and NSF

SHENG TAI BRASSWARE CO., LTD.

No 99, Sec 3 Chang Tsao Rd, Ho Me Chen, Chang Hua, Taiwan

Telephone +886-4-762-9971#212

Fax +886-4-752-6980

E-mail info@justime.com

Website www.justime.com

Resource Saving



Available in: Taiwan, China, Vietnam, Germany, Thailand

EP-3-001005

Faucet

Kitchen Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved

Product Performance

- * Stainless Steel material has character of acid-resisting, heat-resistant and erode-resisting and surface with brushed finish could increase durability.
- * It is convenience for user to clean the environment, and have certificate of CUPC and NSF.

SHENG TAI BRASSWARE CO., LTD.

No 99, Sec 3 Chang Tsao Rd, Ho Me Chen, Chang Hua, Taiwan

Telephone +886-4-762-9971#212

Fax +886-4-752-6980

E-mail info@justime.com

Website www.justime.com

Resource Saving



Available in: Taiwan, China, Vietnam, Thailand, India

EP-3-002001

Other filtering or purifying machinery and apparatus for water

Neo Life Chlorine Filter

Environmental Performance

1. Complies with Water Conservation Label requirements.
2. Water resource and energy saving around 30% ~ 70%.
3. Power consumption is reduced in proportion to the water saved.

Product Performance

1. The patented innovative structure uses the physical principle of natural water flow to create vortices that drive the water stored inside to flow backward. Therefore, water flow will not be hindered by cakes which may otherwise form on the dechlorination material when the dechlorination material is in contact with water or heated. That is to say, the water flow will remain strong enough to activate the tankless water heater.
2. The upper and lower parts of the dechlorinator housing each have three screw thread starting points 120 degrees apart so that the filter cartridge inside can be easily replaced. The filter cartridge has a foolproof design to facilitate replacement.
3. International patents and copyrights pending or registered. The entire dechlorinating filter unit has received international food safety certifications.

WANG'S WATER WORLD EASY PRODUCTS SERIES CO., LTD.

NO. 32, YU-TSAI N. RD., TAICHUNG, TAIWAN

Telephone +886-4-2222-3998

Fax +886-4-2206-4489

E-mail aneo169@gmail.com

Website www.pro-neo.com

Resource Saving



Available in: USA, Asia, Europe

EP-3-003001

Other filtering or purifying machinery and apparatus for water

COSMINERGY FAUCET FILTER**Environmental Performance**

It is a water-saving product.

Product Performance

1. A wide-area water dispensing design enlarges the washing area to conserve water and energy.
2. Combining the four leading technologies of an international food-grade material: Japan (NSF, INS266), the United States (KDF, FDA, EPA), oscillated energy bio-ceramic energy technology (CE, SGS tested to comply with FDA rules), nanometer silver bacteria-fighting device (SGS).
3. Simple and easy installation for the instance convenience of an aggregate water flow.
4. Suitable for multiple faucet specifications: includes a number of connectors, offering high compatibility.

Cosminergy Hitech Developing Co., Ltd.

No.15-5, Aly. 11, Ln. 327, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 23585, Taiwan, R.O.C

Telephone +886-2-2247-2567#532

Fax +886-2-2247-6687

E-mail drenergy@ms34.hinet.net

Website www.cosminergy.com

Resource Saving

Available in: Taiwan, Southeast Asia, Europe

EP-3-003002

Other parts of filtering or purifying machinery and apparatus for liquids or gases

Cosminergy Negative Ions Dechlorinating Showerhead**Environmental Performance**

A functional showerhead with bacteria resistant device added helps to reduce the health threat triggered by residual bacteria contained in the showerhead, and is also a water-saving product.

Product Performance

1. Dual-effect energy generator: Containing natural energy mineral stones and a cellular-shaped energy device in a random configuration to improve the impact of water flow and a supple water quality with negative ions added.
2. The food-grade chlorine-removal device: Besides excellent chlorine removal property, it only requires one-half the water pressure of common showerheads, offering water-saving effect, and works great even with low water pressure.
3. With small spout diameter, the water jet is dispersed to offer a large heat receptor area, helping to achieve the temperature rising effect, thus helping to conserve the electricity or gas.

Cosminergy Hitech Developing Co., Ltd.

No.15-5, Aly. 11, Ln. 327, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 23585, Taiwan, R.O.C

Telephone +886-2-2247-2567#532

Fax +886-2-2247-6687

E-mail drenergy@ms34.hinet.net

Website www.cosminergy.com

Resource Saving

Available in: Taiwan, Southeast Asia, Europe

EP-3-003003

Other parts of filtering or purifying machinery and apparatus for liquids or gases

Cosminergy Negative Ions Dechlorinating Showerhead**Environmental Performance**

A functional showerhead with bacteria resistant device added helps to reduce the health threat triggered by residual bacteria contained in the showerhead, and is also a water-saving product.

Product Performance

1. Dual-effect energy generator: Containing natural energy mineral stones and a cellular-shaped energy device in a random configuration to improve the impact of water flow and a supply water quality with negative ions added.
2. The food-grade chlorine-removal device: Besides excellent chlorine removal property, it only requires one-half the water pressure of common showerheads, offering water-saving effect, and works great even with low water pressure.
3. With small spout diameter, the water jet is dispersed to offer a large heat receptor area, helping to achieve the temperature rising effect, thus helping to conserve the electricity or gas.

Cosminergy Hitech Developing Co., Ltd.

No.15-5, Aly. 11, Ln. 327, Sec. 2, Zhongshan Rd., Zhonghe Dist., New Taipei City 23585, Taiwan, R.O.C

Telephone +886-2-2247-2567#532

Fax +886-2-2247-6687

E-mail drenergy@ms34.hinet.net

Website www.cosminergy.com

Resource Saving



Available in: Taiwan, Southeast Asia, Europe

EP-3-004001

Parts and accessories of the machines of automatic data processing machines

Recharge Toner Cartridge**Environmental Performance**

- * Reducing consumptions of energy and resources.
- * Reducing pollution generated in the process of making new toner cartridges.
- * Reusable components are up to 85%, reducing the amount of waste to be disposed.
- * Waste plastics are recycled, reusing the resources.

Product Performance

1. Good Printing Quality.
2. Substantial reduction of the office operation cost.
3. Great reduction of the industry's wastes.
4. Contribute to the protection of the environment.

Taiwan Green Device Co., Ltd.

No. 108, Sec. 2, Chang-An Rd., Luzhu, 33843, Taoyuan, Taiwan

Telephone +886-3-353-0954

Fax +886-3-353-0964

E-mail lucy@greendevic.com.tw

Website www.greendevic.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Worldwide

EP-3-004002

Parts and accessories of the machines of automatic data processing machines

Recharge Printer Toner Cartridge

Environmental Performance

- * Reduce energy and resource consumption.
- * Prevent pollution attributable to the manufacturing process of new toner cartridges.
- * 85% or more of their components are reusable to lower the amount of wastes to be processed.
- * Waste plastic components are recyclable for reuse.

Product Performance

1. High printout quality.
2. Lower clerical costs significantly.
3. Reduce industrial wastes substantially.

Taiwan Green Device Co., Ltd.

No. 108, Sec. 2, Chang-An Rd., Luzhu, 33843, Taoyuan, Taiwan

Telephone +886-3-353-0954

Fax +886-3-353-0964

E-mail lucy@greendevic.com.tw

Website www.greendevic.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, USA, Japan

EP-3-004003

Parts and accessories of the machines of automatic data processing machines

Recharge Toner Cartridge

Environmental Performance

- * Reducing consumptions of energy and resources.
- * Reducing pollution generated in the process of making new toner cartridges.
- * Reusable components are up to 85%, reducing the amount of waste to be disposed.
- * Waste plastics are recycled, reusing the resources.

Product Performance

1. Good Printing Quality.
2. Substantial reduction of the office operation cost.
3. Great reduction of the industry's wastes.
4. Contribute to the protection of the environment.

Taiwan Green Device Co., Ltd.

No. 108, Sec. 2, Chang-An Rd., Luzhu, 33843, Taoyuan, Taiwan

Telephone +886-3-353-0954

Fax +886-3-353-0964

E-mail lucy@greendevic.com.tw

Website www.greendevic.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Worldwide

EP-3-004004

Parts and accessories of the machines of automatic data processing machines

Recharge Toner Cartridge

Environmental Performance

- * Reducing consumptions of energy and resources.
- * Reducing pollution generated in the process of making new toner cartridges.
- * Reusable components are up to 85%, reducing the amount of waste to be disposed.
- * Waste plastics are recycled, reusing the resources.

Product Performance

1. Good Printing Quality.
2. Substantial reduction of the office operation cost.
3. Great reduction of the industry's wastes.
4. Contribute to the protection of the environment.

Taiwan Green Device Co., Ltd.

No. 108, Sec. 2, Chang-An Rd., Luzhu, 33843, Taoyuan, Taiwan

Telephone +886-3-353-0954

Fax +886-3-353-0964

E-mail lucy@greendevic.com.twWebsite www.greendevic.com.twRecyclability/
Reusability

Resource Saving

Pollution Reduction

Using Recycled
Materials

Available in: Worldwide

EP-3-004005

Parts and accessories of the machines of automatic data processing machines

Recharge Printer Toner Cartridge

Environmental Performance

- * Reduce energy and resource consumption.
- * Prevent pollution attributable to the manufacturing process of new toner cartridges.
- * 85% or more of their components are reusable to lower the amount of wastes to be processed.
- * Waste plastic components are recyclable for reuse.

Product Performance

1. High printout quality.
2. Lower clerical costs significantly.
3. Reduce industrial wastes substantially.

Taiwan Green Device Co., Ltd.

No. 108, Sec. 2, Chang-An Rd., Luzhu, 33843, Taoyuan, Taiwan

Telephone +886-3-353-0954

Fax +886-3-353-0964

E-mail lucy@greendevic.com.twWebsite www.greendevic.com.twRecyclability/
Reusability

Resource saving

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, USA, Japan

EP-3-005001

Faucet

Press-and-Lift Long-Bolt Water-Saving Faucet (Sprinkling)**Environmental Performance**

Compare to the general products, the product can save more water resources.

Product Performance

- * The design incorporates a sanitation press-and-life switch, water volume adjustment switch, soap dish, with the button located at the water dispensing point, for sanitized hand-washing.
- * Surpassing the durability test 500,000 times.
- * The ball valve design switch is smoother and more durable.

Ren Rong Hardware Industry Co., Ltd.

No, 41, Yongbei Rd., Hemei Township, Changhua Country 508, Taiwan(R.O.C)

Telephone +886-4-756-3407

Fax +886-4-757-4422

E-mail sales@renrong.com.tw

Website www.renrong.com.tw

Resource Saving

High Quality/
Performance

Available in: Taiwan

EP-3-005002

Faucet

Press-and-Lift Vertical-Bolt Water-Saving Faucet (Sprinkling)**Environmental Performance**

Compare to the general product, it can save more water resources.

Product Performance

- * The design incorporates a sanitation press-and-life switch, water volume adjustment switch, soap dish, with the button located at the water dispensing point, for sanitized hand-washing.
- * Surpassing the durability test 500,000 times.
- * The ball valve design switch is smoother and more durable.

Ren Rong Hardware Industry Co., Ltd.

No, 41, Yongbei Rd., Hemei Township, Changhua Country 508, Taiwan(R.O.C)

Telephone +886-4-756-3407

Fax +886-4-757-4422

E-mail sales@renrong.com.tw

Website www.renrong.com.tw

Resource Saving

High Quality/
Performance

Available in: Taiwan

EP-3-006001

Faucet

Water-Saving Foot-Operated Dual-Flush Valve**Environmental Performance**

- * This product is water-saving.
- * Most materials of device are recyclable and reusable.
- * Resources saving.

Product Performance

- * This product is designed for use with fast-flush toilets.
- * The control handle on the main body can be pressed to flush solid waste, and the red handle is for liquid waste.
- * The flushing water would be automatically stopped four to five seconds later.
- * water saving.

LIYIH MAKE CO., LTD.

NO. 77-7, CHI PANG LANE, GAO CHIEN LI, LU-KANG CHEN, CHANG-HUA HSIEN, TAIWAN

Telephone +886-4-776-1759

Fax +886-4-776-2552

E-mail liao7778@ms43.hinet.net

Website www.duker.com.tw

Available in: Taiwan

Recyclability/
Reusability

Resource Saving



DK1014 二段省水脚踏式

EP-3-006002

Faucet

Self-Closing Vertical Valve, Self-Closing Long Valve**Environmental Performance**

- * This product is water-saving.
- * Most materials of device are recyclable and reusable.
- * Resources saving.

Product Performance

Designed for wash basin, this product releases and stops water automatically when pressed. The water release time can be adjusted to save water.

LIYIH MAKE CO., LTD.

NO. 77-7, CHI PANG LANE, GAO CHIEN LI, LU-KANG CHEN, CHANG-HUA HSIEN, TAIWAN

Telephone +886-4-776-1759

Fax +886-4-776-2552

E-mail liao7778@ms43.hinet.net

Website www.duker.com.tw

Available in: Taiwan

Recyclability/
Reusability

Resource Saving



EP-3-007001

Faucet

One Touch Tap

Environmental Performance

This type of faucet effectively saves water over 45%.

Product Performance

- * Sanitary: By the design of self-cleaning, it decreases the risk of bacteria multiplying.
- * Easy installation: Repairing and replacing the touch-controlled faucet switch requires less than one-tenth of the cost of the sensor faucets. It may even be cheaper than common faucets. It is easy to repair without having to call an electrician, and it is easy to install.

PINE STREET INDUSTRIAL CO., LTD.

NO.13, ALY.6, LN.6, SEC.5, MINSHENG E.RD., SONGSHAN DISTRICT, TAIPEI CITY 10576, TAIWAN, R.O.C

Telephone	+886-2-2976-0335
Fax	+886-2-2976-1470
E-mail	redsun.tw@msa.hinet.net
Website	www.twredsun.com

Available in: Taiwan

Long Life

Resource Saving



EP-3-007002

Faucet

One Touch Tap

Environmental Performance

The self-closing type of faucet effectively saves water over 84%.

Product Performance

- * Repairing and replacing the touch-controlled faucet switch requires less than one-tenth of the cost of the sensor faucets. It may even be cheaper than common faucets.
- * It is easy to repair without having to call an electrician, and it is easy to install, too.

PINE STREET INDUSTRIAL CO., LTD.

NO.13, ALY.6, LN.6, SEC.5, MINSHENG E.RD., SONGSHAN DISTRICT, TAIPEI CITY 10576, TAIWAN, R.O.C

Telephone	+886-2-2976-0335
Fax	+886-2-2976-1470
E-mail	redsun.tw@msa.hinet.net
Website	www.twredsun.com

Available in: Taiwan

Resource Saving



EP-3-007003

Faucet

One Touch Tap

Environmental Performance

This type of faucet effectively saves water over 45%.

Product Performance

1. Sanitary: By the design of self-cleaning, it decreases the risk of bacteria multiplying.
2. Easy installation: Repairing and replacing the touch-controlled faucet switch requires less than one-tenth of the cost of the sensor faucets.
3. It may even be cheaper than common faucets. It is easy to repair without having to call an electrician, and it is easy to install.

PINE STREET INDUSTRIAL CO., LTD.

NO.13, ALY.6, LN.6, SEC.5, MINSHENG E.RD., SONGSHAN DISTRICT, TAIPEI CITY 10576, TAIWAN, R.O.C

Telephone +886-2-2976-0335

Fax +886-2-2976-1470

E-mail redsun.tw@msa.hinet.net

Website www.twredsun.com

Resource Saving



Available in: Taiwan

EP-3-007004

Faucet

One Touch Tap

Environmental Performance

1. Energy efficient and environmentally friendly.
2. Waterstop without any delay problem.
3. Water volume controlled easily.
4. With RoHS compliant(Restriction of the use of certain hazardous substance).

Product Performance

1. Sanitary: By the design of self-cleaning, it decreases the risk of bacteria multiplying.
2. Easy installation: Repairing and replacing the touch-controlled faucet switch requires less than one-tenth of the cost of the sensor faucets.
3. It may even be cheaper than common faucets. It is easy to repair without having to call an electrician, and it is easy to install.

PINE STREET INDUSTRIAL CO., LTD.

NO.13, ALY.6, LN.6, SEC.5, MINSHENG E.RD., SONGSHAN DISTRICT, TAIPEI CITY 10576, TAIWAN, R.O.C

Telephone +886-2-2976-0335

Fax +886-2-2976-1470

E-mail redsun.tw@msa.hinet.net

Website www.twredsun.com

Resource Saving



Available in: Taiwan

EP-3-007005

Faucet

One Touch Tap

Environmental Performance

This type of faucet effectively saves water over 45%-85%.

Product Performance

Anti-theft design. Easily adjustment of the volume of water flow.

PINE STREET INDUSTRIAL CO., LTD.

NO.13, ALY.6, LN.6, SEC.5, MINSHENG E.RD., SONGSHAN DISTRICT, TAIPEI CITY 10576, TAIWAN, R.O.C

Telephone +886-2-2976-0335

Fax +886-2-2976-1470

E-mail redsun.tw@msa.hinet.net

Website www.twredsun.com

Resource Saving



Available in: Taiwan

EP-3-008001

Faucet

Water-saving Noiseless Tap

Environmental Performance

- * With a multiple water-conservation design, it can be self adjusted to save water
- * Water-saving efficiency at 50%~90%.

Product Performance

- * It can also be fitted with a variety of water-dispensing spouts to achieve a host of water-dispensing modes (mist, rain shower, air bubbles).
- * The showerhead pipes are made of processed copper tubing that can be disassembled for easy parts replacement, and the silent sound function helps to reduce the water flow sound passing through the pipe works.

SHANG DER LIH COMPANY CO., LTD.

No.588, Minsheng Rd., Taoyuan City, Taoyuan County 330, Taiwan, R.O.C

Telephone +886-3-347-1116

Fax +886-3-333-1536

E-mail my3471116@yahoo.com.tw

Website www.sdl-throttle.com.tw

Resource Saving



Available in: Worldwide

EP-3-008002

Other parts of articles of valves

360-Degree Swivel Aerator for Threaded Taps**Environmental Performance**

Offers a water-conservation feature to achieve the best washing and water-saving effects.

Product Performance

With adjustable water-dispensing angles and distance, it comes with two options of water jet (rain shower) and air bubbles.

SHANG DER LIH COMPANY CO., LTD.

No.588, Minsheng Rd., Taoyuan City, Taoyuan County 330, Taiwan, R.O.C

Telephone +886-3-347-1116

Fax +886-3-333-1536

E-mail my3471116@yahoo.com.tw

Website www.sdl-throttle.com.tw

Available in: Worldwide

Resource Saving

EP-3-008003

Other parts of articles of valves

Long-size Threaded Metal Water-saving Adaptor**Environmental Performance**

- * Water saving efficiency: 50-90%
- * It is installed between the shower heads and the tubes without changing the shower heads.

Product Performance

- * Saving water by reducing the pressure and adjusting the volume of water.
- * Compatible with shower heads and faucets

SHANG DER LIH COMPANY CO., LTD.

No.588, Minsheng Rd., Taoyuan City, Taoyuan County 330, Taiwan, R.O.C

Telephone +886-3-347-1116

Fax +886-3-333-1536

E-mail my3471116@yahoo.com.tw

Website www.sdl-throttle.com.tw

Available in: Worldwide

Resource Saving

EP-3-008004

Other parts of articles of valves

Anti-theft stable-volume external-threaded water-saving adapters**Environmental Performance**

- * SD-107-1 Rain-shower Type Water-saving efficiency: 70% SD-107-3 Air-bubble Type Water-saving efficiency: 60%
- * Once installed, the faucets are water-saving and there is no need replacing the original ones
- * Three types to choose: air-bubble, rain-shower and mist-spray.

Product Performance

- * With anti-theft protection, it can be installed in the public places.
- * Special wrench provided.

SHANG DER LIH COMPANY CO., LTD.

No.588, Minsheng Rd., Taoyuan City, Taoyuan County 330, Taiwan, R.O.C

Telephone +886-3-347-1116

Fax +886-3-333-1536

E-mail my3471116@yahoo.com.tw

Website www.sdl-throttle.com.tw

Resource Saving

Available in: Worldwide

EP-3-008005

Other parts of articles of valves

Metal 360 degrees rotational water-saving faucet adapters**Environmental Performance**

- * This Aerator provides a powerful and efficient 1.5 GPM flow that delivers a forceful stream/spray while using less water
- * Easily switch from a wide and forceful needle spray to a splash-free solid stream with a quick flip of the finger
- * The swivel aerator delivers a consistent flow regardless of available water pressure.

Product Performance

- * Compatible both with external and internal-threaded.
- * Water-discharging angles adjustable.
- * Two types: Rain-shower (downward) and Air-bubble (upward).

SHANG DER LIH COMPANY CO., LTD.

No.588, Minsheng Rd., Taoyuan City, Taoyuan County 330, Taiwan, R.O.C

Telephone +886-3-347-1116

Fax +886-3-333-1536

E-mail my3471116@yahoo.com.tw

Website www.sdl-throttle.com.tw

Resource Saving

Available in: Worldwide

EP-3-009001

Faucet

Fine Ceramic Water-Saving Long Valve (Atomization)**Environmental Performance**

This product which complies with Water Saving Label requirements has been certified by Water Resources Agency, Ministry of the Economics Affairs, Taiwan.

Product Performance

1. Water saving
2. Stable water flow.

Lan In Copper Co., Ltd.

No.18, Ln. 209, Sec. 3, Luhe Rd., Lugang Township, Changhua County 505, Taiwan

Telephone +886-4-771-5170

Fax +886-4-772-1101

E-mail taiwan.lanin@hotmail.com.tw

Website

Available in: Taiwan

Resource Saving

EP-3-009002

Faucet

Fine Ceramic Water-Saving Vertical Valve (Atomization)**Environmental Performance**

This product which complies with Water Saving Label requirements has been certified by Water Resources Agency, Ministry of the Economics Affairs, Taiwan.

Product Performance

1. Water saving.
2. Stable water flow.

Lan In Copper Co., Ltd.

No.18, Ln. 209, Sec. 3, Luhe Rd., Lugang Township, Changhua County 505, Taiwan

Telephone +886-4-771-5170

Fax +886-4-772-1101

E-mail taiwan.lanin@hotmail.com.tw

Website

Available in: Taiwan

Resource Saving

EP-3-009003

Faucet

Fine Ceramic Single-Hole Basin Faucet**Environmental Performance**

This product which complies with Water Saving Label requirements has been certified by Water Resources Agency, Ministry of the Economics Affairs, Taiwan.

Product Performance

1. Water saving.
2. Stable water flow.

Lan In Copper Co., Ltd.

No.18, Ln. 209, Sec. 3, Luhe Rd., Lugang Township, Changhua County 505, Taiwan

Telephone +886-4-771-5170

Fax +886-4-772-1101

E-mail taiwan.lanin@hotmail.com.tw

Website

Resource Saving



Available in: Taiwan

EP-3-009004

Faucet

Single-Handle Water-Saving Long Valve (Atomization)**Environmental Performance**

This product which complies with Water Saving Label requirements has been certified by Water Resources Agency, Ministry of the Economics Affairs, Taiwan.

Product Performance

1. Water saving.
2. Stable water flow.

Lan In Copper Co., Ltd.

No.18, Ln. 209, Sec. 3, Luhe Rd., Lugang Township, Changhua County 505, Taiwan

Telephone +886-4-771-5170

Fax +886-4-772-1101

E-mail taiwan.lanin@hotmail.com.tw

Website

Resource Saving



Available in: Taiwan

EP-3-009005

Faucet

Fine Ceramic Double-Hole Basin Faucet

Environmental Performance

This product which complies with Water Saving Label requirements has been certified by Water Resources Agency, Ministry of the Economics Affairs, Taiwan.

Product Performance

1. Water saving.
2. Stable water flow.

Lan In Copper Co., Ltd.

No.18, Ln. 209, Sec. 3, Luhe Rd., Lugang Township, Changhua County 505, Taiwan

Telephone +886-4-771-5170

Fax +886-4-772-1101

E-mail taiwan.lanin@hotmail.com.tw

Website

Available in: Taiwan

Resource Saving



EP-3-010001

Faucet

UB-FINE Hands Free Water Conservation System

Environmental Performance

- ⊙ Energy efficient and environmentally friendly.
- ⊙ User friendly.
- ⊙ The product which complies with RoHS requirements (Restriction of the use of certain hazardous substance) has been approved through SGS test.

Product Performance

- ⊙ The product can work automatically even you do not touch the faucet. Therefore, it offers more sanitary way due to the risk of bacterial cross-contamination reducing.
- ⊙ It can control the water volume without any power in order to save energy.
- ⊙ The unique patented design offers an exceeding water-saving ratio of 65.5%.
- ⊙ Tested by Japan's JIS standards, it does not percolate or leak after stepping on it 500,000 times.

Business Zone Ltd.

1F, No.137, Chi Lin Rd. Lu Jhu Township, Taoyuan County 33850, Taiwan

Telephone +886-3-311-6767

Fax +886-3-311-6565

E-mail business@ub-fine.com

Website www.ub-fine.com

Available in: Taiwan, China

Long Life

Resource Saving



EP-3-011001

Faucet

Single Lever Basin Mixer/Double-Hole Basin Faucet

Environmental Performance

The maximum flow rate is less than 9L per minute under the test condition of 1 kg of flowing water pressure per square centimeter. Thus, water resources are effectively saved.

Product Performance

Caesar's single lever basin mixer (double-hole basin faucet) is elegantly designed and features low flow rate and low water use that have received high-standard water conservation certifications.

SANITAR CO., LTD.

7F., No.111-8, Xingde Rd., Sanchong dist. New Taipei City 241, Taiwan

Telephone +886-2-8512-3712#57

Fax +886-2-8512-3717

E-mail tzuchi@caesar.com.tw

Website www.caesar.com.tw

Resource Saving



Available in: Taiwan, China, Vietnam, Southeast Asia

EP-3-012001

Faucet

Single Handle Faucet

Environmental Performance

Water-saving features:

- * The flow rate of product conforms to the specifications of Taiwan's Water Conservation Label.
- * Highly effective in water conservation.
- * Wasteful use of water resources preventing.

Product Performance

Product specifications:

- * The flow rate of product is 4.79L per minute.
- * Single-handle hot-cold water mixer with 40mm ceramic spindle and flat water outlet.

HAW LONG MFG. CORP.

No.238, Huinan Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-763-2000

Fax +886-4-762-8793

E-mail hawlong1@ms54.hinet.net

Website www.hawlong.com

Resource Saving



Available in: Taiwan, China, North America, Central America, South America

EP-3-013001

Other parts of articles of valves

Infrared Activated Solar Power Faucet**Environmental Performance**

- * Conserves water resources and energy.
- * Provides a clean, convenient and sanitized bathroom space.
- * A touch-free operation helping to avoid bacterial infection.

Product Performance

1. All parts and components are mounted on the faucet, making it easy to install and maintain.
2. The solar energy panel effectively absorbs the interior lighting and converts it into power source, with battery life lasting 500,000 shots.
3. The sensor distance can be adjusted externally.
4. The unique power-saving parts design is able to extend the operating cycle.
5. With vandal-proof plastic housing to protect the solar energy panel.

Hydrotek Corporation

3,Gong-Yeh N.3rd Road, Nankang Ind. Park, Nan-Tou, Taiwan, R.O.C

Telephone +886-4-9225-4611

Fax +886-4-9225-4653

E-mail sales@hydrotek.com.tw

Website www.hydrotek.com.tw

Resource Saving



Available in: Asia, Europe, North America, Central America, South America, Oceania

EP-3-013002

Other parts of articles of valves

Infrared Activated Sensor Faucet**Environmental Performance**

- * Conserves water resources and energy.
- * Provides a clean, convenient and sanitized bathroom space.
- * A touch-free operation helping to avoid bacterial infection.

Product Performance

1. The sensor angle can be flexibly adjusted to suit different venue needs.
2. The brass faucet's PCB comes with a self-detection function.
3. The same faucet allows AC/DC switching at will.
4. It is easy to install and maintain in order to provide a convenient, sanitized and water-conserving bathroom space.
5. The electromagnetic valve design provides dependable and smooth functions without a water hammering sound.

Hydrotek Corporation

3,Gong-Yeh N.3rd Road, Nankang Ind. Park, Nan-Tou, Taiwan, R.O.C

Telephone +886-4-9225-4611

Fax +886-4-9225-4653

E-mail sales@hydrotek.com.tw

Website www.hydrotek.com.tw

Resource Saving



Available in: Asia, Europe, North America, Central America, South America, Oceania

EP-3-013003

Other parts of articles of valves

Infrared Activated Sensor Faucet**Environmental Performance**

- * Conserves water resources and energy.
- * Provides a clean, convenient and sanitized bathroom space.
- * A touch-free operation helping to avoid bacterial infection.

Product Performance

1. All parts and components are mounted on the faucet, making it easy to install and maintain.
2. It has dual manual and automatic operation as well as a temperature adjustment function.
3. The unique power-saving design helps to extend the battery's operating life.
4. The sensor self detects to adjust the distance according to varied faucets to avoid environmental disturbances.
5. The unique PCB design is able to perform self diagnosis, and also displays the functional status.

Hydrotek Corporation

3, Gong-Yeh N.3rd Road, Nankang Ind. Park, Nan-Tou, Taiwan, R.O.C

Telephone +886-4-9225-4611

Fax +886-4-9225-4653

E-mail sales@hydrotek.com.tw

Website www.hydrotek.com.tw

Resource Saving



Available in: Asia, Europe, North America, Central America, South America, Oceania

EP-3-014001

Other parts of articles of valves

WATER-SAVING FAUCET AERATOR**Environmental Performance**

- * A112.18.1 MAX. 2.2GPM at 80 psi.
- * Save 83% of water

Product Performance

- * Inner and outer teeth type showerhead aerator.
- * Special design for public area.
- * Save 93% of water.

PLUMART INT'L CO., LTD.

No.456, Dadian Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-757-8722

Fax +886-4-755-7845

E-mail PLUMART.TW@MSA.HINET.NET

Website WWW.PLUMART-INC.COM

Resource Saving

High Quality/
Performance

Available in: USA, Europe

EP-3-014002

Other parts of articles of valves

WATER-SAVING FAUCET AERATOR

Environmental Performance

- * Inner and outer teeth type showerhead aerator.
- * Save 80.4% of water.

Product Performance

- * A112. 18.1 MAX. 2.2GPM at 80 psi. outlets bubble flow.
- * Special design for kitchen and bathroom faucet.
- * Save 80.4% of water.

PLUMART INT'L CO., LTD.

No.456, Dadian Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-757-8722

Fax +886-4-755-7845

E-mail PLUMART.TW@MSA.HINET.NET

Website WWW.PLUMART-INC.COM

Available in: USA, Europe

Resource Saving

High Quality/
Performance



EP-3-014003

Other parts of articles of valves

WATER-SAVING FAUCET AERATOR

Environmental Performance

- * Inner and outer teeth type showerhead aerator.
- * Special design for public area.
- * Save 93% of water.

Product Performance

- * A112.18.1 MAX. 1.0GPM at 80 psi. outlets spray flow.
- * Water saving.

PLUMART INT'L CO., LTD.

No.456, Dadian Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-757-8722

Fax +886-4-755-7845

E-mail PLUMART.TW@MSA.HINET.NET

Website WWW.PLUMART-INC.COM

Available in: USA, Europe

Resource Saving

High Quality/
Performance



EP-3-014004

Other parts of articles of valves

WATER-SAVING BASIN FAUCET AERATOR**Environmental Performance**

- * A112.18.1 MAX 2.0GPM at 80 psi
- * Save 83% of water

Product Performance

- * Inner and outer teeth type showerhead aerator
- * Special design for public area
- * Save 93% of water.

PLUMART INT'L CO., LTD.

No.456, Dadian Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-757-8722

Fax +886-4-755-7845

E-mail PLUMART.TW@MSA.HINET.NET

Website WWW.PLUMART-INC.COM

Resource Saving

High Quality/
Performance

Available in: USA, Europe

EP-3-014005

Other parts of articles of valves

1.5GPM Faucet aerato**Environmental Performance**

- * A112.18.1 MAX 2.0GPM at 80 psi
- * Save 83% of water

Product Performance

- * Inner and outer teeth type showerhead aerator
- * Special design for public area
- * Save 80% of water.

PLUMART INT'L CO., LTD.

No.456, Dadian Rd., Hemei Township, Changhua County 508, Taiwan (R.O.C.)

Telephone +886-4-757-8722

Fax +886-4-755-7845

E-mail PLUMART.TW@MSA.HINET.NET

Website WWW.PLUMART-INC.COM

Resource Saving

High Quality/
Performance

Available in: USA, Europe

EP-3-015001

Other parts of articles of valves

Water saving aerator**Environmental Performance**

The water saving ratio reaches 80.1%.

Product Performance

- * Completed spray, easy to clean & DIY installation.
- * Suitable for public place & household.

Unique Town Industrial Corp.

No.482, Longshe Rd., Longjing Dist., Taichung City, Taiwan R.O.C. 43452

Telephone +886-4-2632-9876

Fax +886-4-2632-9055

E-mail inquiry@uniquetown.com

Website www.uniquetown.com

Available in: Taiwan, USA

Resource Saving

EP-3-015002

Other parts of articles of valves

Water saving aerator**Environmental Performance**

The water saving ratio reaches 79.8%.

Product Performance

- * Aeration Spray, easy to clean & DIY installation.
- * Suitable for public place & household.

Unique Town Industrial Corp.

No.482, Longshe Rd., Longjing Dist., Taichung City, Taiwan R.O.C. 43452

Telephone +886-4-2632-9876

Fax +886-4-2632-9055

E-mail inquiry@uniquetown.com

Website www.uniquetown.com

Available in: Taiwan, USA

Resource Saving

EP-3-015003

Other parts of articles of valves

Kitchen aerator**Environmental Performance**

The water saving ration reaches 76.9%.

Product Performance

- * Spray feature: Easily switching the Aeration & Full spray function by softly pulling.
- * The body can adjust the spray angles by 360 degree rotating, more convenient for usage.
- * Also the full spray flow volume can add the washing square meter.
- * Suitable for public place & household.

Unique Town Industrial Corp.

No.482, Longshe Rd., Longjing Dist., Taichung City ,Taiwan R.O.C. 43452

Telephone	+886-4-2632-9876
Fax	+886-4-2632-9055
E-mail	inquiry@uniquetown.com
Website	www.uniquetown.com

Resource Saving



Available in: Taiwan, USA

EP-3-015004

Other parts of articles of valves

Hand shower**Environmental Performance**

Water Saving: Flow Volume:8.66 L/M

Product Performance

Full Spray; Simple & traditional Model. Enjoy the water saving function of Spray.

Unique Town Industrial Corp.

No.482, Longshe Rd., Longjing Dist., Taichung City ,Taiwan R.O.C. 43452

Telephone	+886-4-2632-9876
Fax	+886-4-2632-9055
E-mail	inquiry@uniquetown.com
Website	www.uniquetown.com

Resource Saving



Available in: Taiwan, USA

EP-3-015005

Other parts of articles of valves

Hand shower**Environmental Performance**

Water Saving: Flow Volume: 5.36~5.98 L/M

Product Performance

- * Spray feature: Massage spray / Rain Spray / Massage + Rain Spray combination Simple & traditional Model.
- * Enjoy 3 different Spray patterns & water saving function.

Unique Town Industrial Corp.

No.482, Longshe Rd., Longjing Dist., Taichung City, Taiwan R.O.C. 43452

Telephone +886-4-2632-9876

Fax +886-4-2632-9055

E-mail inquiry@uniquetown.com

Website www.uniquetown.com

Available in: Taiwan, USA

Resource Saving



EP-3-016001

Faucet

Automatic faucet**Environmental Performance**

- * Non-spotted, the spread of communicable diseases avoiding.
- * The risk of heavy metal pollution reducing.
- * Water saving.

Product Performance

The innovative hot/cold water switch controller provides two modes for Automatic and manual usage. The faucet supplies water to consumers continually as the sensor broke down in the mode of manual usage.

Chang Yi Shin Co., Ltd.

No.15-1, Puwei Lane, Toulun Li, Lukang Town, Changhua Taiwan 50564

Telephone +886-4-771-0685

Fax +886-4-771-4702

E-mail chris@changyishin.com.tw

Website www.changyishin.com.tw

Available in: Taiwan, USA

Resource Saving

High Quality/
Performance

EP-3-017001

Faucet

Water Economizer**Environmental Performance**

The benefits :

- * Water saving.
- * No waste of resources.
- * Environmental protection.

Product Performance

- * This product is a water saver that can be installed on the faucet. It mainly consists of a casing and a positioning element. The casing and the positioning element form an orifice to allow water to flow through.
- * An elastic block is fixed on the positioning element. When water flows, the elastic block is subjected to water impact causing it to deform, which will partially block the orifice. When the water flow rate or pressure is high, the elastic block can restrict the flow to save water.

YUH HONG HARD WARE CO.

No. 87-62,Gou Chyan Lane,Gou Chyan Lii,Luh Geang Tsuen, Chung Huah,Taiwan

Telephone +886-4-771-6998

Fax +886-4-771-6713

E-mail playerx.home@msa.hinet.net

Website

Resource Saving



Available in: USA, Asia

EP-3-018001

Faucet,

ikool**Environmental Performance**

1. Recyclable Parts: Made from ABS plastic material. Older units can easily be dissoluble.
2. 100% Lead Free Water pathway is constructed entirely out of POM.
3. Conserves Resource Outstanding water and energy saving system.
4. Low Power Consumption Uses 4 alkaline AA batteries (DC).

Product Performance

1. Easy to replace: It just takes 5 seconds to change and no need to crawl under sink to turn off the water flow valves since that stops automatically when the faucet is removed.
2. intelligent Sensor Auto shut off after 1 minutes of continuous flow.
3. Long Lasting Operation iKOOL is guaranteed to work 500,000 times of on & off.
4. Touch Free Eliminates the spread of communicable diseases
5. Water Temperature Control iKOOL provides two models for temperature mixer and cold only.

survex

7F-1,No.631,Sec.1,Chongde Rd.,North Dist.,Taichung City 40452,Taiwan

Telephone +886-4-2238-0098#27

Fax +886-4-2238-1066

E-mail survex@survex.com.tw

Website ikool.com.tw

Recyclability/
Reusability

Resource Saving

Pollution Reduction



Available in: Taiwan, USA, Japan

EP-4-001001

Other transformers

Dry Type of the Amorphous Metal Core Transformer-H Class**Environmental Performance**

With a low noise, low heat emissions, super high efficiency, low steel loss design in safety, energy saving and fire prevention, it helps to reduce the power loss on power systems.

Product Performance

- * Used for low-voltage power distribution and high safety demand sites, such as high-rise buildings, factories, department stores, hospitals, schools, hotels and so forth.
- * Incorporating H-grade Dupont Nomex R 220C high heat-resistant, advanced safety insulation material.
- * Adopting non-silica steel core and a resonation-resistant design, the excellent heat ventilation design frees any heat aggregation phenomenon.
- * When operating at a high efficiency, the steel core is kept to a low temperature.

Klean Power Energy Technology Co.,Ltd.

No. 50-5, Dajuewei, Shuishang Township, Chiayi County 608, Taiwan, R.O.C

Telephone +886-5-260-1838

Fax +886-5-260-1837

E-mail gpr966@gpr.com.tw

Website www.klean-power.com.tw

Available in: Worldwide

Resource Saving

High Quality/
Performance

EP-4-002001

Other electrical lighting equipment for motor vehicles

LED WORK LAMP**Environmental Performance**

The lucidity LED WORK LAMP-22807series (flood type) had the following environmental performances

1. LED WORK LAMP can reduce heat radiation, decrease heating temperature then have lower air-conditioning using.
2. LED WORK LAMP is the low wattage lighting source, it can save electricity power.
3. LED WORK LAMP is lead-free and mercury-free, it can decrease lead and mercury pollution.
4. LED WORK LAMP have the long service life, it can reduce the lot of waste lamps disposal.

Product Performance

- * Adopt 9 SMD high power LEDs
- * Outputs 1800 lumens of LED work lamps in a powerful beam
- * Provides brightness and safety work environment
- * Virtually unbreakable PC lens with aluminum housing design; resistant to water, dust, shock and vibration and offers increased reliability and service life
- * Lamp includes a swivel stainless steel bracket, bolts and washers for easy installation

Lucidity Enterprise Co.,Ltd.

No.18, Gongye 1st Rd., Annan District, Tainan City 70955, Taiwan

Telephone +886-6-510-5998#900

Fax +886-6-510-5997

E-mail nicola-chen@lucidity.com.tw

Website www.lucidity.com.tw

Available in: Worldwide

Resource Saving

High Quality/
Performance

EP-4-003001

Other apparatus for electric control or the distribution of electricity

Green Embedded Fanless Controller**Environmental Performance**

- * The eco-friendly, energy-saving AEC-6625 embedded controllers received the ENERGY STAR certification of USA.
- * AEC-6625 uses low-power consumption processors, an internationally patented no-fan design, green production processes and environmentally friendly packaging, with a view to reducing greenhouse gas emissions.

Product Performance

- * AEC-6625 has an internationally patented heat dissipating housing that is formed with rectangular aluminum fins. It works on Intel's P4500 1.86GHz processor and supports one 204-pin DDR3 SODIMM RAM, the maximum capacity being 4GB. AEC-6625 can be used with one 2.5" SATA II hard drive and is built-in with a type 2 CF card slot.
- * In I/O, AEC-6625 includes two Gigabit Ethernet LAN ports for network connection; and one VGA connector, one DVI-D connector, one Line-in connector and one Line-out connector for AV applications. It also has three RS 232 connection ports (or one RS 232/422/485 connection port), one PCI-104 interface, and four or six USB 2.0 connectors for expansion. The input power range is 9~30V DC, and the operating temperature spans from -20 to 50°C.

AAEON Technology Inc.

5F, No. 135, Lane 235, Pao-Chiao Rd., Hsin-Tien Dist., New Taipei City, Taiwan

Telephone +886-2-8919-1234

Fax +886-2-8919-1056

E-mail efenchung@aaeon.com.twWebsite www.aaeon.com

available in: Asia, Europe, North America, Central America, South America

Resource Saving

High Quality/
Performance

EP-4-004001

Other insulating fittings for electrical machines, appliances or equipment

Sensor-Operated Urinal Flushers**Environmental Performance**

Highly effective in saving water and preventing wasteful use of water resources.

Product Performance

The sensing distance can be adjusted as needed.

Resource Saving

High Quality/
Performance

Pollution Reduction

**JYE LI AN TECHNOLOGY CO. LTD**

No.307, Zhongzheng S. Rd., Yongkang Dist., Tainan City 710, Taiwan (R.O.C.)

Telephone +886-6-242-6978

Fax +886-6-242-6990

E-mail info@jla.com.twWebsite www.jla.com.tw

available in: China, Vietnam, Philippines, Middle East



EP-4-004002

Other insulating fittings for electrical machines, appliances or equipment

Sensor-Operated Urinal Flushers

Environmental Performance

Highly effective in saving water and preventing wasteful use of water resources.

Product Performance

The sensing distance can be adjusted as needed.

JYE LI AN TECHNOLOGY CO. LTD

No.307, Zhongzheng S. Rd., Yongkang Dist., Tainan City 710, Taiwan (R.O.C.)

Telephone +886-6-242-6978

Fax +886-6-242-6990

E-mail info@jla.com.tw

Website www.jla.com.tw

Resource Saving

High Quality/
Performance

Pollution Reduction



Available in: China, Vietnam, Philippines, Middle East

EP-4-004003

Other insulating fittings for electrical machines, appliances or equipment

Sensor-Operated Urinal Flushers

Environmental Performance

Highly effective in saving water and preventing wasteful use of water resources.

Product Performance

The sensing distance can be adjusted as needed.

JYE LI AN TECHNOLOGY CO. LTD

No.307, Zhongzheng S. Rd., Yongkang Dist., Tainan City 710, Taiwan (R.O.C.)

Telephone +886-6-242-6978

Fax +886-6-242-6990

E-mail info@jla.com.tw

Website www.jla.com.tw

Resource Saving

High Quality/
Performance

Pollution Reduction



Available in: China, Vietnam, Philippines, Middle East

EP-4-004004

Other insulating fittings for electrical machines, appliances or equipment

Sensor-Operated Urinal Flushers**Environmental Performance**

Highly effective in saving water and preventing wasteful use of water resources.

Product Performance

The sensing distance can be adjusted as needed.

JYE LI AN TECHNOLOGY CO. LTD

No.307, Zhongzheng S. Rd., Yongkang Dist., Tainan City 710, Taiwan (R.O.C.)

Telephone +886-6-242-6978

Fax +886-6-242-6990

E-mail info@jla.com.tw

Website www.jla.com.tw

Resource Saving

High Quality/
Performance

Pollution Reduction



Available in: China, Vietnam, Philippines, Middle East

EP-4-005001

Other insulating fittings for electrical machines, appliances or equipment

Automatic Urinal Flusher**Environmental Performance**

Power consumption less than 10W

Product Performance

1. Two-stage flushing
2. It is adjustable within a distance of 50cm to the sensor.
3. The water output is 6 liter/min or more.
4. Auto-flushes once if no one uses it for 24 hours.

OVO TOILET CO.,LTD.

No.32, Ln. 171, Sec. 1, Zhongxing Rd., Wugu Dist., New Taipei City 248, Taiwan

Telephone +886-2-8983-8833

Fax +886-2-8983-9955

E-mail lipen.kingdom@msa.hinet.net

Website www.ovotoilet.com

Resource Saving



Available in: Taiwan

EP-4-005002

Other insulating fittings for electrical machines, appliances or equipment

Square Hidden AC Flusher 110V**Environmental Performance**

Power consumption less than 10W

Product Performance

1. Way of flushing: Two stages (full-flush and reduced-flush)
2. Sensor distance: Max. 50cm (adjustable)
3. Outflow volume: Above 6 litres /min
4. 24 hours automatic flush without using
5. Casing material: Stainless steel

OVO TOILET CO., LTD.

No. 32, Ln. 171, Sec. 1, Zhongxing Rd., Wugu Dist., New Taipei City 248, Taiwan

Telephone +886-2-8983-8833

Fax +886-2-8983-9955

E-mail lipen.kingdom@msa.hinet.net

Website www.ovotoilet.com

Resource Saving



Available in: Taiwan

EP-5-001001

Table, floor, wall, window, ceiling or roof fans

Ceiling Fan

Environmental Performance

High performance: The DC motor greatly increases operation efficiency and saves 65% or more of electricity, compared with those driven by AC motors.

Product Performance

Super quiet: The DC electronic step control module is noise-free.
 New variable-speed remote control: Full-function remote control, including forward/backward rotation at six speeds and light control.
 Low-temperature operation: Motor temperature kept below 50° C for an extended service life.

JIANG CAI ENTERPRISE CO., LTD.

No.22, Lane.158, Sanhe Rd., Shengang Dist., Taichung City 42944, Taiwan

Telephone +886-4-2535-8095

Fax +886-4-2535-8015

E-mail jiangcai@ms47.hinet.net

Website www.jiangcai.com.tw

Resource Saving

High Quality/
Performance

Available in: Taiwan, Japan, Singapore, Malaysia, Australia

EP-5-002001

Other fans

Welly Energy-Saving Ceiling Fan

Environmental Performance

- * The wastes are reusability and recyclability.
- * Environment friendly.

Product Performance

Welly Energy-Saving Ceiling Fan overcomes the structural shortcomings of the traditional ceiling fan, wall fan, etc..

- * Energy saving: High efficiency, low energy consumption, high temperature uniformity.
- * Comfortable and healthy: Easy to clean, low noise, no glare generated.
- * Wise and durable : Easy to install and operate, long durability.

Welly Technology International Ltd.

No.13, Zhongyuan E. Rd., Xinzhuang Dist., New Taipei City 242, Taiwan

Telephone +886-2-8601-3579

Fax +886-2-8607-1940

E-mail stanley@welly-fan.com.tw

Website www.welly-fan.com.tw

Long Life

Resource Saving

High Quality/
Performance

Available in: China, Southeast Asia, Middle East

EP-5-002002

Other fans

Welly Energy-Saving Ceiling Fan

Environmental Performance

- * The wastes are reusability and recyclability.
- * Environment friendly.

Product Performance

Welly Energy-Saving Ceiling Fan overcomes the structural shortcomings of the traditional ceiling fan, wall fan, etc..

- * Energy saving: High efficiency, low energy consumption, high temperature uniformity.
- * Comfortable and healthy: Easy to clean, low noise, no glare generated.
- * Wise and durable : Easy to install and operate, long durability.

Welly Technology International Ltd.

No.13, Zhongyuan E. Rd., Xinzhuang Dist., New Taipei City 242, Taiwan

Telephone +886-2-8601-3579

Fax +886-2-8607-1940

E-mail stanley@welly-fan.com.tw

Website www.welly-fan.com.tw

Long Life

Resource Saving

High Quality/
Performance

Available in: China, Southeast Asia, Middle East

EP-5-002003

Other fans

Welly Energy-Saving Ceiling Fan

Environmental Performance

- * The wastes are reusability and recyclability.
- * Environment friendly.

Product Performance

Welly Energy-Saving Ceiling Fan overcomes the structural shortcomings of the traditional ceiling fan, wall fan, etc..

- * Energy saving: High efficiency, low energy consumption, high temperature uniformity.
- * Comfortable and healthy: Easy to clean, low noise, no glare generated.
- * Wise and durable : Easy to install and operate, long durability.

Welly Technology International Ltd.

No.13, Zhongyuan E. Rd., Xinzhuang Dist., New Taipei City 242, Taiwan

Telephone +886-2-8601-3579

Fax +886-2-8607-1940

E-mail stanley@welly-fan.com.tw

Website www.welly-fan.com.tw

Long Life

Resource Saving

High Quality/
Performance

Available in: China, Southeast Asia, Middle East

EP-5-002004

Other fans

Welly Energy-Saving Ceiling Fan

Environmental Performance

- * The wastes are reusability and recyclability.
- * Environment friendly.

Product Performance

Welly Energy-Saving Ceiling Fan overcomes the structural shortcomings of the traditional ceiling fan, wall fan, etc..

- * Energy saving: High efficiency, low energy consumption, high temperature uniformity.
- * Comfortable and healthy: Easy to clean, low noise, no glare generated.
- * Wise and durable : Easy to install and operate, long durability.

Welly Technology International Ltd.

No.13, Zhongyuan E. Rd., Xinzhuang Dist., New Taipei City 242, Taiwan

Telephone	+886-2-8601-3579
Fax	+886-2-8607-1940
E-mail	stanley@welly-fan.com.tw
Website	www.welly-fan.com.tw

Available in: China, Southeast Asia, Middle East

Long Life

Resource Saving

High Quality/
Performance

EP-5-002005

Other fans

Welly Energy-Saving Ceiling Fan

Environmental Performance

The wastes can be recovered and returned to the manufacturing process for further use, posing no pollution to the environment.

Product Performance

Welly Energy-Saving Ceiling Fan overcomes the structural shortcomings of the traditional ceiling fan, wall fan, etc..

- * Energy saving: High efficiency, low energy consumption, high temperature uniformity.
- * Comfortable and healthy: Easy to clean, low noise, no glare generated.
- * Wise and durable : Easy to install and operate, long durability.

Welly Technology International Ltd.

No.58, Hong Ping Street, Shu Lin Dist, New Taipei City 23857. Taiwan, R.O.C

Telephone	+886-2-8601-3579
Fax	+886-2-8607-1940
E-mail	stanley@welly-fan.com.tw
Website	www.welly-fan.com.tw

Available in: China, Southeast Asia, Middle East

Long Life

Resource Saving

High Quality/
Performance

EP-5-003001

Table, floor, wall, window, ceiling or roof fans

Energy Saving Fan

Environmental Performance

- * With special patented designs driving and pumping the air out in larger amount.
- * The product is more energy effective and space saving.

Product Performance

- * We use dual rotary axle motors and special designed blades to produce maximum blowing wind speed, making the product more energy effective and space saving.
- * 110V or 220V available.

Weili-fan Enterprise Ltd.

No.58, Hong Ping Street, Shu Lin Dist, New Taipei City 23857, Taiwan

Telephone +886-2-8684-1558

Fax +886-2-8684-2009

E-mail welly.boa@msa.hinet.net

Website www.weili-fan.com.tw

High Quality/
Performance

Resource Saving



Available in: Worldwide

EP-5-003002

Table, floor, wall, window, ceiling or roof fans

Negative ionized energy saving fans

Environmental Performance

- * With special patented designs driving and pumping the air out in larger amount.
- * The product is more energy effective and space saving.

Product Performance

- * We use dual votary axle motors and special designed blades to produce maximum blowing wind speed.
- * Energy-efficient and space-saving.
- * SGS certified to contain >1,236,000(ions/cc).
- * 110V available.

Weili-fan Enterprise Ltd.

No.58, Hong Ping Street, Shu Lin Dist, New Taipei City 23857, Taiwan

Telephone +886-2-8684-1558

Fax +886-2-8684-2009

E-mail welly.boa@msa.hinet.net

Website www.weili-fan.com.tw

Resource Saving



Available in: Taiwan, China, Hong Kong, USA, Japan, Singapore, Vietnam, Germany, Philippines, Malaysia, Thailand, Indonesia, India, Asia, Southeast Asia, Middle East, North America

EP-5-003003

Table, floor, wall, window, ceiling or roof fans

Energy Saving Fan

Environmental Performance

- * With special patented designs driving and pumping the air out in larger amount.
- * The product is more energy effective and space saving.

Product Performance

- * We use dual rotary axle motors and special designed blades to produce maximum blowing wind speed, making the product more energy effective and space saving.
- * 110V or available.

Weili-fan Enterprise Ltd.

No.58, Hong Ping Street, Shu Lin Dist, New Taipei City 23857. Taiwan

Telephone	+886-2-8684-1558
Fax	+886-2-8684-2009
E-mail	welly.boa@msa.hinet.net
Website	www.weili-fan.com.tw

Available in: Worldwide

Resource Saving



EP-5-004001

Other fans

Light Steel Stand Energy Saving Circulator

Environmental Performance

Energy saving.

Product Performance

1. Energy-saving: It can quickly undergo cooling and hot air convection; reduce the compressor operation time, and thus save energy.
2. Easy to install
3. The fan has "Strong", "Mid" and "Low" airspeeds; can be controlled by an infrared remote to a single fan or multi-fans simultaneously.

HUA-GEE ENTERPRISE CO.,LTD.

No.10, Alley122, Lane94, Hou-kang Rd., Hou-Mei Chen, Chang-Hua, Taiwan

Telephone	+886-4-756-5151
Fax	+886-4-755-7823
E-mail	hawgua@ms5.hinet.net
Website	

Available in: Taiwan, Southeast Asia, Europe, North America, Central America, South America

Resource Saving



EP-5-005001

Incorporating a refrigerating unit air conditioning machines

WINDOW TYPE AIR CONDITIONER

Environmental Performance

- * Environmentally friendly.
- * Low noise.
- * Free of the controlled substances of the Montreal Protocol.
- * Highly efficient in energy use
- * Electricity-saving.
- * Free of hazardous chemicals, helpful in preventing hazardous substance pollution.
- * Made from recycled materials.

Product Performance

- * Eco-friendly
- * Energy-saving
- * Fast cooling
- * Low noise
- * Easy to operate
- * Providing a comfortable living environment

FAST ELECTRIC CO., LTD.

No.59, Xinzhuang, Shanshang Dist., Tainan City 743, Taiwan

Telephone +886-6-578-3233#320

Fax +886-6-578-3889

E-mail aircon@frost.com.tw

Website www.frost.com.tw

Resource Saving



Available in: Worldwide

EP-5-005002

Incorporating a refrigerating unit air conditioning machines

WINDOW TYPE AIR CONDITIONER

Environmental Performance

- * Environmentally friendly.
- * Low noise.
- * Free of the controlled substances of the Montreal Protocol.
- * Highly efficient in energy use.
- * Electricity-saving.
- * Free of hazardous chemicals, helpful in preventing hazardous substance pollution.
- * Made from recycled materials.

Product Performance

- * Eco-friendly
- * Energy-saving
- * Fast cooling
- * Low noise
- * Easy to operate
- * Providing a comfortable living environment

FAST ELECTRIC CO., LTD.

No.59, Xinzhuang, Shanshang Dist., Tainan City 743, Taiwan

Telephone +886-6-578-3233#320

Fax +886-6-578-3889

E-mail aircon@frost.com.tw

Website www.frost.com.tw

Resource Saving



Available in: Worldwide

EP-5-005003

Incorporating a refrigerating unit air conditioning machines

WALL MOUNTED SPLIT TYPE AIR CONDITIONER

Environmental Performance

- * Environmentally friendly.
- * Low noise.
- * Free of the controlled substances of the Montreal Protocol.
- * Highly efficient in energy use.
- * Electricity-saving.
- * Free of hazardous chemicals, helpful in preventing hazardous substance pollution.
- * Made from recycled materials.

Product Performance

- * Eco-friendly
- * Energy-saving
- * Fast cooling
- * Low noise
- * Easy to operate
- * Providing a comfortable living environment.

FAST ELECTRIC CO., LTD.

No.59, Xinzhuang, Shanshang Dist., Tainan City 743, Taiwan

Telephone +886-6-578-3233#320

Fax +886-6-578-3889

E-mail aircon@frost.com.tw

Website www.frost.com.tw

Resource Saving



Available in: Worldwide

EP-5-005004

Incorporating a refrigerating unit air conditioning machines

WALL MOUNTED SPLIT TYPE AIR CONDITIONER

Environmental Performance

- * Environmentally friendly.
- * Low noise.
- * Free of the controlled substances of the Montreal Protocol.
- * Highly efficient in energy use.
- * Electricity-saving.
- * Free of hazardous chemicals, helpful in preventing hazardous substance pollution.
- * Made from recycled materials.

Product Performance

- * Eco-friendly
- * Energy-saving
- * Fast cooling
- * Low noise
- * Easy to operate
- * Providing a comfortable living environment.

FAST ELECTRIC CO., LTD.

No.59, Xinzhuang, Shanshang Dist., Tainan City 743, Taiwan

Telephone +886-6-578-3233#320

Fax +886-6-578-3889

E-mail aircon@frost.com.tw

Website www.frost.com.tw

Resource Saving



Available in: Worldwide

EP-5-005005

Incorporating a refrigerating unit air conditioning machines

WALL MOUNTED SPLIT TYPE AIR CONDITIONER

Environmental Performance

- * Environmentally friendly.
- * Low noise.
- * Free of the controlled substances of the Montreal Protocol.
- * Highly efficient in energy use.
- * Electricity-saving.
- * Free of hazardous chemicals, helpful in preventing hazardous substance pollution.
- * Made from recycled materials.

Product Performance

- * Eco-friendly
- * Energy-saving
- * Fast cooling
- * Low noise
- * Easy to operate
- * Providing a comfortable living environment.

FAST ELECTRIC CO., LTD.

No.59, Xinzhuang, Shanshang Dist., Tainan City 743, Taiwan

Telephone +886-6-578-3233#320

Fax +886-6-578-3889

E-mail aircon@frost.com.tw

Website www.frost.com.tw

Available in: Worldwide

Resource Saving



EP-5-006001

Water heaters powered by solar energy

FOREST LAI WTO SOLAR HEATER SYSTEMS

Environmental Performance

- * Saving energy and reduces carbon benefit: Each F33 solar water heater can reduce about 785 kgs of reduces carbon and discharge the amount of carbon reduced every year. Every area saves quite 80 liters of crude oil every year \ coal gas is 2000 yuan sparingly, Carbon reduction of 220 kg, recovery period of about four years
- * Heat performance benefit in Gaoji: Circulating 61% of detection efficiency naturally; Greater than the state aid standard 50%, greater than environmental protection and mark the chapter standard 55%; It is high at the heat temperature of the next part of Rizhao of sunshine to be the same, Economic benefits retrieved in energy-conservation ahead of time.

Product Performance

- * Comfortable bathing resistant sealed pressure hot water system
- * Ultrasonic metal welding technology process of the entire board, patent M356884
- * German and Japanese high-tech thin film technology
- * The overall performance of fully automatic, saving energy solar water system

FOREST LAI ENTERPRISE CO., LTD.

No.83, Xingong 3rd Rd., Tianzhong Township, Changhua County 520, Taiwan (R.O.C.)

Telephone +886-4-874-2166

Fax +886-4-874-2221

E-mail forest99@ms56.hinet.net

Website www.WTOsolar.com.tw

Available in: Taiwan, Southeast Asia

Resource Saving



EP-5-007001

Electric air filters and purifiers

aircleaner**Environmental Performance**

- * High efficiency
- * Energy saving
- * Reusable
- * Environmentally friendly

Product Performance

- * High efficiency
- * Energy saving
- * Reusable
- * Environment friendly

TITAN UNITED CO. LTD

No.692, Renhua Rd., Dali Dist., Taichung City 412, Taiwan (R.O.C.)

Telephone +886-4-2496-2677#120

Fax

E-mail bosswell.info@gmail.com

Website www.bosswell.asia

High Quality/
Performance

Pollution Reduction

Resource Saving



Available in: Worldwide

EP-5-008001

Washing machines, including machines which both wash and dry

TATUNG BRAND INVERTER WASHING MACHINES (13KG)**Environmental Performance**

1. Energy-saving products to reduce power consumption and carbon emissions.
2. Water-saving products to reduce the waste of water resources.

Product Performance

1. Clothing wind dry.
2. TUB CLEAN.
3. NEURO FUZZY.
4. Stainless steel and antibacterial inner tube.
5. Three dimensional flowing water waterfall.
6. Filtering installation. (2 high +1 low batt)
7. Five laundry process. (standard wash, soft wash ,strong wash, memory wash, soak)
8. Meet the national energy-saving and water-saving standards.

TATUNG

No.22, Sec. 3, Zhongshan N. Rd., Zhongshan Dist., Taipei City 104, Taiwan (R.O.C.)

Telephone +886-2-2592-5252#3149

Fax +886-2-2586-9452

E-mail pi-jen.lee@tatung.com

Website www.tatung.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan

EP-5-009001

Electric instantaneous or storage water heaters and immersion heaters

Electric Water Heater

Environmental Performance

- * The patented design inner bucket can ensure that only a small amount of water be heated in order to boil water quickly.
- * Easy -to- use
- * The features of product: power-saving, water-saving and carbon reduction.

Product Performance

- * Energy-saving
- * Low pollution
- * Water-saving
- * Space-saving
- * Thermostat temperature control
- * Safe, fully automatic
- * User-friendly.

SONIC E SING INDUSTRY CO., LTD.

No.70, Huabei 3rd St., Xihu Township, Changhua County 514, Taiwan

Telephone +886-4-885-2896

Fax +886-4-885-3111

E-mail j5407032002@yahoo.com.tw

Website www.e-sing.com.tw

High Quality/
Performance

Resource Saving



Available in: Asia, Central America, South America, Africa

EP-5-009002

Electric instantaneous or storage water heaters and immersion heaters

Electric Water Heater

Environmental Performance

- * The patented design inner bucket can ensure that only a small amount of water be heated in order to boil water quickly.
- * Easy -to- use
- * The features of product: power-saving, water-saving and carbon reduction.

Product Performance

- * Energy-saving
- * Low pollution
- * Water-saving
- * Space-saving
- * Thermostat temperature control
- * Safe, fully automatic
- * User-friendly.

SONIC E SING INDUSTRY CO., LTD.

No.70, Huabei 3rd St., Xihu Township, Changhua County 514, Taiwan

Telephone +886-4-885-2896

Fax +886-4-885-3111

E-mail j5407032002@yahoo.com.tw

Website www.e-sing.com.tw

High Quality/
Performance

Resource Saving



Available in: Asia, Central America, South America, Africa

EP-5-009003

Electric instantaneous or storage water heaters and immersion heaters

Electric Water Heater**Environmental Performance**

- * The patented design inner bucket can ensure that only a small amount of water be heated in order to boil water quickly.
- * Easy -to- use
- * The features of product: power-saving, water-saving and carbon reduction.

Product Performance

- * Energy-saving
- * Low pollution
- * Water-saving
- * Space-saving
- * Thermostat temperature control
- * Safe, fully automatic
- * User-friendly.

SONIC E SING INDUSTRY CO., LTD.

No.70, Huabei 3rd St., Xihu Township, Changhua County 514, Taiwan

Telephone +886-4-885-2896

Fax +886-4-885-3111

E-mail j5407032002@yahoo.com.tw

Website www.e-sing.com.tw

High Quality/
Performance

Resource Saving



Available in: Asia, Central America, South America, Africa

EP-5-009004

Electric instantaneous or storage water heaters and immersion heaters

Electric Water Heater**Environmental Performance**

- * The patented design inner bucket can ensure that only a small amount of water be heated in order to boil water quickly.
- * Easy -to- use
- * The features of product: power-saving, water-saving and carbon reduction.

Product Performance

- * Energy-saving
- * Low pollution
- * Water-saving
- * Space-saving
- * Thermostat temperature control
- * Safe, fully automatic
- * User-friendly.

SONIC E SING INDUSTRY CO., LTD.

No.70, Huabei 3rd St., Xihu Township, Changhua County 514, Taiwan

Telephone +886-4-885-2896

Fax +886-4-885-3111

E-mail j5407032002@yahoo.com.tw

Website www.e-sing.com.tw

High Quality/
Performance

Resource Saving



Available in: Asia, Central America, South America, Africa

EP-5-009005

Electric instantaneous or storage water heaters and immersion heaters

Electric Water Heater**Environmental Performance**

- * The patented design inner bucket can ensure that only a small amount of water be heated in order to boil water quickly.
- * Easy -to- use
- * The features of product: power-saving, water-saving and carbon reduction.

Product Performance

- * Energy-saving
- * Low pollution
- * Water-saving
- * Space-saving
- * Thermostat temperature control
- * Safe, fully automatic
- * User-friendly.

SONIC E SING INDUSTRY CO., LTD.

No.70, Huabei 3rd St., Xihu Township, Changhua County 514, Taiwan

Telephone +886-4-885-2896

Fax +886-4-885-3111

E-mail j5407032002@yahoo.com.tw

Website www.e-sing.com.tw

High Quality/
Performance

Resource Saving



Available in: Asia, Central America, South America, Africa

EP-5-010001

Electric instantaneous or storage water heaters and immersion heaters

**Warm/Hot Drinking Water Dispensers
(Not Equipped with Refrigerating Devices)****Environmental Performance**

- * Reduces 102~103 kg of CO2 per day, compared with those of the same level but lacking Taiwan Energy Label.
- * The product complied with Taiwan Energy Label requirements.

Product Performance

- * Five protective features.
- * Sodium ion-free filter cartridge with automatic replacement reminder.
- * Automatic power off when water supply is cut off, and automatic power on when water supply resumes.
- * Maintenance service light as malfunction indicator and maintenance cycle reminder.

FOREST SPRING ENTERPRISE CO.,LTD.

NO.10, Chung Hsing St, Pei tou Village, Ming Hsiung Hsiang, Chia yi Hsieg, Taiwan

Telephone +886-5-221-0221#512

Fax +886-5-221-0271

E-mail sales@jinkon.com.tw

Website www.jinkon.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan

EP-5-010002

Electric instantaneous or storage water heaters and immersion heaters

Warm/Hot Drinking Water Dispensers (Not Equipped with Refrigerating Devices)

Environmental Performance

- * Reduces 102~103 kg of CO₂ per day, compared with those of the same level but lacking Taiwan Energy Label.
- * The product complied with Taiwan Energy Label requirements.

Product Performance

- * Five protective features.
- * Sodium ion-free filter cartridge with automatic replacement reminder.
- * Automatic power off when water supply is cut off, and automatic power on when water supply resumes.
- * Maintenance service light as malfunction indicator and maintenance cycle reminder.

FOREST SPRING ENTERPRISE CO.,LTD.

NO.10, Chung Hsing St, Pei tou Village, Ming Hsiung Hsiang, Chia yi Hsieg, Taiwan

Telephone +886-5-221-0221#512

Fax +886-5-221-0271

E-mail sales@jinkon.com.tw

Website www.jinkon.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan

EP-5-010003

Electric instantaneous or storage water heaters and immersion heaters

Warm/Hot Drinking Water Dispensers (Not Equipped with Refrigerating Devices)

Environmental Performance

- * Reduces 102~103 kg of CO₂ per day, compared with those of the same level but lacking Taiwan Energy Label.
- * The product complied with Taiwan Energy Label requirements.

Product Performance

- * Five protective features.
- * Sodium ion-free filter cartridge with automatic replacement reminder.
- * Automatic power off when water supply is cut off, and automatic power on when water supply resumes.
- * Maintenance service light as malfunction indicator and maintenance cycle reminder.

FOREST SPRING ENTERPRISE CO.,LTD.

NO.10, Chung Hsing St, Pei tou Village, Ming Hsiung Hsiang, Chia yi Hsieg, Taiwan

Telephone +886-5-221-0221#512

Fax +886-5-221-0271

E-mail sales@jinkon.com.tw

Website www.jinkon.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan

EP-5-011001

Electric cookers

Rice Steam Cookers

Environmental Performance

- * This product which complies with the requirements of Energy-saving Mark has been certified by Ministry of Economic Affairs ,Taiwan.
- * Energy-saving
- * Carbon-reduction.

Product Performance

Features

1. Multi-function for rice cooking, porridge, dessert, soup and stew.
2. Automatic rice cooking easy-operation.
3. Single switch operation, easy-operate.
4. Circle deluxe outlook and decent design
5. Product is originated and made in Taiwan.

JAA SHIAN ELECTRIC CO., LTD.

NO 56,ZHONGYI 1ST STREET,YI CHIA VILLAGE,RENDE DIST.,TAINAN CITY 717,TAIWAN

Telephone +886-6-238-7686

Fax +886-6-270-2769

E-mail jaa.shian@msa.hinet.net

Website www.zoueshoai.com

Resource Saving



Available in: USA, North America, Central America, South America

EP-5-011002

Electric cookers

ELECTRONIC RICE COOKER

Environmental Performance

- * This product which complies with the requirements of Energy-saving Mark has been certified by Ministry of Economic Affairs ,Taiwan.
- * Energy-saving
- * Carbon-reduction.

Product Performance

- * Electric cookers are able to provide a significant upgrading of the energy saving effect due to the specific heating system.
- * The outer wall of the electric cooker is coated with high-density glass fiber to keep the contents warm in more efficient way.

JAA SHIAN ELECTRIC CO., LTD.

NO 56,ZHONGYI 1ST STREET,YI CHIA VILLAGE,RENDE DIST.,TAINAN CITY 717,TAIWAN

Telephone +886-6-238-7686

Fax +886-6-270-2769

E-mail jaa.shian@msa.hinet.net

Website www.zoueshoai.com

Resource Saving



Available in: USA, North America, Central America, South America

EP-5-011003

Electric cookers

WATER DISPENSER

Environmental Performance

- * High heat-maintaining efficiency
- * Power-saving
- * Low energy consumption
- * Reducing resource waste

Product Performance

- * With the excellent warm-keeping system, the water dispenser has improved its shortcomings of consuming energy to heat water again once the water temperature drops naturally.
- * The range of power saving would vary from temperature to temperature. The energy consumption can reduce to 10-30%.

JAA SHIAN ELECTRIC CO., LTD.

NO 56,ZHONGYI 1ST STREET,YI CHIA VILLAGE,RENDE DIST.,TAINAN CITY 717,TAIWAN

Telephone +886-6-238-7686

Fax +886-6-270-2769

E-mail jaa.shian@msa.hinet.net

Website www.zoueshoai.com

Resource Saving



Available in: USA, North America, Central America, South America

EP-5-012001

Indicator panels incorporating light emitting diodes (LED)

LED Exit Sign (Small Grade: C 3:1)

Environmental Performance

- * LED products, no UV, infrared
- * LED green recyclable materials
- * LED cold light source
- * LED long life

Product Performance

- * TTL Size: 370x180x30
- * Board Size: 360x132
- * Battery: Nimh 3.6V 600mAh
- * Voltage: 110/220V
- * AC Frequency: 50/60 Hzf
- * Power: 1.26W
- * Weight: 0.8KG

Luckyear Microelectronics Corp.

9F., No.6, Songde Rd., Xinyi Dist., Taipei City 110, Taiwan (R.O.C.)

Telephone +886-2-2758-5518

Fax +886-2-2758-3419

E-mail vivi@mail.luckyear.com.tw

Website www.luckyear-led.com

Resource Saving

Recyclability/
Reusability

Available in: Taiwan, USA, Japan, Asia, Southeast Asia, Africa

EP-5-013001

Cool cathode lamp

T-BAR T5 Lighting 14W*4**Environmental Performance**

- * High energy efficiency.
- * Excelling the maximum energy-saving effect.
- * Reducing the energy consumption.

Product Performance

- * The PF rating of greater than 98%.
- * The light emitting efficiency is greater than 60lm/w.
- * The uniformed light dispersion index is less than 19.
- * A unique refractive board design that aims to achieve optimal light dispersion effect.
- * Ideal for use at homes or offices.

LIXMA TECH CO., LTD.

No.22 Jingke Central Rd., Nantun Dist., Taichung City, Taiwan, R.O.C

Telephone +886-4-3504-8188#802

Fax +886-4-3500-9168

E-mail gracewu@lixma.com.tw

Website www.lixma.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan, Vietnam

EP-5-013002

Cool cathode lamp

**T-BAR T5 Lighting 28W Series
(28W*1 28W*2 28W*3 Available)****Environmental Performance**

High energy efficiency.

Product Performance

- * With a PF rating of greater than 98%
- * Light emitting efficiency of greater than 60lm/w
- * Uniformed light dispersion index of less than 19
- * excelling the maximum energy-saving effect
- * With a unique refractive board design that aims to achieve optimal light dispersion effect
- * Ideal for use at homes or offices.

LIXMA TECH CO., LTD.

No.22 Jingke Central Rd., Nantun Dist., Taichung City, Taiwan, R.O.C

Telephone +886-4-3504-8188#802

Fax +886-4-3500-9168

E-mail gracewu@lixma.com.tw

Website www.lixma.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan, Vietnam

EP-5-014001

Sealed beam lamp units

MR16 LED SPOTLIGHT

Environmental Performance

The MR16 LED energy-saving projection light is of an environmentally friendly product intended to replace the conventional halogen lamps, and provides the following yield to the environment in extended use:

1. Lead free.
2. Mercury free.
3. Power saving, conserving over 90% of power when compared with the conventional halogen lamps.

Product Performance

- * Replacing the traditional MR16 halogen spotlight without changing original transformers.
- * Save up to 90% electricity than MR16 halogen spotlight.
- * High brightness. Low temperature.
- * Work well with various AC/DC 12V electron transformers and magnetic transformers.

YOULIGHT TECHNOLOGY INC.

No.4, Ln. 7, Siwei St., Dali Dist., Taichung City 412, Taiwan

Telephone +886-4-2285-0896

Fax +886-4-2285-2042

E-mail sharonliu@youlight.com.tw

Website www.youlight.com.tw

Available in: Taiwan

Long Life

Resource Saving



EP-5-015001

Fluorescent lamps, hot cathode

Self-Ballasted Fluorescent Lamps

Environmental Performance

1. Average light beam maintenance rate is 90% or above when lit continuously for 1000 hours, and 85% when lit for 2000 hours, conforming to the specifications of Taiwan's Energy Label.
2. Saves at least 10% of electricity when compared with products of the same output power.
3. Has a long service life, avoids over-production, and reduces carbon dioxide emissions.

Product Performance

1. Uses the world's top-end photocatalyst from Japan.
2. High color rendering index (Ra > 82), 10%-15% higher than CNS-14125, Taiwan's national verification standard.
3. Directly applicable to common household lamp sockets (E27).

JIU TAI OPTOELECTRONICS CO., LTD.

No.216, Guangming Rd., Wuri Dist., Taichung City 414, Taiwan

Telephone +886-4-2338-9951

Fax +886-4-2338-9952

E-mail luaaaa0919@yahoo.com.tw

Website jiutai.myweb.hinet.net

Available in: Taiwan

High Quality/
Performance

Resource Saving



EP-5-016001

Fluorescent lamps, hot cathode

Chung Tai Green Light regeneration lamp (20W)**Environmental Performance**

- * The power consumption is the same as that of a power-saving light tube.
- * The product uses recycled materials by disposing the waste fluorescent lamps, including 100% recycled mercury, 60% recycled phosphor and 30% recycled glass, which reduces energy resource consumption for mining raw materials.
- * C.T Resource Technology's renewable light tubes have been certified with Class 2 Environment-friendly Products by Environmental Protection Agency.

Product Performance

- * Features:
 1. Better color rendering index (CRI) than ordinary light tubes, closer to natural light.
 2. Suited for a traditional stabilizer or an electronic stabilizer.
- * Reuse proportions:
 1. 100% reuse rate of recovered mercury.
 2. 60% reuse rate of recycled phosphor.

CHUNG TAI RESOURCE TECHNOLOGY CORP.

No.9, Sec. 1, Zhongxiao E. Rd., Zhongzheng Dist., Taipei City 10058, Taiwan

Telephone +886-2-2358-7001

Fax +886-2-2358-3078

E-mail hung_ziting@chinalab.com.tw

Website www.chinalab.com.tw

Using Recycled
Materials

Resource Saving

EPA
Category II
Eco-Product

Available in: Taiwan

EP-5-016002

Fluorescent lamps, hot cathode

Chung Tai Green Light regeneration lamp (40W)**Environmental Performance**

- * The power consumption is the same as that of a power-saving light tube.
- * The product uses recycled materials by disposing the waste fluorescent lamps, including 100% recycled mercury, 60% recycled phosphor and 30% recycled glass, which reduces energy resource consumption for mining raw materials.
- * C.T Resource Technology's renewable light tubes have been certified with Class 2 Environment-friendly Products by Environmental Protection Agency.

Product Performance

- * Features:
 1. Better color rendering index (CRI) than ordinary light tubes, closer to natural light.
 2. Suited for a traditional stabilizer or an electronic stabilizer.
- * Reuse proportions:
 1. 100% reuse rate of recovered mercury.
 2. 60% reuse rate of recycled phosphor.

CHUNG TAI RESOURCE TECHNOLOGY CORP.

No.9, Sec. 1, Zhongxiao E. Rd., Zhongzheng Dist., Taipei City 10058, Taiwan

Telephone +886-2-2358-7001

Fax +886-2-2358-3078

E-mail hung_ziting@chinalab.com.tw

Website www.chinalab.com.tw

Using Recycled
Materials

Resource Saving

EPA
Category II
Eco-Product

Available in: Taiwan

EP-5-017001

Cool cathode lamp

CCFL Troffer Fixtures (T-Bar)**Environmental Performance**

- * Long Lasting: High Cycle Life 50,000 hrs of illumination and over 100,000 ON/OFF cycles
- * High Brightness: 20% brighter than standard lights
- * Lasting Brightness: CCFL lamps will only show a small 2-3% fade in brightness after one year of operation
- * Flicker Free: 45-50 KHz operating frequency does not strain the eyes

Product Performance

- * Sturdy construction ensures greater handling safety and easy delivery.
- * Can be fitted to existing light fixtures to save on fixture replacement cost.
- * T1 Cartridge Adapter Lower replacement cost improved efficiency -Independently replace lamps or adapter. -360 degree illumination.

T1 LIGHTING TECHNOLOGY CO., LTD.

Rm. 17, 7F., No. 12, Ln. 609, Sec.5, Chongxin Rd., Sanchong Dist., New Taipei City 241, Taiwan (R.O.C)

Telephone +886-2-7716-5151#15

Fax +886-2-7716-5533

E-mail service@t1light.com

Website www.t1light.com

High Quality/
Performance

Pollution Reduction

Resource Saving



Available in: Worldwide

EP-5-018001

Photovoltaic cells

GreenTriplex PV Module**Environmental Performance**

1. GreenTriplex PM250M00 directly converts the inexhaustible sun light into clean electric energy, reduces carbon emissions which may otherwise result from burning coal and petroleum gas for power generation, and is therefore helpful in alleviating global warming.
2. This product has been certified and received both of the "PAS 2050" and "ISO 14067/DIS" Product Carbon Footprint Certificates from SGS, which is an international certification organization.

Product Performance

1. AUO's mono-crystalline photovoltaic GreenTriplex PM250M00 module has a power range of 245~265W and a module efficiency higher than 16%.
2. Three bus bar design enhances current reliability by reducing breakage rate.
3. GreenTriplex incorporates self cleaning technology, to improve performance over the long term.

AU Optonics Corp.

No.1, Lixing 2nd Rd., East Dist., Hsinchu City 300, Taiwan (R.O.C.)

Telephone +886-3-500-8800#6901

Fax +886-3-577-2658

E-mail solar@auo.com

Website auo.com

High Quality/
Performance

Pollution Reduction

Resource Saving



Available in: USA, Asia, Middle East, Europe, Africa

EP-5-018002

Photovoltaic cells

EcoDue PV Module

Environmental Performance

1. EcoDuo PM240P00 directly converts the inexhaustible sun light into clean electric energy, reduces carbon emissions which may otherwise result from burning coal and petroleum gas for power generation, and is therefore helpful in alleviating global warming.
2. This product has been certified and received both of the "PAS 2050" and "ISO 14067/DIS" Product Carbon Footprint Certificates from SGS, which is an international certification organization.

Product Performance

1. With a conversion rate approaching 15% and a rated output power ranging from 220W to 250W, EcoDuo PM240P00 is suitable for solar power plants, power generation systems of commercial buildings, and small rooftop solar power generation systems for household uses.
2. This product has received the IEC (Europe), UL (North America), Golden Sun (China), MCS (UK), CEC (State of California, USA), and CEC (Australia) verifications.

AU Optronics Corp.

No.1, Lixing 2nd Rd., East Dist., Hsinchu City 300, Taiwan (R.O.C.)

Telephone +886-3-500-8800#6901

Fax +886-3-577-2658

E-mail solar@auo.com

Website auo.com

High Quality/
Performance

Pollution Reduction

Resource Saving



Available in: USA, Asia, Middle East, Europe, Africa

EP-5-019001

Chandeliers and other electric ceiling or wall lighting fittings

T-BAR

Environmental Performance

- * The concept of design is using the minimum materials to achieve the optimum performance.
- * It is processed by using the German Alanod Miro series "Vacuum Evaporation", which is the most stringent specification in the world.
- * The reflection can be up to 98% or more and the illumination is almost the same as the commercially available T5_28W*4 lamp, can be 50% saving of electricity bills and effectively reducing generation of CO2.

Product Performance

1. Conforms to the environmental protection concept, the product is able to make user save 30% electrical bill, reduce the CO2 production approximately, achieved cherishes the Earth reduction energy to lose and to slow down function of the Earth warm speed.
2. The special optical reflection angle design enables the light of the T5 light tube to be used effectively, which upgrades the total luminance of the lighting fixture.

LIH YANG ELECTRIC MACHINERY CO.,LTD.

B1F, No.42, Huanti Blvd., Luzhou Dist., New Taipei City 247, Taiwan (R.O.C.)

Telephone +886-2-8285-7288

Fax +886-2-8285-1157

E-mail phenix.yenglin@gmail.com

Website phenixlighting.com.tw

Resource Saving



Available in: Asia, Africa

EP-5-020001

Chandeliers and other electric ceiling or wall lighting fittings

Indoor Ceiling Lamp

Environmental Performance

- * High luminous efficiency:
 1. Power factor (PF) is up to 99.1%
 2. The average luminous efficiency is 62 lm/W
- * Power saving:
 1. Small luminous decay
 2. Long service life

Product Performance

- * LF-28423EB uses the T5 power-saving fluorescent tubes (28W*2). Input voltage 110V~220V/60Hz, power factor (PF) up to 99.4%.
- * It is designed with the light body and the reflective shade. In consideration of reducing the unified glare rating (UGR), the average luminous efficiency of this lighting fixture can achieve at 75.7lm/W and the average luminous output rate (LOR) is up to 93.82%.

PIN FENG INDUSTRY CO., LTD.

NO. 41, LANE 92, HU TZI NEI ROAD, CHIA-YI CITY, TAIWAN

Telephone +886-5-285-8112#10

Fax +886-5-286-3366

E-mail pinfeng@pinfeng.com.tw

Website www.pinfeng.com.tw

Long Life

Resource Saving

Pollution Reduction



Available in: Taiwan, Japan

EP-5-021001

Other electric lamps and lighting fittings

LED Street light

Environmental Performance

- * LED light source environmental benefits mainly in the low-power, long life, easy to install, can effectively reduce the maintenance costs.
- * High quality LED light source does not contain metallic mercury, will not cause environmental pollution hazards, safe, stable performance, high luminous efficacy, the social benefits of energy conservation;
- * Low consumption of energy-saving, green light, easy to install, maintenance-free and other inherent characteristics, in addition to the LED luminous efficiency even and soft, can improve the image of the city and lighting quality, increase the advantages of public road construction.

Product Performance

- * Waterproof, dustproof, corrosion protection
- * Security structure, good reliability, very low light decay, good use of the Vapor Chamber cooling efficiency
- * Long product life.

Sunteer Technology Co., Ltd

No.1, Wenming 3rd St., Guishan Township, Taoyuan County 333, Taiwan (R.O.C.)

Telephone +886-3-318-1018#389

Fax +886-3-327-7897

E-mail steven@jmltd.tw

Website jmltd.tw

Resource Saving



Available in: Taiwan, Hong Kong, Japan, Singapore, Malaysia, Thailand, Australia, North America, Central America, South America

EP-5-021002

Other electric lamps and lighting fittings

High BAY Light

Environmental Performance

- * Auditorium, hypermarkets, wide plant quality lighting, while improving the efficiency of air-conditioning energy-saving, low energy objectives, enjoy saving money benefits.
- * Excellent color rendering outdoor playground, parking, garden, open trails show the distinctive sense of space, stimulate interest and create an atmosphere to enhance the overall sense of activities to create better environmental benefits.

Product Performance

- * No ghosting, excellent waterproof and dustproof design flexibility
- * The cold source life 50000/hr, can replace 400W mercury lamp
- * The cooling efficiency is excellent produce low heat

Sunteer Technology Co., Ltd

No.1, Wenming 3rd St., Guishan Township, Taoyuan County 333, Taiwan (R.O.C.)

Telephone +886-3-318-1018#389

Fax +886-3-327-7897

E-mail steven@jmltd.twWebsite jmltd.tw

Resource Saving

High Quality/
Performance

Available in: Taiwan, China, USA, Singapore, Malaysia, Thailand, Indonesia, Australia, Central America, South America

EP-5-022001

Other electric lamps and lighting fittings

LED edged-emitting panel light

Environmental Performance

- * Long working hours: lasting to 40000hrs.(min.)
- * Low Power consumption: 73lm/w
- * Light source is replaceable to reduce the waste

Product Performance

- * The LED panel light uses side light guiding technology to integrate the light guide panel and the LED light source. The light guide panel guides the light rays from the light source and then emits the light uniformly from the surface.
- * The LED panel light has the advantages of low glare, no UV, no flicker, good uniformity, thin and compact, high color rendering, and energy-saving.
- * It can be used in offices, meeting rooms, shopping malls, schools, classrooms, restaurants, hospitals, factories, shops, hotels, exhibition halls, art galleries and other areas to replace traditional tubular lamps.

Forhouse Corporation

No.45, Lane 313, Sec.3, Min-Sheng Road, Daya District, Taichung


Telephone +886-4-2569-2188#2244

Fax +886-4-2569-2855

E-mail Nicki.Fan@forhs.comWebsite www.forhs.com

Pollution Reduction

Resource Saving



Available in: Worldwide

EP-5-023001

Other electric lamps and lighting fittings

LED Tube Fixture

Environmental Performance

- * Energy saving : compare to ordinary tubes, LED Tubes can save energy up to 50%.
- * Carbon emission reducing: LED Tubes can reduce 50% of carbon emission.

Product Performance

1. Input Voltage: AC110V/240V
2. Power Consumption: 63W
3. Luminous Flux(lm): 4450
4. Color of Temperature: 5000~5600K
5. Power Factor: >0.9
6. Color Rendering Index(%): >80
7. Led Tube quantity: 3
8. Led Tube of Dimensions(mm): $\Phi 30 \times 1198$
9. L x W x H(mm): 1210 x 600 x 80

Sheng Yih Technologies Co., Ltd

Rm. 1, 3F., No.13, Wuquan 1st Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Telephone +886-2-2298-1757#229

Fax +886-2-2299-0363

E-mail amanda@shengyih.com.tw

Website www.sy.net.tw/en/index.asp

Long Life

Resource Saving



Available in: Taiwan

EP-5-023002

Other electric lamps and lighting fittings

LED Tube Fixture

Environmental Performance

- * Energy saving : compare to ordinary tubes, LED Tubes can save energy up to 50%.
- * Carbon emission reducing: LED Tubes can reduce 50% of carbon emission .

Product Performance

1. Input Voltage: AC110V/240V
2. Power Consumption: 50W
3. Luminous Flux(lm): 3267
4. Color of Temperature: 5000~5600K
5. Power Factor: >0.9
6. Color Rendering Index(%): >80
7. Led Tube quantity: 4
8. Led Tube of Dimensions(mm): $\Phi 30 \times 580$
9. L x W x H(mm): 602 x 600 x 65

Sheng Yih Technologies Co., Ltd

Rm. 1, 3F., No.13, Wuquan 1st Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Telephone +886-2-2298-1757#229


Fax +886-2-2299-0363

E-mail amanda@shengyih.com.tw

Website www.sy.net.tw/en/index.asp

Long Life

Resource Saving



Available in: Taiwan

EP-5-023003

Other electric lamps and lighting fittings

LED Tube Fixture

Environmental Performance

- * Energy saving : compare to ordinary tubes, LED Tubes can save energy up to 50%.
- * Carbon emission reducing: LED Tubes can reduce 50% of carbon emission .

Product Performance

1. Input Voltage: AC110V/240V
2. Power Consumption: 63W
3. Luminous Flux(lm): 4511
4. Color of Temperature: 5000~5600K
5. Power Factor: >0.9
6. Color Rendering Index(%): >80
7. Led Tube quantity: 3
8. Led Tube of Dimensions(mm): $\Phi 30 \times 1198$
9. L x W x H(mm): 1210 x 600 x 80

Sheng Yih Technologies Co., Ltd

Rm. 1, 3F., No.13, Wuquan 1st Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Telephone	+886-2-2298-1757#229
Fax	+886-2-2299-0363
E-mail	amanda@shengyih.com.tw
Website	www.sy.net.tw/en/index.asp

Available in: Taiwan

Long Life

Resource Saving



EP-5-023004

Other electric lamps and lighting fittings

Tube Light Fixture

Environmental Performance

- * Energy saving : compare to ordinary tubes, LED Tubes can save energy up to 50%.
- * Carbon emission reducing: LED Tubes can reduce 50% of carbon emission.

Product Performance

1. Input Voltage(V): AC110V/240V
2. Power Consumption: 50W
3. Luminous Flux(lm): 3229
4. Color of Temperature: 5000~5600K
5. Power Factor: >0.9
6. Color Rendering Index(%): >80
7. Led Tube quantity: 4
8. Led Tube of Dimensions(mm): $\Phi 30 \times 580$
9. L x W x H(mm): 610 x 600 x 68

Sheng Yih Technologies Co., Ltd


Rm. 1, 3F., No.13, Wuquan 1st Rd., Xinzhuang Dist., New Taipei City 242, Taiwan (R.O.C.)

Telephone	+886-2-2298-1757#229
Fax	+886-2-2299-0363
E-mail	amanda@shengyih.com.tw
Website	www.sy.net.tw/en/index.asp

Available in: Taiwan

Long Life

Resource Saving



EP-5-024001

Other electric lamps and lighting fittings

Light Steel Frame Two Feet a pair of Four

Environmental Performance

1. While the T5 light tube contains 3mg mercury and T8 light tube 8 mg mercury, the LED light tube contains no mercury, posing no pollution to the environment.
2. Comparing electricity bills of a traditional lighting fixture and the LED lighting fixture both having light steel frames, it is estimated that the return of cost can be achieved in one year.

Product Performance

1. No need for a starter and a stabilizer, which saves energy in an optimum way, compliant with national energy-saving standards.
2. Power saving and compared with a traditional lighting fixture, it can save up to 50% power.
3. Contains no mercury, poses no harm to the environment.
4. Color temperatures of 3000K, 5000K and 6000K are available, which meets various environmental settings.

Lighting Matrix Technology Co., Ltd.

10F.-10, No.14, Lane 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 24159, Taiwan

Telephone +886-2-2999-5870

Fax +886-2-2999-5970

E-mail kathy@npns.com.tw

Website www.npns.com.tw

Long Life

Resource Saving



Available in: Taiwan

EP-5-025001

Other electric lamps and lighting fittings

S02 Orra series

Environmental Performance

- * Energy saving
- * Carbon emission reduction
- * Environmental protection
- * Energy consumption reduced.

Product Performance

- * Power Consumption: 60W~120W.
- * international patented downward heat dissipation technology to prevent:
 1. Dust accumulation.
 2. Light decay and burning of LED.
- * Waterproof and anti-dust design tested to IP67.
- * Compact and lightweight construction of 10 kg.
- * Compliance to National Standards of Taiwan (CNS 15233) for LED street light.
- * Multi-stage illumination adjustable angel.

ThermoKing Technology International Co.

No.22, Wuquan 3rd Rd., Wugu Dist., New Taipei City 24891, Taiwan

Telephone +886-2-2298-3728#394

Fax +886-2-2298-3702

E-mail neel@ttic-tech.com.tw

Website www.ttic-tech.com.tw

Long Life

Resource Saving



Available in: Worldwide

EP-5-026001

Other illuminated signs, illuminated name-plates and the like

Exit Indicator lights / Evacuation Indicator lights

Environmental Performance

- * A high-brightness LED light source and a high-power circuit board are enclosed in an aluminum alloy housing.
- * Energy-saving, eco-friendly, highly durable, low-pollution.

Product Performance

- * Certified by Taiwan Fire Technology Foundation.
- * Suitable for use in all places.

SHIAN HUEI INDUSTAIAL CO., LTD.

No.28, Ln. 159, Sec. 1, Chang'an Rd., Luzhu Township, Taoyuan County 338, Taiwan

Telephone +886-3-324-8528#212

Fax +886-3-324-8450

E-mail lin32.lin32@msa.hinet.net

Website www.sh119.com.tw

Available in: Taiwan

Pollution Reduction

Using Recycled Materials

Resource Saving



EP-5-026002

Other illuminated signs, illuminated name-plates and the like

Exit Indicator lights / Evacuation Indicator lights

Environmental Performance

A high-brightness LED light source and a high-power circuit board are enclosed in an aluminum alloy housing. Energy-saving, eco-friendly, highly durable, low-pollution.

Product Performance

Certified by Taiwan Fire Technology Foundation. Suitable for use in all places.

SHIAN HUEI INDUSTAIAL CO., LTD.

No.28, Ln. 159, Sec. 1, Chang'an Rd., Luzhu Township, Taoyuan County 338, Taiwan

Telephone +886-3-324-8528#212

Fax +886-3-324-8450

E-mail lin32.lin33@msa.hinet.net

Website www.sh119.com.tw

Available in: Taiwan

Pollution Reduction

Resource Saving



EP-5-027001

Other illuminated signs, illuminated name-plates and the like

LED EXIT LIGHT

Environmental Performance

- * Use rechargeable nickel-metal hydride (Ni-Mh) batteries, free water, long life, easier maintenance facelift.
- * Aluminum die-casting material, white powder green paint, ultra-thin light body design, light and beautiful. , with highlight SMD cast light texture excellent.
- * Energy saving.

Product Performance

- * Use rechargeable nickel-metal hydride (Ni-Mh) batteries, free water, long life, easier maintenance facelift.
- * Aluminum die-casting material, white powder green paint, ultra-thin light body design, light and beautiful.
- * The panel adopted a two-wire CNC engraving, with highlight SMD cast light texture excellent.
- * Products meet national standards CNS10207, the Fire Services Department recognized benchmark.

TAUR SHENG ENTERPRISE CO., LTD

No.33, Youlian St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-365-0288

Fax +886-3-365-6542

E-mail ted.fire@msa.hinet.net

Website www.taursheng.com.tw

Resource Saving



Available in: Taiwan, China, USA, Japan, Vietnam, Philippines, Asia, Southeast Asia, Middle East, South America

EP-5-027002

Other illuminated signs, illuminated name-plates and the like

LED EXIT LIGHT

Environmental Performance

- * Use rechargeable nickel-metal hydride (Ni-Mh) batteries, free water, long life, easier maintenance facelift.
- * Energy saving.

Product Performance

- * Use rechargeable nickel-metal hydride (Ni-Mh) batteries, free water, long life, easier maintenance facelift.
- * Aluminum die-casting material, white powder green paint, ultra-thin light body design, light and beautiful.
- * The panel adopted a two-wire CNC engraving, with highlight SMD cast light texture excellent.
- * Products meet national standards CNS10207, the Fire Services Department recognized benchmark.

TAUR SHENG ENTERPRISE CO., LTD

No.33, Youlian St., Bade City, Taoyuan County 334, Taiwan (R.O.C.)

Telephone +886-3-365-0288

Fax +886-3-365-6542

E-mail ted.fire@msa.hinet.net

Website www.taursheng.com.tw

High Quality/
Performance

Resource Saving



Available in: Taiwan, USA, Japan, Vietnam, Philippines, Asia, Southeast Asia

EP-6-001001

Processing units

GP-O GP888

Environmental Performance

- * Energy saving
- * Low pollution
- * Low noise.

Product Performance

- * A multitask manager in business and especially designed for small office network since it has Windows 8 professional operation system
- * Core i3-3220 Processor, 2GB DDRLL Ram, 500GB hard drive, smart chip card reader, and DVD burner.
- * Plus high efficiency, consistency, and low cost. All components have a completely set of conformance testing, and already installed operating system. It is safe and easy for you to use.

Genuine C&C INC

No.36 Lane 66 Ruiguang Rd., Neihu District, Taipei City 11491, Taiwan R.O.C

Telephone +886-2-2795-6677#367

Fax +886-2-2793-6559

E-mail ruby.wu@gcnc-group.com

Website www.gcnc-group.com

Pollution Reduction



Available in: Taiwan

EP-6-002001

Image scanners

Scanner

Environmental Performance

- * Energy Saving: International ENERGY STAR compliant, sleep mode power consumption 3.24W.
- * Chemical Substances Control: Compliant with European Union RoHS, WEEE and Taiwan Green Mark requirements.

Product Performance

- * Scan rate up to 60 PPM/120 IPM at 300 dpi, color mode.
- * Support document up to A3 size, and support long page scanning up to 3 meters (118").
- * Avision Button Manager (One Touch).
- * New TWAIN driver supports to enhancement such as the ability to adjust sensitivity of dynamic threshold, document/photo color matching, custom color dropout, automatic multiple cropping, intelligent multi-feed, reduce despeckle, image count, digital imprinter, and transport timeout.

Avision Inc.

No. 20, Creation Rd. I, Science Park, Hsinchu, Taiwan, R.O.C

Telephone +886-3-578-2388#8753

Fax +886-3-564-3480

E-mail angela_lin@avision.com.tw

Website www.avision.com.tw

Degradability/
Compostability

Pollution Reduction

Resource Saving



Available in: Taiwan, USA, Japan, Australia, Europe, Oceania

EP-6-002002

Image scanners

Scanner

Environmental Performance

- * Energy Saving: International ENERGY STAR compliant, sleep mode power consumption 4.65W.
- * Chemical Substances Control: Compliant with European Union RoHS, WEEE and Taiwan Green Mark requirements.

Product Performance

- * An Easy-to-use Network Scan Station
- * A large touch-screen display providing convenience.
- * Scanning single-sided or double-sided paper-based document and delivering the electronic image to various destinations.
- * Scanning and saving the images to a USB flash drive or the product's memory.

Avision Inc.

No. 20, Creation Rd. I, Science Park, Hsinchu, Taiwan, R.O.C

Telephone +886-3-578-2388#8753

Fax +886-3-564-3480

E-mail angela_lin@avision.com.twWebsite www.avision.com.twDegradability/
Compostability

Pollution Reduction

Resource Saving



Available in: Taiwan

EP-6-002003

Image scanners

Scanner

Environmental Performance

- * Energy Saving: International ENERGY STAR compliant, sleep mode power consumption 3.34W.
- * Chemical Substances Control: Compliant with European Union RoHS, WEEE and Taiwan Green Mark requirements.

Product Performance

- * Automatic image cropping and straightening at full scanning speed.
- * Brightness and contrast controls to customize color output for specific applications.
- * Fast USB 2.0 interface for plug-and-play connectivity and rapid transfer of images.
- * Industry-standard ISIS and exclusive Avision-developed TWAIN drivers to achieve rated speeds and easy integration.
- * Hold up to 50 pages in auto document feeder.

Avision Inc.

No. 20, Creation Rd. I, Science Park, Hsinchu, Taiwan, R.O.C

Telephone +886-3-578-2388#8753

Fax +886-3-564-3480

E-mail angela_lin@avision.com.twWebsite www.avision.com.twDegradability/
Compostability

Pollution Reduction

Resource Saving



Available in: Taiwan, USA, Japan, Australia, Europe, Oceania

EP-6-003001

Other Colour video projectors

Digital Projector

Environmental Performance

- * Arsenic-free optical glass
- * BFR/PVC-free casing plastics
- * PVC-free plastic packaging
- * >85% recycled papers in packaging box
- * Eco-friendly ink printing in packaging box and user manual

Product Performance

- * The LW61ST features the BlueCore light engine technology to bring you optimized visual display and energy efficiency.
- * Utilizing SmartEco Advanced Technology, you're able to reduce light source power consumption by up to 90%.
- * It's an economic and environmentally friendly choice for your school.

BenQ Corp

No.16, Jihu Rd., Neihu Dist., Taipei City 114, Taiwan (R.O.C.)

Telephone +886-2-2727-8899#7292

Fax +886-2-6602-6677

E-mail sales@BenQ.com

Website www.BenQ.com

Pollution Reduction

Resource Saving



Available in: Taiwan, USA, Japan, Singapore, Republic of Korea, Germany, Netherlands, United Kingdom, Australia, Russia

EP-6-003002

Other Colour video projectors

Digital Projector

Environmental Performance

- * Arsenic-free optical glass
- * BFR/PVC-free casing plastics
- * PVC-free plastic packaging
- * >85% recycled papers in packaging box
- * Eco-friendly ink printing in packaging box and user manual

Product Performance

- * The LX60ST features the BlueCore light engine technology to bring you optimized visual display and energy efficiency.
- * Utilizing SmartEco Advanced Technology, you're able to reduce light source power consumption by up to 90%.
- * It's an economic and environmentally friendly choice for your school.

BenQ Corp

No.16, Jihu Rd., Neihu Dist., Taipei City 114, Taiwan (R.O.C.)

Telephone +886-2-2727-8899#7292

Fax +886-2-6602-6677

E-mail sales@BenQ.com

Website www.BenQ.com

Pollution Reduction

Resource Saving



Available in: Taiwan, USA, Japan, Singapore, Republic of Korea, Germany, Netherlands, United Kingdom, Australia, Russia

EP-6-003003

Other Colour video projectors

Digital Projector

Environmental Performance

- * Arsenic-free optical glass
- * BFR/PVC-free casing plastics
- * PVC-free plastic packaging
- * Certain phthalate-free wires/cables
- * >85% recycled papers in packaging box
- * Eco-friendly ink printing in packaging box and user manual

Product Performance

- * Brilliant image quality for Large-Sized Space BenQ SH940 Full HD high brightness projector offers high brightness projection with Full HD image quality. The higher the resolution, the better the image quality.
- * Full HD resolution will give you 100% dot-to-dot viewing quality-distortion-free.

BenQ Corp

No.16, Jihu Rd., Neihsu Dist., Taipei City 114, Taiwan (R.O.C.)

Telephone +886-2-2727-8899#7292

Fax +886-2-6602-6677

E-mail sales@BenQ.com

Website www.BenQ.com

Pollution Reduction

Resource Saving



Available in: Taiwan, USA, Japan, Singapore, Republic of Korea, Germany, Netherlands, United Kingdom, Australia, Russia

EP-9-001001

non-refractory surfacing preparations for facades, indoor walls, floors, ceilings or the like

Wood floor

Environmental Performance

This product which complies with Green Building Materials requirements has been certified by Ministry of the interior in Taiwan. Meanwhile, Using this product could create health and comfortable living environment by reducing the degree of air quality worse due to the formaldehyde and organic volatile matter (VOC) .

Product Performance

Conforms to the national standards, drifts away lowly product of the formaldehyde and the organic volatile matter (VOC)

SC FLOORS CO., LTD

1F., No.7, Aly. 5, Ln. 112, Sec. 4, Minsheng E. Rd., Songshan Dist., Taipei City 105, Taiwan (R.O.C.)

Telephone +886-2-2547-2336

Fax +886-2-2547-2497

E-mail scfloor@yahoo.com.tw

Website www.scfloors.com.tw

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EP-9-001002

non-refractory surfacing preparations for facades, indoor walls, floors, ceilings or the like

Wood floor

Environmental Performance

This product which complies with Green Building Materials requirements has been certified by Ministry of the interior ,Taiwan. Meanwhile, Using this product could create health and comfortable living environment by reducing the degree of air quality worse due to the formaldehyde and organic volatile matter (VOC) .

Product Performance

Conforms to the national standards, drifts away lowly product of the formaldehyde and the organic volatile matter (VOC).

SC FLOORS CO., LTD

1F., No.7, Aly. 5, Ln. 112, Sec. 4, Minsheng E. Rd., Songshan Dist., Taipei City 105, Taiwan (R.O.C.)

Telephone +886-2-2547-2336

Fax +886-2-2547-2497

E-mail scfloor@yahoo.com.tw

Website www.scfloors.com.tw

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EP-9-002001

Polishes, creams of similar preparations for the maintenance of wooden furniture, floors or other woodwork

Patrician-Teak**Environmental Performance**

- * Ultra-Low Formaldehyde Emission
- * Sawn Cut Wear Layer
- * FSC certificated

Product Performance

- * Far Infrared
- * Anti-Bacteria
- * Natural Oil Finish

Ua Wood Floors Inc.

No. 38, Ke-Jia Road, Douliu City, Yunlin County 640 TAIWAN

Telephone +886-5-551-5757#720

Fax +886-5-551-5567

E-mail sunny@uafloors.com.tw

Website www.uaplusyou.com

Resource Saving

Pollution Reduction



Available in: Asia, Southeast Asia, North America, South America

EP-9-002002

Polishes, creams of similar preparations for the maintenance of wooden furniture, floors or other woodwork

Engineered Flooring-Patrician-Maple**Environmental Performance**

- * Ultra-Low Formaldehyde Emission
- * Sawn Cut Wear Layer
- * FSC certificated

Product Performance

- * Far Infrared
- * Anti-Bacteria
- * Natural Oil Finish

Ua Wood Floors Inc.

No. 38, Ke-Jia Road, Douliu City, Yunlin County 640 TAIWAN

Telephone +886-5-551-5757#720

Fax +886-5-551-5567

E-mail sunny@uafloors.com.tw

Website www.uaplusyou.com

Resource Saving

Pollution Reduction



Available in: Taiwan, Hong Kong, USA, Japan, Republic of Korea

EP-9-002003

Polishes, creams of similar preparations for the maintenance of wooden furniture, floors or other woodwork

Patrician-Red Oak**Environmental Performance**

- * Ultra-Low Formaldehyde Emission
- * Sawn Cut Wear Layer
- * FSC certificated

Product Performance

- * Far Infrared
- * Anti-Bacteria
- * Natural Oil Finish

Ua Wood Floors Inc.

No. 38, Ke-Jia Road, Douliu City, Yunlin County 640 TAIWAN

Telephone +886-5-551-5757#722

Fax +886-5-551-5567

E-mail marketing@uafloors.com.twWebsite www.uaplusyou.com

Resource Saving

Pollution Reduction



Available in: Asia, North America, South America, Oceania

EP-9-002004

Polishes, creams of similar preparations for the maintenance of wooden furniture, floors or other woodwork

Patrician-Leather Walnut**Environmental Performance**

- * Ultra-Low Formaldehyde Emission
- * Sawn Cut Wear Layer
- * FSC certificated

Product Performance

- * Far Infrared
- * Anti-Bacteria
- * Natural Oil Finish

Ua Wood Floors Inc.

No. 38, Ke-Jia Road, Douliu City, Yunlin County 640 TAIWAN


Telephone +886-5-551-5757#722

Fax +886-5-551-5567

E-mail marketing@uafloors.com.twWebsite www.uaplusyou.com

Resource Saving

Pollution Reduction



Available in: Asia, North America, South America, Oceania

EP-9-002005

Polishes, creams or similar preparations for the maintenance of wooden furniture, floors or other woodwork

Patrician-White Oak

Environmental Performance

- * Ultra-Low Formaldehyde Emission
- * Sawn Cut Wear Layer
- * FSC certificated

Product Performance

- * Far Infrared
- * Anti-Bacteria
- * Natural Oil Finish

Ua Wood Floors Inc.

No. 38, Ke-Jia Road, Douliu City, Yunlin County 640 TAIWAN

Telephone +886-5-551-5757#722


Fax +886-5-551-5567

E-mail marketing@uafloors.com.tw

Website www.uaplusyou.com

Resource Saving

Pollution Reduction



Available in: Asia, North America, South America

EP-9-003001

Other finished plywood

Composite wood flooring

Environmental Performance

- * Innovative composite multilayer compact structure.
- * It has a low expansion coefficient when it is dampened, no warping or deformation.
- * Its surface is treated by an ultra-high anti-wear process and can resist wear up to the level of a 9H pencil and withstand an ASTM 50,000 rpm anti-wear test.

Product Performance

King Kong Flooring Series:

- * Ultra-high anti-wear tested by more than 50,000 rpm with an ASTM test. It can resist wear up to the level of a 9H pencil.
- * The expansion coefficient is low when it is dampened, no warping and deformation.
- * The formaldehyde release amount meets the standards of F2 (Taiwan), E0 (Europe and America) and the national standard.

SAN SHIAH ENTERPRISE CO., LTD.

No. 107 Da-Shiue Rd. Chu-Lin Tsuen, Wan-Tan Hsiang, Ping-Tong Hsien, 913, TAIWAN

Telephone +886-8-777-7711#226

Fax +886-8-777-3301

E-mail shuyi@sseffloor.com

Website www.sseffloor.com

Long Life

Degradability/
Compostability

Resource Saving



Available in: Taiwan

EP-9-003002

Other finished plywood

Composite wood flooring

Environmental Performance

- * With super abrasion resistance top layer and multi-layers base structure, is able to be much more stable in humid environment.
- * The characteristics of lower coefficient of expansion, 6H pencil hardness, 50000 up turns of abrasion resistance at ASTM test, and Melamine top boards enhance the life of Floor King series.
- * Be different from solid flooring, from aspect of natural resource, saves more solid timbers and presents amiable flooring look with more options.

Product Performance

- * Multi-layers structure
- * Melamine top board
- * ASTM 30000 up turns of abrasion resistance test referred to ASTM standard
- * Flame resistance

SAN SHIAH ENTERPRISE CO., LTD.

No. 107 Da-Shiue Rd. Chu-Lin Tsuen, Wan-Tan Hsiang, Ping-Tong Hsien, 913, TAIWAN

Telephone +886-8-777-7711#226

Fax +886-8-777-7715

E-mail shuyi@sseffloor.com

Website www.sseffloor.com

Available in: Taiwan, Asia

Pollution Reduction



EP-9-003003

Other finished plywood

Composite wood flooring

Environmental Performance

- * With super abrasion resistance top layer and multi-layers base structure, is able to be much more stable in humid environment.
- * The characteristics of lower coefficient of expansion, 9H pencil hardness, 50000 up turns of abrasion resistance at ASTM test, and Melamine top boards enhance the life of King Kong floor series.
- * Be different from solid flooring, from aspect of natural resource, King Kong saves more solid timbers and presents amiable flooring look with more options.

Product Performance

*Multi-layers structure *Melamine top board *ASTM 50000 up turns of abrasion resistance test referred to ASTM standard *9H pencil hardness *Flame resistance *E0 Formaldehyde emission *Wide size: 9mm(T)×193mm(W)×1200mm(L) *2 kinds of embossed surface *14 up options for colors and grains *Made in Taiwan *CNS certificate and MIT certificate

SAN SHIAH ENTERPRISE CO., LTD.

No. 107 Da-Shiue Rd. Chu-Lin Tsuen, Wan-Tan Hsiang, Ping-Tong Hsien, 913, TAIWAN

Telephone +886-8-777-7711#226

Fax +886-8-777-7715


E-mail shuyi@sseffloor.com

Website www.sseffloor.com

Available in: Taiwan, Asia

Resource Saving

Pollution Reduction



EP-9-003004

Other finished plywood

Composite wood flooring

Environmental Performance

- * Be different from solid flooring, from aspect of natural resource, saves more solid timbers and presents amiable flooring look with more options.
- * Acquiring Health Green Building Certificate of Taiwan. The factory is certified by ISO14001, ISO9001, and built with VOCs free process. The formaldehyde emission is qualified E0 standard.

Product Performance

- * Multi-layers structure
- * ASTM 30000 up turns of abrasion resistance test referred to ASTM standard
- * E0 Formaldehyde emission
- * Wide size: 14.7mm(T) × 176/147mm(W) × 1818mm(L)
- * 2 kinds of embossed surface
- * 6 up options for colors and grains

SAN SHIAH ENTERPRISE CO., LTD.

No. 107 Da-Shiue Rd. Chu-Lin Tuen, Wan-Tan Hsiang, Ping-Tong Hsien, 913, TAIWAN

Telephone +886-8-777-7711#226

Fax +886-8-777-7715

E-mail shuyi@ssefloor.com

Website www.ssefloor.com

Pollution Reduction



Available in: Taiwan, Asia

EP-9-004001

Other processed plywood

The low formaldehyde plain blockboard

Environmental Performance

1. Wooden materials can help the adjustment of humidity in the air due to the wood pores.
2. Lower formaldehyde emission board is comparatively harmless to human body.

Product Performance

- * Low formaldehyde plain wood core board is mainly used for indoor building materials, such as various types of decorative or structural siding ceilings and floors.
- * Suitable for a variety of furniture making, packaging materials and housing construction, and other structural materials.

Sun boon harn Co., Ltd.

No.11, Chenggong 1st St., Minxiong Township, Chiayi County 621, Taiwan (R.O.C.)

Telephone +886-5-221-8968

Fax +886-5-221-8969

E-mail sunboon.harn@msa.hinet.net

Website www.sunboon.com.tw

Degradability/
Compostability

Pollution Reduction



Available in: Taiwan

EP-9-004002

Other processed plywood

The low formaldehyde plain plywood

Environmental Performance

1. Wooden materials can help the adjustment of humidity in the air due to the wood pores.
2. Lower formaldehyde emission board is comparatively harmless to human body.

Product Performance

- * Low formaldehyde plain wood core board is mainly used for indoor building materials, such as various types of decorative or structural siding ceilings and floors.
- * Suitable for a variety of furniture making, packaging materials and housing construction, and other structural materials.

Sun boon harn Co., Ltd.

No.11, Chenggong 1st St., Minxiong Township, Chiayi County 621, Taiwan (R.O.C.)

Telephone +886-5-221-8968

Fax +886-5-221-8969

E-mail sunboon.harn@msa.hinet.net

Website www.sunboon.com.tw

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EP-9-005001

Other processed plywood

Make-up of natural wood plywood

Environmental Performance

1. Improve the indoor air quality of the environment.
2. Reduce harmful levels of building materials for human health.
3. Reduce harmful substances in environmental pollution and human security.

Product Performance

1. Meets the low formaldehyde F1 standard.
2. A total volatile organic substances TVOC / benzene, toluene, p-xylene, m-dimethyl Benzene, o-xylene, ethylbenzene, in line with a low escape rate.
3. Meet the restricted substances assessed.

Lin Hong Wood CO., LTD.

NO.98, Sec. 2, Sizun St., Shulin City, Taipei County 23853 Taiwan (R.O.C.)

Telephone +886-2-2680-5436

Fax +886-2-2680-3691


E-mail tree.wood@msa.hinet.net

Website linhong.myweb.hinet.net

Available in: Taiwan

Degradability/
Compostability

Pollution Reduction



EP-9-006001

Recovered (waste and scrap) other paper or paperboard

Chip Board

Environmental Performance

Chain-of-custody-certified by FSCTM and PEFC,

- * This product uses recycled pulp to attain resource reuse and to foster the development of the forest ecosystem.
- * This product is certified by the Green Mark system of the Environmental Protection Administration of Taiwan.
- * This product is 100% made from post-consumer recycled materials.

Product Performance

- * Base weight ranging from 312 to 2106 GSM.
- * Available in sheets or rolls.
- * Suitable for product packaging, paper laminates, product lining paper, cartons.

YUEN FOONG YU PAPER MFG. CO .LTD TAI-TUNG MILL

No.371, Sec. 4, Zhongxing Rd., Taitung City, Taitung County 950, Taiwan

Telephone +886-8-938-2250#275

Fax +886-8-938-2256

E-mail e4985@yfy.com

Website www.yfy.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: China, USA, Japan, Southeast Asia, Europe

EP-9-006002

Other uncoated paper and paperboard, of a kind used for writing, printing or other graphic purposes

"CLEAR LOTUS" Wood-Free Paper

Environmental Performance

Innovative composite multilayer compact structure. It has a low expansion coefficient Chain-of-custody-certified by FSCTM and PEFC,

- * This product uses recycled pulp to attain resource reuse and to foster the development of the forest ecosystem.
- * This product contains at least 50% of recycled fibers and is certified by the Green Mark system of the Environmental Protection Administration of Taiwan.

Product Performance

- * Base weight ranging from 45 to 180 GSM.
- * Available in sheets or rolls.
- * Suitable for books, pamphlets, commercial forms, calendars, menus, general printing/writing paper, advertising foldouts or inserts, flyers, magazines, posters.

YUEN FOONG YU PAPER MFG. CO .LTD TAI-TUNG MILL

No.371, Sec. 4, Zhongxing Rd., Taitung City, Taitung County 950, Taiwan

Telephone +886-8-938-2250#275


Fax +886-8-938-2256

E-mail e4985@yfy.com

Website www.yfy.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: China, USA, Japan, Southeast Asia, Europe

EP-9-006003

Other uncoated paper and paperboard, of a kind used for writing, printing or other graphic purposes

"CLEAR LOTUS" Recycled Copy Paper (OA)**Environmental Performance**

Chain-of-custody-certified by FSCTM and PEFC,

- * This product uses recycled pulp to attain resource reuse and to foster the development of the forest ecosystem.
- * This product contains at least 60% of recycled fibers and is certified by the Green Mark system of the Environmental Protection Administration of Taiwan.

Product Performance

- * Base weight ranging from 45 to 180 GSM.
- * Available in sheets or rolls.
- * Suitable for laser or inkjet copy paper, paper for dot matrix printers, general writing paper, envelopes.

YUEN FOONG YU PAPER MFG. CO .LTD TAI-TUNG MILL

No.371, Sec. 4, Zhongxing Rd., Taitung City, Taitung County 950, Taiwan

Telephone +886-8-938-2250#275

Fax +886-8-938-2256

E-mail e4985@yfy.com

Website www.yfy.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: China, USA, Japan, Southeast Asia, Europe

EP-9-006004

Other printing and writing or other graphic purposes paper, or paperboard, coated

"CLEAR LOTUS" Two-Side Coated Bristol Board**Environmental Performance**

Chain-of-custody-certified by FSCTM and PEFC,

- * This product uses recycled pulp to attain resource reuse and to foster the development of the forest ecosystem.
- * This product contains at least 40% of recycled fibers and is certified by the Green Mark system of the Environmental Protection Administration of Taiwan.

Product Performance

- * Base weight ranging from 160 to 450 GSM.
- * Available in sheets or rolls.
- * Suitable for books, pamphlets, commercial forms, calendars, menus, general printing/writing paper, advertising foldouts or inserts, flyers, magazines, posters.

YUEN FOONG YU PAPER MFG. CO .LTD TAI-TUNG MILL

No.371, Sec. 4, Zhongxing Rd., Taitung City, Taitung County 950, Taiwan

Telephone +886-8-938-2250#275

Fax +886-8-938-2256

E-mail e4985@yfy.com

Website www.yfy.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: China, USA, Japan, Southeast Asia, Europe

EP-9-006005

Other printing and writing or other graphic purposes paper, or paperboard, coated

One-Side Coated Recycled Duplex Board with Grey/White Back**Environmental Performance**

Chain-of-custody-certified by FSCTM and PEFC.

- * This product uses recycled pulp to attain resource reuse and to foster the development of the forest ecosystem.
- * This product contains at least 80% of post-consumer recycled materials and is certified by the Green Mark system of the Environmental Protection Administration of Taiwan.

Product Performance

- * Base weight ranging from 200 to 550 GSM.
- * Available in sheets or rolls.
- * Suitable for packing cartons, outer laminates of paper boxes.

YUEN FOONG YU PAPER MFG. CO., LTD. TAI-TUNG MILL

No.371, Sec. 4, Zhongxing Rd., Taitung City, Taitung County 950, Taiwan

Telephone +886-8-938-2250#275


Fax +886-8-938-2256

E-mail e4985@yfy.com

Website www.yfy.com

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: China, Japan, Republic of Korea, Southeast Asia, Europe

EP-9-007001

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Stationery Papers**Environmental Performance**

Using regenerated raw materials, the product can be recycled and reused after use.

Product Performance

For file sorting management.

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials**Lan-I Huang Enterprise Co., LTD.**

NO11-1, Lane8, Chengtian Rd, Tucheng Dist., New Taipei City 236, Taiwan, R.O.C

Telephone +886-2-2268-2211

Fax +886-2-2268-3320

E-mail Lan.chyn@msa.hinet.net

Website www.lanchyn.com

Available in: Taiwan

EP-9-007002

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Stationery Papers

Environmental Performance

Using regenerated raw materials, the product can be recycled and reused after use.

Product Performance

For file sorting management.

Lan-I Huang Enterprise Co., LTD.

NO11-1, Lane8, Chengtian Rd, Tucheng Dist., New Taipei City 236, Taiwan, R.O.C

Telephone +886-2-2268-2211

Fax +886-2-2268-3320

E-mail Lan.chyn@msa.hinet.net

Website www.lanchyn.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials



EP-9-007003

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Stationery Papers

Environmental Performance

Using regenerated raw materials, the product can be recycled and reused after use.

Product Performance

For file sorting management.

Lan-I Huang Enterprise Co., LTD.

NO11-1, Lane8, Chengtian Rd, Tucheng Dist., New Taipei City 236, Taiwan, R.O.C

Telephone +886-2-2268-2211

Fax +886-2-2268-3320

E-mail Lan.chyn@msa.hinet.net

Website www.lanchyn.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials



EP-9-008001

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Paper Laminated Binders

Environmental Performance

All raw materials (the gray cardboard) used are regenerated from recycled waste paper.

Product Performance

For documents, data sorting, grouping and filing.

STRONG STATIONERY MFG. CO., LTD.

No.96, Xinle Rd., South Dist., Tainan City 702, Taiwan (R.O.C.)

Telephone +886-6-263-6777

Fax +886-6-261-1711

E-mail strongfm@ms29.hinet.net

Website www.strongfile.com

Recyclability/
Reusability

Resource Saving



Available in: Taiwan

EP-9-008002

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Paper Laminated Binders

Environmental Performance

All raw materials (the gray cardboard) used are regenerated from recycled waste paper.

Product Performance

For documents, data sorting, grouping and filing.

STRONG STATIONERY MFG. CO., LTD.

No.96, Xinle Rd., South Dist., Tainan City 702, Taiwan (R.O.C.)

Telephone +886-6-263-6777

Fax +886-6-261-1711

E-mail strongfm@ms29.hinet.net

Website www.strongfile.com

Recyclability/
Reusability

Resource Saving



Available in: Taiwan

EP-9-008003

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Paper Laminated Binders

Environmental Performance

For documents, data sorting, grouping and filing.

Product Performance

For documents, data sorting, grouping and filing.

STRONG STATIONERY MFG. CO., LTD.

No.96, Xinle Rd., South Dist., Tainan City 702, Taiwan (R.O.C.)

Telephone +886-6-263-6777

Fax +886-6-261-1711

E-mail strongfm@ms29.hinet.net

Website www.strongfile.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving



EP-9-008004

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Paper Laminated Binders

Environmental Performance

All raw materials (the gray cardboard) used are regenerated from recycled waste paper.

Product Performance

For documents, data sorting, grouping and filing.

STRONG STATIONERY MFG. CO., LTD.

No.96, Xinle Rd., South Dist., Tainan City 702, Taiwan (R.O.C.)

Telephone +886-6-263-6777

Fax +886-6-261-1711

E-mail strongfm@ms29.hinet.net

Website www.strongfile.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving



EP-9-008005

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Paper Laminated Binders

Environmental Performance

All raw materials (the gray cardboard) used are regenerated from recycled waste paper.

Product Performance

For documents, data sorting, grouping and filing.

STRONG STATIONERY MFG. CO., LTD.

No.96, Xinle Rd., South Dist., Tainan City 702, Taiwan (R.O.C.)

Telephone +886-6-263-6777

Fax +886-6-261-1711

E-mail strongfm@ms29.hinet.net

Website www.strongfile.com

Available in: Taiwan

Recyclability/
Reusability

Resource Saving



EP-9-009001

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Recycled Kraft Paper Pipe File Folder Series

Environmental Performance

Certified by Green Mark, our kraft paper product series are made from recycled materials and therefore contribute to conservation of resources and reduction of pollution.

Product Performance

Made mainly from recycled materials, our Eco Friendly File Folder Series are produced with particular attention to controlling the pollution generated during production and minimizing the environmental impact created during recycling.

HSIN YING STATIONERY INDUSTRIAL CO., LTD.

No.33, Bao'an St., Datong Dist., Taipei City 10346, Taiwan (R.O.C.)

Telephone +886-2-2557-0463

Fax +886-2-2557-0466

E-mail regina@ms79.hinet.net

Website www.regina.com.tw

Available in: Taiwan, Japan

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials



EP-9-009002

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Environmental Kraft Paper File Holder With Elastic

Environmental Performance

- * The product meets the requests of Green Mark has been certified by Environmental Protection Administration.
- * The kraft paper product series are made from recycled materials to achieve resource saving and pollution reduction goals.

Product Performance

- * The environmental binder series are mainly made from 100% recycled gray cardboard and stuck with the Kraft paper which meets the standards approved by Taiwan Environmental Protection Administration.
- * The concept of producing eco file folder is to reduce deforestation and preserve green field.

HSIN YING STATIONERY INDUSTRIAL CO., LTD.

No.33, Bao'an St., Datong Dist., Taipei City 10346, Taiwan (R.O.C.)

Telephone +886-2-2557-0463

Fax +886-2-2557-0466

E-mail regina@ms79.hinet.net

Website www.regina.com.tw

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Taiwan, China, Japan

EP-9-009003

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Enviromental Kraft Paper Ring File

Environmental Performance

- * The product meets the requests of Green Mark has been certified by Environmental Protection Administration.
- * The kraft paper product series are made from recycled materials to achieve resource saving and pollution reduction goals.

Product Performance

- * The environmental binder series are mainly made from 100% recycled gray cardboard and stuck with the Kraft paper which meets the standards approved by Taiwan Environmental Protection Administration.
- * The concept of producing eco file folder is to reduce deforestation and preserve green field.

HSIN YING STATIONERY INDUSTRIAL CO., LTD.

No.33, Bao'an St., Datong Dist., Taipei City 10346, Taiwan (R.O.C.)

Telephone +886-2-2557-0463

Fax +886-2-2557-0466

E-mail regina@ms79.hinet.net

Website www.regina.com.tw

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Taiwan, China, Japan

EP-9-009004

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Environmental kraft Paper Lever Arch File

Environmental Performance

- * The product meets the requests of Green Mark has been certified by Environmental Protection Administration.
- * The kraft paper product series are made from recycled materials to achieve resource saving and pollution reduction goals.

Product Performance

- * The environmental binder series are mainly made from 100% recycled gray cardboard and stuck with the Kraft paper which meets the standards approved by Taiwan Environmental Protection Administration.
- * The concept of producing eco file folder is to reduce deforestation and preserve green field.

HSIN YING STATIONERY INDUSTRIAL CO., LTD.

No.33, Bao'an St., Datong Dist., Taipei City 10346, Taiwan (R.O.C.)

Telephone +886-2-2557-0463

Fax +886-2-2557-0466

E-mail regina@ms79.hinet.net

Website www.regina.com.tw

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Taiwan, China, Japan

EP-9-009005

Boxes, pouches, wallets and writing compendiums, of paper or paperboard

Environmental Kraft Paper Ring&Clip File

Environmental Performance

- * The product meets the requests of Green Mark has been certified by Environmental Protection Administration.
- * The kraft paper product series are made from recycled materials to achieve resource saving and pollution reduction goals.

Product Performance

- * The environmental binder series are mainly made from 100% recycled gray cardboard and stuck with the Kraft paper which meets the standards approved by Taiwan Environmental Protection Administration.
- * The concept of producing eco file folder is to reduce deforestation and preserve green field.

HSIN YING STATIONERY INDUSTRIAL CO., LTD.

No.33, Bao'an St., Datong Dist., Taipei City 10346, Taiwan (R.O.C.)

Telephone +886-2-2557-0463

Fax +886-2-2557-0466

E-mail regina@ms79.hinet.net

Website www.regina.com.tw

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

Available in: Taiwan, China, Japan

EP-9-010001

Trays, dishes, plates cups and the like, of other paper or paperboard

Paper Cup

Environmental Performance

- * biodegradable, compostable and disposable Paper Cup
- * The material are certified by FSC made from responsible sources.

Product Performance

The features of paper cup:

- * biodegradable
- * compostable
- * disposable

JIUN YO CO., LTD.

No.11, Nangang 3rd Road, Nantou City, Nantou County, Taiwan

Telephone +886-4-9225-8550#127

Fax +886-4-9225-8551

E-mail service@jiunyo.com

Website www.jiunyo.com

Degradability/
Compostability

Pollution Reduction

Using Recycled
Materials

Available in: Taiwan, Philippines, Southeast Asia, East Asia, North America, Oceania

EP-9-011001

Other paper, paperboard, cellulose wadding and webs of cellulose fibres, cut to size or shape, coated

FSC COC certified Notes

Environmental Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

Product Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

TAIWAN HOPAX CHEMS. MFG.CO.,LTD.

No.28, Huadong, Daliang District, Kaohsiung City 83162, Taiwan

Telephone +886-2-2313-1112#133

Fax +886-2-2313-1777

E-mail sales@stickn.com

Website www.hopax.com

Resource Saving

Pollution Reduction



Available in: India, United Kingdom, Russia, Asia, Central America, South America

EP-9-011002

Other paper, paperboard, cellulose wadding and webs of cellulose fibres, cut to size or shape, coated

FSC COC certified Notes

Environmental Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

Product Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

TAIWAN HOPAX CHEMS. MFG.CO.,LTD.

No.28, Huadong, Daliao District,Kaohsiung City 83162,Taiwan

Telephone +886-2-2313-1112#133

Fax +886-2-2313-1777

E-mail sales@stickn.com

Website www.hopax.com

Resource Saving

Pollution Reduction



Available in: Europe, United Kingdom, Russia, Asia, Central America, South America

EP-9-011003

Other paper, paperboard, cellulose wadding and webs of cellulose fibres, cut to size or shape, coated

FSC COC certified Notes

Environmental Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

Product Performance

- * FSC COC certified Notes made from responsible sources.
- * Environmentally friendly
- * 100% Water Based Adhesive

TAIWAN HOPAX CHEMS. MFG.CO.,LTD.

No.28, Huadong, Daliao District,Kaohsiung City 83162,Taiwan

Telephone +886-2-2313-1112#133

Fax +886-2-2313-1777

E-mail sales@stickn.com

Website www.hopax.com

Resource Saving

Pollution Reduction



Available in: Middle East, Russia, Asia, Central America, South America

EP-9-012001

Other orchid, live

Phalaenopsis

Environmental Performance

- * Orchids are grown in greenhouses equipped with automatic cultivation systems configured for saving energy, reducing CO2 emissions, and thereby preventing the Earth from premature aging.
- * These systems include a water curtain cooling system, a thermal pump heating system, an intelligent inner/outer net lighting control system, a high-efficiency movable cultivation bed system (an energy-saving thermal insulation system, an indoor ventilation fan system, an outdoor insect screen control system), an operation and monitor system for production and cultivation, an automatic greenhouse control system, a spray cooling system, etc.

Product Performance

Known as "queen of orchids" in Taiwan, phalaenopsis has butterfly-shaped that appear from an arcuate hanging stem and flutter in the breeze like real butterflies.

Taiwan Orchid Professionals Co. Ltd.

No 325, Wushulin, Wushu Village, Houbi Township, Tainan City 73191

Telephone +886-6-684-0788#205

Fax +886-6-684-0787

E-mail clair@taiwanorchids.com.tw

Website www.taiwanorchids.com.tw

Available in: Taiwan

Resource Saving

Pollution Reduction



EP-9-013001

Other articles of glass fibres

GlassWool

Environmental Performance

- * Thermal Insulation
- * Sound-absorbing
- * Energy Saving

Product Performance

- * Thermal insulation
- * Sound absorption

TAITA CHEMICAL CO.,LTD

NO.571 Min-TSU Rd.,TouFen Miaoli 351,Taiwan

Telephone +886-37-627-700#510

Fax +886-37-627-704

E-mail stevenliao@ttc.com.tw

Website www.ttc.com.tw

Available in: Taiwan, Hong Kong, Singapore, Vietnam, Australia, Asia, Southeast Asia

Resource Saving

High Quality/
Performance

EP-9-014001

Other seats

NOVITE Folding Chair

Environmental Performance

- * Whole chair is produced in minimum components and produced with environmental friendly materials.
- * Whole chair can be through recycled and reused to produce new NOVITE or other products.

Product Performance

- * NOVITE is a screw-free folding chair by only 5 parts. The numbers of components is reduced and therefore it is easier and faster to assemble.
- * It has achieved to be a chair with high quality but low price; with strength but lightness; with steadiness and mobility.
- * Whole chair can be easily recycled without sorting out any parts. The percentage of the reclamation is 100%!
- * It is a piece of furniture suitable for different environments, be them indoor or outdoor, residential or office spaces.

Shiang Ye Industrial Co., Ltd.

32, Huadong Rd., Daliao Dist., Kaohsiung City 831, Taiwan, R.O.C

Telephone +886-7-787-2120

Fax +886-7-787-4584

E-mail elly@chairking.com.tw

Website www.chairking.com.tw

Available in: Worldwide

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EP-9-014002

Other seats

ROSA Stacking Chair

Environmental Performance

Whole chair is produced in minimal components and produced with environmental friendly materials. ROSA is made from 100% polypropylene, a recycled material, so the whole chair can be through recycled and reused to produce new ROSA or other products.

Product Performance

- * With no sharp edges, ROSA is a comfortable chair that can fit in any environment.
- * One-injection required that allows ROSA to consume only very low energy.
- * No metal parts used leads to no concern on being rusty when use in outdoor.
- * ROSA has high stackability that can be easily storage.
- * Certified by ANSI/BIFMA standards.

Shiang Ye Industrial Co., Ltd

No.32, Huadong Rd., Daliao Dist., Kaohsiung City 831, Taiwan

Telephone +886-7-787-2120#305

Fax +886-7-787-2161

E-mail shiangye@chairking.com.tw

Website www.shiangye.com/en/contact/.com

Available in: Worldwide

Recyclability/
Reusability

Resource Saving

Using Recycled
Materials

EP-9-015001

Mattresses, of other materials

Order Green Pocket-Springs Mattress

Environmental Performance

- * The product made of high capacity 72% high-carbon steel has a longer life cycle.
- * Adopts 100% natural rubber.
- * The evaporative formaldehyde concentration of product is only 0.01 mg/m³ and TVOC 0.005 mg/m³.

Product Performance

- * Adopting handmade independent cylinder spring mattress, with the top layer containing 100% all natural, environmentally green rubber material to provide extra comfort
- * The independent cylinders not only absorb the wobble which is derived from the sleeping postures changing but also sustain the weight of all parts of your body evenly. So, it can help improving your sleep quality.
- * The materials do not contain any cancerous chemical substances.

Taiwan Order Furniture Corporation

3F., No.84, Sec. 1, Wenhua 1st Rd., Linkou Dist., New Taipei City 244, Taiwan, R.O.C

Telephone +886-2-2600-6008#1163

Fax +886-2-2600-6028

E-mail maggie@order.com.tw

Website www.order.com.tw

Long Life

Degradability/
Compostability

Resource Saving

Using Recycled
Materials

Available in: Taiwan

EP-9-015002

Mattresses, of other materials

Order Green Spring Mattress

Environmental Performance

- * The high-capacity 77% high carbon steel provides longer product life cycle.
- * All springs are kept to the maximum 190 kgf/mm².
- * The evaporative formaldehyde of product is only at 0.01 mg/m³ and TVOC at 0.005 mg/m³.

Product Performance

- * The high- carbon steel's springs, coupled with the "steel mesh", helps to support the head/spinal shape, and relaxes the body.
- * The upper and bottom parts of product are in green rubber, which helps to relax the muscle and joint tension, with pure Tencel adopted as the mattress's surface fabric.

Taiwan Order Furniture Corporation

3F., No.84, Sec. 1, Wenhua 1st Rd., Linkou Dist., New Taipei City 244, Taiwan, R.O.C

Telephone +886-2-2600-6008#1163

Fax +886-2-2600-6028

E-mail maggie@order.com.tw

Website www.order.com.tw

Long Life

Degradability/
Compostability

Resource Saving

Using Recycled
Materials

Available in: Taiwan

Marking Pen

Environmental Performance

- * The marking pen (#600) has been certified by third party and obtained the Carbon Label issued by Taiwan's EPA according to PAS 2050 and Guide to Assess the Carbon Footprint of Products and Services (Taiwan EPA, 12 Feb. 2010).
- * After life cycle inventory, the GHG emission of each phase is quantified, thus became a reduction baseline as to achieve the goal of environmental protection.
- * The ink chosen has passed chemical substances test and been certified by SGS.

Product Performance

- * Non-toxic, permanent ink that conforms to ASTM D-4236 and EN71.
- * 1.1 mm fine nib.
- * Instant dry.
- * Alcohol-based.
- * Odorless.
- * Works on almost all surfaces.

LION PENCIL CO., LTD.

NO.186 SEC.1 CHUNG-SHAN ROAD, PAN CHIAO, NEW TAIPEI CITY, TAIWAN 220

Telephone +886-2-2963-1717

Fax +886-2-2957-3319

E-mail export@simbalion.com.tw

Website www.simbalion.com.tw

Resource Saving



Available in: Taiwan

MENO

Handwriting practice lines consisting of 20 horizontal dashed lines on a light blue background.

Environmental considerations in publishing the *Taiwan Eco-Products Directory 2013-2014*

The *Taiwan Eco-Products Directory 2013-2014* uses paper certified by the Forest Stewardship Council (FSCTM). The Trademark of the Forest Stewardship Council indicates that the wood used to make the product comes from a forest which is well managed according to strict environmental, social and economic standards. The forest of origin has been independently inspected and evaluated according to the principles and criteria for forest management agreed and approved by the Forest Stewardship Council.



Published by the Green Trade Project Office, MOEA

Copyright © 2013 Bureau of Foreign Trade, MOEA

All rights reserved. No part of this work, including the figures, tables, and charts, may be reproduced or used in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, or information storage and retrieval systems, without the express written permission of the Bureau of Foreign Trade, MOEA.

BUREAU OF FOREIGN TRADE, MOEA

www.trade.gov.tw

Supported by | **Ministry of Economic Affairs (MOEA)**

Organized by | **Bureau of Foreign Trade, MOEA**

Implemented by | **Green Trade Project Office, MOEA**

Tel | **886-3-5918091** Fax | **886-3-5910023**

Email | **service@ecoproducts.org.tw**

www.greentrade.org.tw

Ad by BOFT